

# SUBJECT INDEX TO VOLUME 51

	<i>Page</i>		<i>Page</i>
<i>a</i> = abstract			
<b>Acetic Acid</b> , synthesis	97, 187		
<b>Acetylenes</b> , Sonogashira coupling	87		
<b>ADMET</b> , Grubbs catalyst	69		
<b>Alcohols</b> , C12 to C15 alcohols, production	164		
2-ethylhexanol, production	116, 164		
EtOH, reforming	34		
fuel	34, 145		
MeOH, carbonylation, <i>a</i>	97		
sensor	3		
1-octanol, production	164		
oxidation	49, 97, 98, 204, 211		
electro-, <i>a</i>	49, 211		
selective, <i>a</i>	97		
2-propylheptanol, production	164		
<b>Aldehydes</b> , by hydroformylation	116, 164		
cyclisation	16		
$\alpha,\beta$ -unsaturated, hydrogenation, <i>a</i>	209		
<b>Alkanes</b> , dehydrogenation	63, 136		
isomerisation	63		
<b>Alkenes</b> , in reactions	16, 63, 69, 76, 97		
<b>Alkylation</b>	76, 176		
<b>Alkynes</b> , reduction	16		
<b>Amines</b> , pure enantiomers, synthesis	83		
<b>Amino Acids</b> , pure enantiomers, synthesis	83		
<b>Ammonia</b> , + CH <sub>4</sub> , HCN synthesis, <i>a</i>	157		
decomposition, <i>a</i>	47		
sensors	204		
<b>Annealing</b> , Pt	178		
<b>Anthracene</b> , oxidation, <i>a</i>	97		
<b>Antimalarial Agents</b> , Ir chloroquines, <i>a</i>	211		
<b>Arenes</b> , reduction	16		
<b>Aryl Halides</b> , in reactions	83, 87, 127, 172, 210		
<b>Arylboronic Acids</b> , in coupling reactions	83, 87, 210		
<b>Autocatalysts</b>	34, 87, 154, 162		
<b>Benzaldehydes</b> , oxidation, <i>a</i>	97		
<b>Benzene</b> , reduction	16		
<b>Biaryls</b> , preparation, <i>a</i>	210		
<b>Boiling Points</b> , Ir, Os, Pd, Pt, Rh, Ru	130		
<b>Book Reviews</b> , "Alcoholic Fuels"	34		
"Combinatorial and High-Throughput Discovery and Optimization of Catalysts and Materials"	93, 204		
"Handbook of Homogeneous Hydrogenation"	16		
"Metal-catalysis in Industrial Organic Processes"	187		
"Metal Catalyzed Cascade Reactions"	76		
"Nonporous Inorganic Membranes"	136		
"Organic Light-Emitting Devices"	85		
"Recent Developments in the Organometallic Chemistry of N-Heterocyclic Carbenes"	176		
"The Separation and Refining Technologies of Precious Metals"	68		
<b>Buchwald-Hartwig Couplings</b>	172		
<b>Bulk Metallic Glasses</b> , 850 Pt	199		
<b>Butene</b> , hydroformylation	164		
<b>Butyraldehydes</b> , by hydroformylation of propylene	116, 164		
<b>Cancer</b> , anti-, pgm complexes	36, 211		
<b>Carbenes</b>	69, 76, 176		
<b>Carbon Oxides</b> , CO, adsorption, Pd-Au, Pt-Au films, <i>a</i>	95		
electrooxidation, <i>a</i>	49		
+ H <sub>2</sub> , hydroformylation of propylene	116, 164		
hydrogenation, <i>a</i>	97		
oxidation	47, 162, 185		
<b>CO<sub>2</sub></b> , methanation	42		
reduction	16		
supercritical, solvent	185		
tolerance, of PEFC anodes	27		
<b>Carbonylation</b>	83, 97, 185, 204		
<b>Cascade Reactions</b>	76, 157		
<b>Casting</b> , jewellery alloys	19, 102, 199		
<b>Catalysis</b> , asymmetric	48, 54, 98, 127, 158, 172, 176, 187		
		<b>Catalysis, (cont.)</b>	
		biphasic, <i>a</i>	210
		book reviews	16, 76, 176, 187, 204
		conferences	36, 42, 69, 83, 127, 145, 172, 185
		heterogeneous, <i>a</i>	48, 97, 157–158, 209–210
		homogeneous, <i>a</i>	48–49, 97–98, 158, 210
		in ionic liquids	127, 209, 210
		<b>Catalysts</b> , activity, effects of particle size variation	63
		dendrimers, <i>a</i>	210
		'non-passive' support	127
		phase separation	16
		poisons	162
		production, using a plasma torch	42
		recycling	83, 87, 162, 209, 210
		supported ionic liquid (SILCA)	42, 209
		supported metal	42
			three-way, see <b>Three-Way Catalysts</b>
		<b>Catalysts, Iridium</b> , electrocatalysts, Pt-IrNT, Pt-IrO <sub>2</sub> NT,	187
		Pt-Ir-IrO <sub>2</sub> NT, MeOH oxidation, <i>a</i>	98
		RuO <sub>2</sub> -IrO <sub>2</sub> /Pt, for URFCs, <i>a</i>	98
		Pt-Ir, coal electrolysis	27
		petroleum reforming	63
		<b>Catalysts, Iridium Complexes</b> , Cativa™ process	187
		hydrogenation: enantioselective, homogeneous, transfer	16
		Ir-Bish*, Ir-MiniPhos*, imine reduction	172
		IrCl <sub>3</sub> , + H <sub>2</sub> O <sub>2</sub> , oxidation of organic compounds, <i>a</i>	97
		MeOH carbonylation, <i>a</i>	97
		<b>Catalysts, Osmium Complexes</b> , conference	36
		H <sub>2</sub> Os(CO) <sub>10</sub> , derivatives, asymmetric hydrogenation	127
		Os <sub>2</sub> (CO) <sub>12</sub> , derivatives, asymmetric hydrogenation	127
		Os-NHC	69, 176
		OsO <sub>4</sub> , dihydroxylation of 1,2-dioxines, <i>a</i>	49
		<b>Catalysts, Palladium</b> , Au-Pd/C, Au, Pd deposition	42
		Cu-Zn-Pd, MeOH partial oxidation	204
		electrocatalysts, Pd, Pd-Co, Pd-Co-Au, ORR	27
		Pd, (+ H <sub>2</sub> ), anode, for PEFC	27
		Pd coatings, anodes, for SOFCs	27
		Pd-Co/C, ORR activity, <i>a</i>	98
		Pt-Pd, cathodes, for DEFCs, <i>a</i>	211
		Pd-based sulfated zirconia, lean NO <sub>x</sub> reduction, <i>a</i>	157
		Pd membrane reactors, WGSR	136
		Pd nanoparticles, encapsulated, porous polyurea beads	83
		preparation	42
		Pd nanoparticles/Al hydroxide	172
		Pd nanoparticles/ionic liquid layer/active C cloth, <i>a</i>	209
		Pd perovskites, in autocatalysts, self-regenerating	87
		in organic synthesis: Sonogashira, Suzuki coupling	87
		Pd/ $\alpha$ -Al <sub>2</sub> O <sub>3</sub> , / $\gamma$ -Al <sub>2</sub> O <sub>3</sub> , pellets, preparation, in L-CO <sub>2</sub> , <i>a</i>	48
		Pd/Al <sub>2</sub> O <sub>3</sub> , preparation, for hydrogenations	42
		reforming of glycerol	185
		soybean oil hydrogenation, <i>a</i>	97
		Pd/C, imine reduction	83
		Pd deposition	42
		soybean oil hydrogenation, <i>a</i>	97
		Pd/membrane, alkane dehydrogenation	136
		Pd/ordered mesoporous C, selective oxidation, <i>a</i>	97
		Pd/oxide supports, reforming of EtOH	34
		Pd/SiO <sub>2</sub> , direct formation of H <sub>2</sub> O <sub>2</sub> , <i>a</i>	48
		Pd/support, selective hydrogenation of ethyne, <i>a</i>	48
		Pd-Au, selective oxidation, alkenes, H <sub>2</sub> , reducing sugars	63
		Pd-Pt nanoparticles, preparation	42
		Pd-Cu/hydrotalcite, reduction of nitrate, <i>a</i>	210
		Pd-LM-SiO <sub>2</sub> , hydrogenation of nitrobenzene	3
		Pt-Pd, Pt-Pd/zeolite, S resistance, <i>a</i>	209
		three-way	162
		<b>Catalysts, Palladium Complexes</b> , allylpalladium(II)	76, 210
		carbonylations, atom-efficient	185
		conference	36
		coupling reactions	185, 187
		synthesis, bosalid, sartans	187
		+ ferrocene units, Suzuki couplings	127
		homogeneous hydrogenation	16

	Page	Page
<b>Catalysts, Palladium Complexes, (cont.)</b>		
Pd, migration/insertion into C–H bonds	76	
Pd(0), cascade reactions	76	
Pd(0) complex/polysiloxane capsule, <i>a</i>	97	
Pd(acac) <sub>2</sub> , carbonylation of phenol	204	
Pd(II) acetate/phosphines, encapsulated in beads	83	
[PdCl(COD)] + base, methoxycarbonylation	127	
PdCl <sub>2</sub> + H <sub>2</sub> O <sub>2</sub> , oxidation of organic compounds, <i>a</i>	97	
[PdCl <sub>2</sub> {P(OPh) <sub>3</sub> } <sub>2</sub> ] + base, Sonogashira coupling	127	
Pd + dcpmp, Suzuki couplings, <i>a</i>	210	
Pd dendrimers, <i>a</i>	210	
Pd(dpbb) <sub>2</sub> , carbonylation of phenol	204	
Pd(II) EnCat <sup>TM</sup> BINAP30, Suzuki coupling	83	
Pd ethylthioglycolate modified silica, <i>a</i>	209	
Pd-NHC	69, 176	
Pd(OAc) <sub>2</sub> , hydrogenation of NBR, <i>a</i>	210	
Pd(OAc) <sub>2</sub> + BINAP, Buchwald-Hartwig coupling	172	
Pd(OAc) <sub>2</sub> /DABCO, Suzuki-Miyaura cross-couplings, <i>a</i>	48	
Pd(Ph <sub>3</sub> P) <sub>4</sub> , for 2-chloro-5-(pyridin-2-yl) pyrimidine, <i>a</i>	158	
Pd-phosphine (+ PVP), ethene carbonylation, in MeOH	83	
Pd + Ph <sub>3</sub> P(O), coupling of K arylidimethylsilanolates, <i>a</i>	210	
Pd + phosphite-oxazoline ligands, Heck reactions, <i>a</i>	158	
Pd-Rh, PKR substrate generation and processing	76	
Pd-Smopex-111, Suzuki reactions, <i>a</i>	210	
Pd/SILCA, citral hydrogenation	42	
Pd( <i>o</i> -Tol) <sub>4</sub> , conversion of an aryl bromide, to nitrile reduction, CO <sub>2</sub>	172	
Pt	16	
<b>Catalysts, Platinum, base metal oxide-doped Pt/C</b>	204	
electrocatalysts, Pt, for fuel cells	27, 34, 211	
inks, deposition, ink jet technology	27	
Pt black, cathodes, for PEMFCs, <i>a</i>	49	
Pt-coated AFM tip, cathode, for PEMFC, <i>a</i>	158	
Pt coatings, anodes, for SOFCs	27	
Pt containing, for fuel cells	204, 211	
Pt/activated C, for PEMFCs, <i>a</i>	158	
Pt/C, cathodes, for DMFCs	27	
inks, deposition, ink jet technology	27	
Pt/C-aerogel, for PEMFCs, <i>a</i>	49	
Pt/C cloth, cathodes, for PEFC	27	
Pt/C nanocatalysts, for fuel cells, <i>a</i>	49	
Pt/C nanofibres, for PEMFCs, <i>a</i>	158	
Pt/Nafion ‘inks’, electrodes, for PEFCs	27	
Pt-Au, cathodes, O reduction, in fuel cells	63	
Pt-Co/C, PtMo/C, electrodes	27	
Pt-IrNT, Pt-IrO <sub>2</sub> NT, Pt-Ir-IrO <sub>2</sub> NT, MeOH oxidation, <i>a</i>	98	
Pt <sub>1-x</sub> M <sub>x</sub> , M = Au, Co, Mo, Ru, Sn, Ta, PEMFCs, <i>a</i>	158	
Pt-Ni carbon nitride, <i>a</i>	211	
Pt-Pd, cathodes, for DEFCs, <i>a</i>	211	
PtRu, see <b>Catalysts, Ruthenium</b>		
Pt-Sn, binary, ternary: anodes, for DEFCs, <i>a</i>	211	
Pd-P nanoparticles, preparation	42	
Pt, coal electrolysis	27	
conversion of NO <sub>x</sub> ; reduction of NO <sub>x</sub> , by H <sub>2</sub>	185	
decomposition, Na borohydride	27	
role, catalytic converters	162	
S resistance, <i>a</i>	209	
Pt black, HCN, synthesis, <i>a</i>	157	
Pt nanoparticles, preparation	42	
Pt/ $\gamma$ -Al <sub>2</sub> O <sub>3</sub> , diesel soot oxidation, <i>a</i>	48	
Pt/Al <sub>2</sub> O <sub>3</sub> , H <sub>2</sub> /NO <sub>x</sub> reaction	185	
reforming of glycerol	185	
Pt/C, electrochemical oxidation of borohydride	138	
HDCI of DCE	27	
preparation	42, 138	
Pt/Mg(Al)O, synthesis; cascade reaction, <i>a</i>	157	
Pt/SnO <sub>2</sub> (Pt via scCO <sub>2</sub> deposition), CO oxidation	185	
Pt-Au, NO reduction, by propene	63	
selective oxidation: polyols, reducing sugars	63	
Pt-Ir, coal electrolysis	27	
petroleum reforming	63	
Pt-Pd, S resistance, <i>a</i>	209	
Pt-Sn, alkane dehydrogenation	63	
Pt-Au colloids/C, preparation	63	
Pt-Au/HY zeolite, alkane isomerisation	63	
Pt-Au/SiO <sub>2</sub> , /TiO <sub>2</sub> , /TiO <sub>2</sub> -SiO <sub>2</sub> , /Y zeolite, preparation	63	
<b>Catalysts, Platinum, (cont.)</b>		
Pt <sub>2</sub> Au <sub>4</sub> /SiO <sub>2</sub> , preparation	63	
PtCu, PtCuCaH, PtCuH <sub>2</sub> , PtCuNaH/C, preparation	138	
PtCuCaH, PtCuH <sub>2</sub> , PtCuNaH/C, HDCl of DCE	138	
Pt-modified TiO <sub>2</sub> , photooxidation of NO <sub>x</sub> , <i>a</i>	156	
Pt-Ni/ $\delta$ -Al <sub>2</sub> O <sub>3</sub> , indirect partial oxidation of LPG	27	
Pt-Pd/zeolite, S resistance, <i>a</i>	209	
Pt-Sn/ $\gamma$ -Al <sub>2</sub> O <sub>3</sub> , diesel soot oxidation, <i>a</i>	48	
PtSnNa/TSM-5, propane dehydrogenation, <i>a</i>	48	
Ru-Pt clusters	127	
RuPt nanoparticles/mesoporous SiO <sub>2</sub> , preparation	42	
three-way	162	
transition metal oxide-doped Pt/C	204	
<b>Catalysts, Platinum Complexes, conference</b>	36	
cyclometallated Pt(II)/SBA-15, olefin photooxidation, <i>a</i>	47	
homogeneous hydrogenation	16	
<b>Catalysts, Rhodium Complexes</b>	27	
Rh/ $\gamma$ -Al <sub>2</sub> O <sub>3</sub> , oxidation by NO, reduction by H <sub>2</sub> , <i>a</i>	210	
Rh/Al <sub>2</sub> O <sub>3</sub> , reforming of glycerol	185	
Rh/CeO <sub>2</sub> , preparation, reduction/oxidation treatment, <i>a</i>	158	
Rh/MgO/CeO <sub>2</sub> -ZrO <sub>2</sub> , reforming of gasoline, <i>a</i>	158	
Rh/oxide supports, reforming of EtOH	34	
Rh-Mn-Li-Ti/SiO <sub>2</sub> , CO hydrogenation, <i>a</i>	97	
three-way	145, 162	
<b>Catalysts, Rhodium Complexes, asymmetric</b>		
hydroformylation	187	
asymmetric hydrogenation, synthesis: L-DOPA,		
(-)-menthol, ( <i>S</i> )-metolachlor	187	
bisphosphite-Rh complex, hydroformylation	164	
catalyst reactivation	116	
cationic, cyclisation of aldehydes, enones	16	
conference	36	
[Cp <sup>*</sup> RHCl <sub>2</sub> ] <sub>2</sub> + chiral diamine, H <sub>2</sub> O soluble, ATH, <i>a</i>	98	
enantioselective hydrogenation	16	
homogeneous hydrogenation	16	
hydroformylation of olefins, LP Oxo <sup>SM</sup> Process	116, 164	
hydrogenation, diene based polymers	16	
modular P-chiral ligands, asymmetric hydrogenation, <i>a</i>	48	
Monsanto process, acetic acid synthesis	187	
NORMAX <sup>TM</sup> Catalyst, bisphosphite-Rh complex	164	
Pd-Rh, PKR substrate generation and processing	76	
reduction, arenes, CO <sub>2</sub> , heteroaromatics	16	
Rh(I), alkylation of $\pi$ -allyl species, cascade reactions	76	
Rh(I)-chloride-hexylamine, semihydrogenation, <i>a</i>	48	
Rh(acac)(CO)PPh <sub>3</sub> , as precursor	116	
Rh-BisP*, Rh-MiniPhos, reduction reactions	172	
RhCl <sub>3</sub> + H <sub>2</sub> O <sub>2</sub> , oxidation of organic compounds, <i>a</i>	97	
[Rh(COD) <sub>2</sub> ]BF <sub>4</sub> + modular P-chiral ligands, <i>a</i>	48	
Rh-MonoPhos <sup>TM</sup> , reactions	172	
Rh(Norphos), Rh(Phebox), Rh-QuinoxP*, Rh-Rophos,		
Rh-Solphos, Rh(TMTP), reduction reactions	172	
Rh-TPPTS, biphasic hydroformylation, <i>a</i>	210	
rhodacycloalkanes, chain forming reactions	127	
ROPAC + CO + triphenylphosphine, hydroformylation	116	
SELECTOR <sup>SM</sup> 10, SELECTOR <sup>SM</sup> 30, in LP Oxo <sup>SM</sup>	164	
TPP-Rh complex, hydroformylation	116, 164	
transfer hydrogenation	16	
Wilkinson’s catalyst	116, 150	
<b>Catalysts, Ruthenium, electrocatalysts, PtRu</b>	34, 98, 158	
binary, ternary: anodes, for DEFCs, <i>a</i>	211	
PtRu/C, anodes, for DMFCs, PEFCs	27	
Pt-Ru/CNTs, Pt-Ru-Ni/CNTs, for DMFCs, <i>a</i>	211	
PtRu/C nanofibres, for DMFCs, <i>a</i>	98	
PtRu/Vulcan C, for DMFCs, <i>a</i>	49	
Pt-Ru black, anodes, for PEMFCs, <i>a</i>	49	
Ru containing, for fuel cells	204, 211	
RuO <sub>2</sub> -IrO <sub>2</sub> /Pt, for URFCs, <i>a</i>	98	
Ru, decomposition, Na borohydride	27	
Ru nanocatalysts, reduction of benzene	16	
Ru nanoparticles	42, 97	
Ru/Al <sub>2</sub> O <sub>3</sub> , C oxidation, in SOFCs	27	
Ru/ceramic foam, CO <sub>2</sub> methanation	42	
Ru/SiO <sub>2</sub> , preparation, TEA as an impregnation aid	42	
Ru-Pt clusters	127	
RuPt nanoparticles/mesoporous SiO <sub>2</sub> , preparation	42	

<i>Page</i>	<i>Page</i>		
<b>Catalysts, Ruthenium Complexes</b> , asymmetric hydrogenation, of ketones	54	<b>Electrical Contacts</b> , ohmic, Pd/C SWNTs, <i>a</i>	98
cascade reactions	76	<b>Electrical and Electronic Engineering</b> , <i>a</i>	49, 98
conference	36	<b>Electrical Resistivity</b> , Ti/Pt thin films, <i>a</i>	46
enantioselective hydrogenation	16	<b>Electrochemistry</b> , <i>a</i>	47, 95, 156
Grubbs catalyst	69, 76, 98, 127	polyaniline-Pd composite films	3
[H <sub>4</sub> Ru <sub>4</sub> (CO) <sub>8</sub> (P-P*) <sub>2</sub> ], [H <sub>4</sub> Ru <sub>4</sub> (CO) <sub>10</sub> (P-P*)], H <sub>2</sub> Ru <sub>4</sub> (CO) <sub>12</sub> , asymmetric hydrogenation	127	Pt black coating, <i>a</i>	47
homogeneous hydrogenation	16	Pt-diamondlike C nanocomposite thin films, <i>a</i>	156
Hoveyda's catalyst	69, 76	Pt nanoelectrodes, <i>a</i>	47
hydrogenation, ketones	16	Pt nanoparticles/C powder, anode, in Li ion batteries, <i>a</i>	156
metathesis	69, 76, 176, 187	<b>Electrodeposition</b> , CoPd thin films, <i>a</i>	157
Nolan's catalyst	69	Pd nanowires, <i>a</i>	98
Noyori's catalyst	54	Pt black coating, <i>a</i>	47
P-Phos, PhanePhos, ParaPhos	54	<b>Electrodeposition &amp; Surface Coatings</b> , <i>a</i>	47, 96, 157, 209
(PCy <sub>3</sub> ) <sub>2</sub> Cl <sub>2</sub> Ru=CHPh, stability, <i>a</i>	98	<b>Electrodes</b> , in fuel cells, see <b>Fuel Cells</b>	
reduction, arenes, CO <sub>2</sub> , heteroaromatics	16	GOx/Au <sub>nano</sub> /Pt <sub>nano</sub> /CNT, glucose sensor, <i>a</i>	209
Ru alkylidenes, allenylidene, indenylidene	69	micro-, Pt, in wine classification, <i>a</i>	209
Ru(BINAP), reduction of an unsaturated acid	172	nano-, Pt, electron-transfer reactions, <i>a</i>	47
Ru-BINAP-DPEN, ketone reduction	172	Pt nanoparticles/C powder, anode, Li ion batteries, <i>a</i>	156
RuCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>3</sub> , hydrogenation of NBR, <i>a</i>	210	<b>Electroless Plating</b> , Cu, Cu/Pd nanoparticles activator, <i>a</i>	157
Ru clusters, Fischer-Tropsch reaction	127	Pd, membranes, <i>a</i>	157
Ru <sub>3</sub> (CO) <sub>12</sub> , derivatives, asymmetric hydrogenation	127	<b>Electrolytes</b> , H <sub>2</sub> PtCl <sub>6</sub> , + Pb acetate trihydrate, <i>a</i>	47
Ru-NHC	69, 76, 176	<b>Emission Control</b> , motor vehicles	34, 87, 145, 154, 185
Ru-TolBINAP, Ru-XylBINAP, ketone reduction	172	<b>Enamines</b> , enantioselective hydrogenation	16
transfer hydrogenation	16	<b>Enones</b> , cyclisation	16
[(S)-XyIBINAP-RuH <sub>2</sub> -(S,S)-DPEN], modelling	54	<b>Enynes</b> , cycloisomerisation	69
<b>Cativa™ Process</b> , acetic acid synthesis	187	metathesis	69, 76, 176
<b>Clusters</b> , Os, Ru, Ru-Pt	127	<b>Ethene</b> , carbonylation	83
<b>Coatings</b> , Pt black, <i>a</i>	47	hydrogenation, <i>a</i>	48
Pt-Ir modified aluminide, on Ni-base superalloy, <i>a</i>	96	<b>Ethyne</b> , selective hydrogenation, ethene-rich streams, <i>a</i>	48
<b>Colloids</b> , Pt-Au	63		
<b>Combinatorial Chemistry</b>	93, 204, 211	<b>Field-Effect Devices</b> , gas-sensitive	204
<b>Combustion</b> , toluene	42	<b>Films</b> , diamondlike C-Pt composite, <i>a</i>	157
<b>Composites</b> , diamondlike C-Pt films, <i>a</i>	157	Pd-Au, Pt-Au, CO adsorption, <i>a</i>	95
Pd-polyaniline, Pd-polyaniline derivatives	3	polyaniline-Pd, electrochemical behaviour	3
<b>Compound Energy Formalism Model</b>	104	Pt, porous, <i>a</i>	208
<b>Conferences</b> , 4th Cape Organometallic Symposium, South Africa, 2006	127	<b>Final Analysis</b>	52, 102, 162
9th Int. Symp. on the Scientific Bases for the Preparation of Heterogeneous Catalysts, Belgium, 2006	42	<b>Fischer-Tropsch Reactions</b> , Ru clusters	127
40th Conference 'Deutscher Katalytiker', 2007	185	<b>Fuel Cells</b> , <i>a</i>	49, 98, 158, 211
Fuel Cells Science and Technology 2006, Italy	27	DAFC, fuel	34
2007 Fuels and Emissions Conference, South Africa	145	DEFC, electrocatalysts, anodes, cathodes, <i>a</i>	211
ICCC37, Cape Town, South Africa, 2006	36	DMFC, catalysts	27, 34, 49, 98, 204, 211
New Frontiers in Metathesis Chemistry, Turkey, 2006	69	fuels	27, 34, 204
Novel Chiral Chemistries Japan 2007	172	high-throughput screening, catalysts	27, 204, 211
Sante Fe Symposium, U.S.A.	19, 199	inks, Pt, deposition, ink jet technology	27
Successful Scale-Up of Catalytic Processes, U.K., 2006	83	membrane electrode assemblies	27
<b>Corrosion</b> , Pt-Ir modified aluminide coatings, <i>a</i>	96	O reduction	27, 63
<b>Corrosion Inhibitors</b> , for steel, Ru macrocycle, <i>a</i>	95	PEFC, catalysts	27
<b>Coupling Reactions</b>	185, 187, 210	PEMFC, catalysts	27, 34, 49, 158, 204
<b>Cross Metathesis</b>	69, 98	conducting channels, nanoscale current imaging, <i>a</i>	158
<b>Crucibles</b> , Pt	178	distribution of H <sub>2</sub> O, <i>a</i>	49
CVD, aerosol-assisted, Pd sulfide thin films, <i>a</i>	47	surface-modified C, as Pt catalyst support, <i>a</i>	158
Pd activation layers, <i>a</i>	96	<b>SOFC</b> , catalysts	27
<b>Cyclisation</b> , aldehydes, enones	16	URFC, electrocatalyst, <i>a</i>	98
<b>Decomposition</b> , NH <sub>3</sub> , <i>a</i>	47	<b>Fuels</b> , alcohols	34, 145
<b>Deformation</b> , Ir single crystals, <i>a</i>	208	diesel, biodiesel	145
<b>Deformation Resistance</b> , 99.93 wt.% Pt	178	H <sub>2</sub>	27, 145, 204
<b>Dehydrogenation</b> , alkanes	48, 63, 136	natural gas	145
<b>Dendrimers</b> , Pd, <i>a</i>	210	synthetic, BTL, CTL, GTL	145
<b>Density Functional Theory</b> , modelling, Ru catalysts	54		
<b>Dental</b> , alloys, hardening, <i>a</i>	211	<b>Gas Recycle Principle</b> , in LP Oxo <sup>SM</sup>	116, 164
<b>Deposition</b> , Co/Pt, CoCr/Pt thin films	93	<b>Gasoline</b> , autothermal reforming, <i>a</i>	158
electroless, Cu, Cu/Pd nanoparticles activator, <i>a</i>	157	<b>Gauzes</b> , N-based fertiliser production	34
plasma, Pd, on poly( <i>p</i> -xylylene), <i>a</i>	209	<b>Glucose</b> , sensor, <i>a</i>	96, 97, 209
scCO <sub>2</sub> , Pt, on SnO <sub>2</sub>	185	<b>Glycerol</b> , reforming	185
<b>1,2-Dichloroethane</b> , hydrodechlorination	138		
<b>Diesel</b> , emission control	145, 185	<b>Hardening</b> , dental alloys, <i>a</i>	211
soot, oxidation, <i>a</i>	48	<b>Hardness</b> , 99.93% Pt	178
<b>Dihydroxylation</b> , 1,2-dioxines, <i>a</i>	49	Pt-5% Co	102
<b>Electrical Conductivity</b> , nanofibrous Pt sheets, <i>a</i>	46	Pt-5% Cu	78, 102
		Pt-5% Ir, Pt-5% Pd, Pt-5% Ru	102
		<b>Heck Reactions</b>	76, 83, 97, 158, 209, 210
		<b>1-Heptyne</b> , semihydrogenation, <i>a</i>	48
		<b>Heteroaromatics</b> , reduction	16
		<b>High-Throughput Screening Techniques</b>	27, 93, 204, 211
		<b>History</b> , Sir Geoffrey Wilkinson, commemorative plaque	150

	<i>Page</i>		<i>Page</i>
<b>Hydride</b> , reduction, Pt-Cu/C, synthesis	138	<b>Liquid Crystals</b> , pyrazole-based allyl-Pd complexes, <i>a</i>	46
<b>Hydrocarbons</b> , oxidation	162	<b>Liquid Recycle Principle</b> , in LP Oxo <sup>SM</sup>	164
<b>Hydrodechlorination</b> , 1,2-dichloroethane	138	<b>Liquidus Surface</b> , Pt-Cr-Ru	189
<b>Hydroformylation</b>	187, 210	‘LP Oxo <sup>SM</sup> Process’, hydroformylation of olefins	116, 164
low-pressure Rh-based catalyst, LP Oxo <sup>SM</sup>	116, 164	LPG, indirect partial oxidation	27
<b>Hydrogen</b> , + CO, hydroformylation of propylene	116, 164	<b>Luminescence</b> , Ir(III) complexes, <i>a</i>	47, 157, 208
for direct formation of H <sub>2</sub> O <sub>2</sub> , <i>a</i>	48	Ru complexes, <i>a</i>	96, 209
fuel	27, 145, 204	<b>Magnetic Storage</b> , Co/Pt, CoCr/Pt, CoCrPtTa, PtCo, PtFe	93
-induced stress relaxation, in thin Pd films, <i>a</i>	95	CoPt <sub>3</sub> nanoparticles, FePt nanoparticles, <i>a</i>	98
membranes	96, 136, 157	<b>Magnetism</b> , CoPd thin films, <i>a</i>	157
+ NO <sub>x</sub> , reduction	185	CoPt nanoparticles, <i>a</i>	49
production	27, 204	CoPt <sub>3</sub> , FePt nanoparticles, <i>a</i>	98
purification, <i>a</i>	47	FePd, FePt, <i>a</i>	95
selective oxidation	63	Fe <sub>3</sub> Pt <sub>3</sub> <sub>30</sub> , Fe <sub>5</sub> Pt <sub>5</sub> <sub>30</sub> , Fe <sub>5</sub> Si <sub>4</sub> C <sub>3</sub> , <i>a</i>	158
sensors	204	[Rh <sub>2</sub> (bza) <sub>4</sub> (pyz)] <sub>n</sub> + NO, <i>a</i>	95
sorption, of Mg-(Ir,Rh,Pd)-Si, <i>a</i>	95	<b>Martensitic Transformation</b> , FePd, <i>a</i>	46
<b>Hydrogen Cyanide</b> , synthesis, <i>a</i>	157	<b>Mechanical Properties</b> , Pt-5% Cu	78
<b>Hydrogen Peroxide</b> , formation	48, 63	<b>Medical</b> , Pd, Pt, Rh, Ru complexes	36
<b>Hydrogenation</b> , asymmetric	48, 54, 127, 187	<b>Medical Uses</b> , <i>a</i>	158, 211
asymmetric transfer	98, 172	<b>Melting Points</b> , Ir, Os, Pd, Rh, Ru	130
CO, <i>a</i>	97	Pt	130, 162
diastereo-; enantio-; enantioselective transfer	16	<b>Membranes</b> , Pd	96, 136, 157
diene based polymers	16	Pd/polypropylene fibre, hydrogenation of O <sub>2</sub> , <i>a</i>	209
ethene, <i>a</i>	48	Pd-Ag, tubular; Pd-Cu, foil	136
homogeneous	16	PGM (+ ceramic oxide), PGM coatings, PGM alloy	136
ketones	16	Pt-loaded zeolite, for H <sub>2</sub> purification, <i>a</i>	47
nitrile rubber, <i>a</i>	210	Si <sub>3</sub> N <sub>4</sub> /SiO <sub>2</sub> radiometer, Pt thin film thermometers, <i>a</i>	96
nitrobenzene	3	<b>Metathesis</b>	69, 76, 176, 185, 187
O <sub>2</sub> , in H <sub>2</sub> O, <i>a</i>	209	<b>Methanation</b> , CO <sub>2</sub>	42
partial, citral	42	<b>Methane</b> , + NH <sub>3</sub> , HCN synthesis, <i>a</i>	157
selective, <i>a</i>	48	<b>Methoxycarbonylation</b> , iodobenzene	127
soybean oil, <i>a</i>	97	<b>Methyl Methacrylate</b> , production, scale-up	83
transfer	16	<b>Microwaves</b> , -polyol method, preparation of PtRu/CNF, <i>a</i>	98
α,β-unsaturated aldehydes, <i>a</i>	209	in Suzuki cross-couplings, <i>a</i>	210
<b>Hydrotalcite</b> , Pd-Cu/hydrotalcite, reduction of nitrate, <i>a</i>	210	<b>MOCVD</b> , nanostructured IrO <sub>2</sub> crystals, <i>a</i>	96
<b>Imines</b> , hydrogenation	16, 98	<b>Modelling</b> , reactions, chiral Ru catalysts, using DFT	54
reduction	83	<b>Monosaccharides</b> , oxidation	42
<b>Ink Jet Technology</b> , deposition, Pt catalysts, for MEAs	27	<b>Monsanto Process</b> , acetic acid synthesis	187
<b>Inks</b> , Pt catalysts, for MEAs	27	 	
<b>Ionic Liquids</b>	127, 209, 210	<b>Nanocatalysts</b>	49, 127
<b>Iridium</b> , boiling point, melting point	130	<b>Nanocomposites</b> , Pt-diamondlike C thin films, <i>a</i>	156
Pt-Ir modified aluminide coatings, <i>a</i>	96	<b>Nanoelectrodes</b> , Pt, <i>a</i>	47
refining	68	<b>Nanofibrous Sheets</b> , Pt, electrical conductivity, <i>a</i>	46
in sensors	204	<b>Nanoparticles</b> , CoPt, <i>a</i>	49
single crystals, deformation, <i>a</i>	208	CoPt <sub>3</sub> , <i>a</i>	98
Tammann temperature	162	Cu/Pd, <i>a</i>	157
vapour pressure equation, vapour pressure value	130	FePt, <i>a</i>	98
<b>Iridium Alloys</b> , Pt-5% Ir, hardness	102	Pd	3, 36, 69, 83, 172, 209
<b>Iridium Complexes</b> , Cp*IrCl <sub>2</sub> , precursor, for Cp*IrLR <sub>2</sub>	127	Pt, <i>a</i>	46, 96, 156, 209
iridacycles, by RCM	127	Ru	36, 97
Ir chloroquines, antimalarial agents, <i>a</i>	211	<b>Nanostructures</b> , IrO <sub>2</sub> crystals, by MOCVD, <i>a</i>	96
trans-IrCl(CO)L <sub>2</sub> , as precursor to tricarbido complexes	127	<b>Nanowires</b> , Pd, <i>a</i>	98
fac-[Ir(ppy) <sub>3</sub> ], alkyl chains, ordered arrays, graphite, <i>a</i>	95	<b>Negishi Couplings</b> , <i>a</i>	158
luminescence, <i>a</i>	47, 157, 208	<b>Nitrate</b> , reduction, <i>a</i>	210
OLEDs	85, 96, 208	<b>Nitrobenzene</b> , hydrogenation	3
(PCP)Ir(NBE), + N <sub>2</sub> ; (PCP)IrPhH, + N <sub>2</sub> ; (PCP)Ir(N <sub>2</sub> ), <i>a</i>	46	<b>Nitrogen</b> , adsorption, by [Rh <sub>2</sub> (bza) <sub>4</sub> (pyz)] <sub>n</sub> , <i>a</i>	95
phosphorescence, <i>a</i>	96, 208	<b>Nitrogen Oxides</b> , NO, adsorption, by [Rh <sub>2</sub> (bza) <sub>4</sub> (pyz)] <sub>n</sub> , <i>a</i>	95
photoconversion	36	interaction with Rh/γ-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	210
<b>Iridium Compounds</b> , IrO <sub>2</sub> , in propionic acid sensor, <i>a</i>	96	reduction, by propane	63
Mg-(Ir,Rh,Pd)-Si, H sorption, <i>a</i>	95	<b>NO<sub>x</sub></b> , adsorption, by [Rh <sub>2</sub> (bza) <sub>4</sub> (pyz)] <sub>n</sub> , <i>a</i>	95
<b>Isomerisation</b> , alkanes	63	<b>NO<sub>x</sub></b> , photooxidation, <i>a</i>	156
cyclo-, enynes	69	reduction	157, 162, 185
<b>Isothermal Section</b> , calculated, Pt-Cr-Ru	189	traps	145
<b>Jewellery</b> , Pd, Pd alloys	19, 199	 	
Pt alloys	19, 23, 78, 102, 199	<b>Oil</b> , soybean, hydrogenation, <i>a</i>	97
<b>Johnson Matthey</b> , Autocatalyst Plant, South Korea	154	<b>OLEDs</b>	85, 96, 208
Pd jewellery alloys	19, 199	<b>Olefins</b>	47, 48, 69, 127, 164, 185, 187, 210
“Platinum 2006 Interim Review”	45	<b>Osmium</b> , boiling point, melting point	130
“Platinum 2007”	155	refining	68
<i>Platinum Metals Rev.</i> Journal Archive	2	Tammann temperature	162
<b>Ketones</b> , hydrogenations	16, 54, 98, 172	vapour pressure equation, vapour pressure value	130
		<b>Osmium Complexes</b> , in biology	36
		Os pyridylazolates, in OLEDs, <i>a</i>	96
		tris-bipyridine Os pyrrole complexes, glucose sensor, <i>a</i>	97

	<i>Page</i>		<i>Page</i>
<b>Oxidation, alcohols</b>	49, 97, 98, 204, 211	<b>Pauson-Khand Reactions</b> , substrates	76
anthracene, <i>a</i>	97	<b>Perovskites</b> , pgm, preparation; autocatalysts; catalysts	87
benzaldehydes, <i>a</i>	97	<b>Petroleum</b> , reforming	63
CO	162, 185	<b>Phase Diagrams</b> , Al-Pt, Al-Ru	104
cyclic, Ru single crystal superalloys, <i>a</i>	156	Cr-Pt	104, 189
diesel soot, <i>a</i>	48	Cr-Ru	189
electro-, CO, <i>a</i>	49	Fe-Pt-Nd, <i>a</i>	46
alcohols, <i>a</i>	49, 211	Pt-Au	63
hydrocarbons	162	Pt-Ru	189
indirect partial, LPG	27	<b>Phenanthrene</b> , oxidation, <i>a</i>	97
metals, Pt-catalysed, <i>a</i>	208	<b>Phenols</b> , carbonylation	204
partial, MeOH	204	<b>Phosphoramidites</b> , in catalysis	16
phenanthrene, <i>a</i>	97	<b>Phosphorescence</b> , Ir(btp) <sub>2</sub> (acac), Ir(ppy) <sub>3</sub> , PtOEP	85
PtRuAl, RuAl, <i>a</i>	46	Ir(III) complex, <i>a</i>	208
Rh/CeO <sub>2</sub> , <i>a</i>	158	Ir, Os, Pt, Ru 2-pyridylazolates, <i>a</i>	96
selective, alcohols, <i>a</i>	97	<b>Photoconversion</b> , <i>a</i>	47, 96, 156–157, 208–209
alkenes, H <sub>2</sub> , reducing sugars	63	Ir, Pd, Pt, Ru complexes	36
CO, <i>a</i>	47	<b>Photooxidation</b> , NO <sub>x</sub> , <i>a</i>	156
monosaccharides	42	olefins, <i>a</i>	47
<b>Oxygen</b> , for direct formation of H <sub>2</sub> O <sub>2</sub> , <i>a</i>	48	<b>Photoproperties</b> , Ir, Os, Pt, Ru 2-pyridylazolates, <i>a</i>	96
in H <sub>2</sub> O, hydrogenation, <i>a</i>	209	<b>Photosensitisers</b> , black dye/, N <sub>3</sub> /TiO <sub>2</sub> , for solar cells, <i>a</i>	47
reduction, <i>a</i>	98, 211	Ru(bpy) <sub>3</sub> <sup>2+</sup> , decomposition of NH <sub>3</sub> , <i>a</i>	47
in fuel cells	27, 63	<b>Photovoltaic Materials</b> , PdS thin films, <i>a</i>	156
<b>Oxygenates</b> , C <sub>2</sub> -, from CO hydrogenation, <i>a</i>	97	<b>Photovoltaic Properties</b> , tris(bpy)Ru-silica, <i>a</i>	209
<b>Palladium</b> , activation layers, by CVD, <i>a</i>	96	<b>Plasma</b> , deposition, Pd, on poly( <i>p</i> -xyllylene), <i>a</i>	209
boiling point, melting point	130	torch, for catalyst production	42
layer, on poly( <i>p</i> -xyllylene), <i>a</i>	209	<b>Plating Baths</b> , chloride, Co <sup>2+</sup> , Pd <sup>2+</sup> , <i>a</i>	157
membranes	96, 136, 157, 209	<b>Platinum</b> , annealing	178
nanoparticles	3, 36, 69, 83, 157, 172, 209	black	47, 52
nanowires, <i>a</i>	98	boiling point	130
Pd, Pd-Au films, CO adsorption, <i>a</i>	95	crucibles	178
Pd/C SWNTs, ohmic contacts, <i>a</i>	98	diamondlike C-Pt composite films, <i>a</i>	157
Pd-polyaniline composite materials	3	electrodes, see <b>Electrodes</b>	
refining	68	magnetic storage	93, 98
Rh (first film)/Pd bilayer, H <sub>2</sub> , NH <sub>3</sub> sensing	204	melting point	130, 162
in sensors	204	membranes	47, 136
Tammann temperature	162	nanofibrous sheets, conductivity, <i>a</i>	46
thick films, H <sub>2</sub> sensing	204	nanoparticles, <i>a</i>	46, 96, 156, 209
thin films, H-induced stress relaxation, <i>a</i>	95	in oxidation of metals, <i>a</i>	208
structured surfaces, SERS, <i>a</i>	208	phase diagrams	46, 63, 104, 189
vapour pressure equation, vapour pressure value	130	porous morphologies; black, platinised, sponge	52
<b>Palladium Alloys</b> , Au-Pd, diffusion bonding	19	99.93 wt.% Pt, annealing; deformation resistance	178
Au-Pd white, for findings	19	Pt, Pt-Au films, CO adsorption, <i>a</i>	95
casting, for jewellery	199	Pt-Al-Cr-Ru, thermodynamic database	104
CoPd thin films, electrodeposition, magnetism, <i>a</i>	199	Pt-Al-Ru, liquidus surface projections	104
dental, hardening, <i>a</i>	19	Pt-Cr-Ru	104
FePd, martensitic transformation, <i>a</i>	157	isothermal section, calculated; liquidus surface	189
jewellery	211	Pt-Ir modified aluminide coatings, <i>a</i>	96
membranes: Pd-Ag, tubular; Pd-Cu, foil	46	recycling	162
950 Pd, for findings, jewellery	199	refining	68
Pd-Cu, Pd-Ga, Pd-Ru	136	in sensors	204
Pt-5% Pd, hardness	199	Tammann temperature	162
solders	102	thin films, see <b>Thin Films</b>	
TiPd, + Hf, shape memory effect, <i>a</i>	199	vapour pressure equation, vapour pressure value	130
'TruPd', for jewellery	208	<b>Platinum Alloys</b> , Au-Pt, diffusion bonding	19
welding, for jewellery	19	casting, for jewellery	19, 102, 199
<b>Palladium Complexes</b> , medicine	199	dental, hardening, <i>a</i>	211
nanoscale bowl-shaped hexa-Pd cage, self-assembly, <i>a</i>	36	Fe <sub>35</sub> Pt <sub>15</sub> P <sub>30</sub> , Fe <sub>50</sub> Pt <sub>50</sub> , Fe <sub>55</sub> Pt <sub>44</sub> C <sub>3</sub> , corrosion, <i>a</i>	158
Pd carbenes, as catalysts, <i>a</i>	156	jewellery	19, 23, 78, 102, 199
Pd dithiocarbamates, for CVD, <i>a</i>	210	nanoparticles, <i>a</i>	49, 98
Pd(hfac) <sub>2</sub> , CVD precursor, <i>a</i>	47	Nd <sub>3</sub> Pt <sub>4</sub> phase, <i>a</i>	46
Pd(II) + <i>N</i> -allyl- <i>N'</i> -pyrimidin-2-ylthiourea, <i>a</i>	96	850 Pt, bulk metallic glass	199
photoconversion	208	Pt <sub>84</sub> Al <sub>11</sub> :Cr <sub>3</sub> :Ru <sub>2</sub> , thermodynamic database	104
pyrazole-based allyl-Pd, liquid crystal behaviour, <i>a</i>	36	Pt-Au, colloids; particles, electronic structure; phases	63
supramolecular architecture, <i>a</i>	46	Pt-Co, microsegregation	19
solvent-free synthesis, <i>a</i>	46	Pt-5% Co, hardness; jewellery	102
<b>Palladium Compounds</b> , FePd thin films, magnetism, <i>a</i>	156	Pt-5% Cu, hardness; jewellery	78, 102
Mg-(Ir,Rh,Pd)-Si, H sorption, <i>a</i>	95	Pt-5% Ir, Pt-5% Pd, hardness	102
PdCl <sub>2</sub> , Pd(NO <sub>3</sub> ) <sub>2</sub> , + polyaniline	3	Pt-Ru, microsegregation	19
PdCl <sub>2</sub> , skin patch tests	19	Pt-5% Ru, hardness; jewellery	102
Pd perovskites, preparation; autocatalysts; catalysts	87	950 Pt-Ru, for findings; investment cast ring	199
Pd sulfide thin films, by aerosol-assisted CVD, <i>a</i>	47	PtRuAl, oxidation, <i>a</i>	46
PdS, by direct sulfuration of Pd layers, <i>a</i>	156	solders	199
<b>Patents</b>	50–51, 99–101, 159–161, 212–214	superalloys, thermodynamic database	104, 189
		welding, Pt-5% Cu, -5% Ru, -3% V, for jewellery	23

	<i>Page</i>		<i>Page</i>
<b>Platinum Complexes, cyclometallated Pt(II)/SBA-15, <i>a</i></b>	47	<b>Ruthenium, (cont.)</b>	
medicine	36	refining	68
OLEDs	85, 96	Tammann temperature	162
<i>cis</i> -(PEt <sub>3</sub> ) <sub>2</sub> Pt(OTf) <sub>2</sub> + 1,1,1-tris(4-pyridyl)COOR, <i>a</i>	208	vapour pressure equation, vapour pressure value	130
photoconversion	36	<b>Ruthenium Alloys</b> , Pd-Ru, for jewellery	19
platinacycles, by RCM	127	Pt <sub>x,y</sub> Al <sub>1-x</sub> Cr <sub>y</sub> :Ru <sub>2</sub> , thermodynamic database	104
[PtCl <sub>2</sub> (COD)], precursor, for PtL <sub>2</sub> R <sub>2</sub> , PtL'R <sub>2</sub>	127	Pt-Ru, microsegregation	19
<i>cis</i> -[PtCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> ], solvent-free synthesis, <i>a</i>	156	Pt-5% Ru, hardness; jewellery	102
[PtCl <sub>6</sub> ] <sup>2-</sup> , [Pt(NH <sub>3</sub> ) <sub>6</sub> ] <sup>+</sup> , as catalyst precursor	42	950 Pt-Ru, for findings; investment cast ring	199
[Pt(CO <sub>3</sub> )(PPh <sub>3</sub> ) <sub>2</sub> ], solvent-free synthesis, <i>a</i>	156	PtRuAl, RuAl, oxidation, <i>a</i>	46
Pt(II) double square cage, <i>a</i>	208	single crystal superalloys, oxidation, <i>a</i>	156
[Pt <sub>2</sub> (CO) <sub>2</sub> ] <sub>2</sub> , promoter, in Ir-catalysed carbonylation, <i>a</i>	97	<b>Ruthenium Complexes, in biology</b>	36
Pt(II) + N-allyl-N'-pyrimidin-2-ylthiourea, <i>a</i>	208	as catalyst precursors	42
[Pt(OH) <sub>2</sub> Me <sub>2</sub> (dpa)], self-assembly, <i>a</i>	156	luminescence, <i>a</i>	96, 209
[Pt <sub>2</sub> (μ-OH) <sub>2</sub> Me <sub>4</sub> (dpa) <sub>2</sub> ][B(OH)(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> ] <sub>2</sub> , <i>a</i>	156	medicine	36
tetra-Pt square, self-assembly, <i>a</i>	156	OLEDs, <i>a</i>	96
<b>Platinum Compounds</b> , H <sub>2</sub> PtCl <sub>6</sub> , + TiO <sub>2</sub> , <i>a</i>	156	photoconversion	36
βNdPt, NdPt <sub>2</sub> , <i>a</i>	46	photosensitiser, <i>a</i>	47
PtCl <sub>2</sub> , + solid phosphines, reaction, <i>a</i>	156	Ru(bpy) <sub>3</sub> <sup>2+</sup> system, decomposition of NH <sub>3</sub> , <i>a</i>	47
[Pt(NH <sub>3</sub> ) <sub>4</sub> ](HCO <sub>3</sub> ) <sub>2</sub> fibres, as templates, <i>a</i>	46	RuHCl(CO)L <sub>3</sub> precursor, to tricarbido complexes	127
Pt perovskites, preparation	87	Ru macrocycle, corrosion inhibitor, for steel, <i>a</i>	95
<b>Poisoning</b> , catalysts	162	solar cells, <i>a</i>	47
<b>Polymerisation</b> , by metathesis	69	<b>Ruthenium Compounds</b> , Ru perovskites, preparation	87
<b>Polymers</b> , diene based, hydrogenation	16	RuIn <sub>3</sub> , semiconductor, <i>a</i>	156
Pd-polyaniline, Pd-polyaniline derivatives	3	RuO <sub>2</sub> thick film resistors, <i>a</i>	49
polystyrene, selective hydrogenation, aromatic rings, <i>a</i>	48	RuO <sub>2</sub> /4H-SiC Schottky diodes, <i>a</i>	49
poly( <i>p</i> -xylylene), Pd layer, <i>a</i>	209	<b>Schottky Diodes</b> , RuO <sub>2</sub> /4H-SiC, <i>a</i>	49
synthesis, by ROMP	69	<b>Semiconductors</b> , RuIn <sub>3</sub> , <i>a</i>	156
<b>Propane</b> , dehydrogenation, <i>a</i>	48	<b>Sensors</b> , glucose, <i>a</i>	96, 97, 209
<b>Propionic Acid</b> , vapour, sensor, <i>a</i>	96	H <sub>2</sub>	204
<b>Propylene</b> , hydroformylation	116, 164	MeOH	3
<b>PVD</b> , Pd, Pd-Au, Pt, Pt-Au films, <i>a</i>	95	NH <sub>3</sub>	204
<b>Radiometer</b> , using thin film Pt thermometers, <i>a</i>	96	propionic acid vapour, <i>a</i>	96
<b>RCM</b> , formation, iridacycles, platinacycles	127	<b>Shape Memory Effect</b> , TiPd, + Hf impurities, <i>a</i>	208
<b>Reactors</b>	83, 98, 136	<b>Single Crystals</b> , Ir, deformation, <i>a</i>	208
<b>Reduction</b> , alkenes, alkynes, arenes, benzene, CO <sub>2</sub> ,		Ru superalloys, <i>a</i>	156
heteroaromatics	16	RuIn <sub>3</sub> , <i>a</i>	156
C-C double bonds, in synthesis	172	<b>Solar Cells</b> , <i>a</i>	47
with hydride, Pt-Cu/C	138	<b>Solders</b> , Pd, Pt	199
imine	83	<b>Sonogashira Couplings</b>	87, 127
ketones	172	Soot, diesel, oxidation, <i>a</i>	48
nitrate, <i>a</i>	210	<b>Sputtering</b> , magnetron, for preparing Pt/C catalysts	42
NO, by propene	63	<b>Sugars</b> , reducing, selective oxidation	63
NO <sub>x</sub>	157, 162, 185	<b>Sulfur</b> , compounds, catalyst posision	162
O	27, 63, 98, 211	<b>Sulfur Oxides</b> , SO <sub>2</sub> , adsorption, by [Rh <sub>2</sub> (bza) <sub>4</sub> (pyz)] <sub>n</sub> , <i>a</i>	95
Rh/CeO <sub>2</sub> , <i>a</i>	158	<b>Superalloys</b> , Pt-based, thermodynamic database	104, 189
<b>Refining</b> , precious metals	68	single crystal, Ru, oxidation, <i>a</i>	156
<b>Reforming</b>	27, 34, 63, 158, 185	<b>Suzuki Couplings</b>	83, 87, 127, 209, 210
<b>Relativistic Effects</b> , Pd, eka-Pt, Pt	63	<b>Suzuki-Miyaura Couplings</b> , <i>a</i>	48
<b>Resistors</b> , thick film, RuO <sub>2</sub> , <i>a</i>	49	<b>Tammann Temperature</b> , Ir, Os, Rh, Ru, Pd, Pt	162
<b>Rhodium</b> , boiling point, melting point	130	<b>Tetralin</b> , amino-, synthesis	172
refining	68	<b>Thermodynamic Database</b> , Pt-based superalloys	104, 189
Rh (first film)/Pd bilayer, H <sub>2</sub> , NH <sub>3</sub> , sensing	204	<b>Thermometers</b> , Pt thin films, <i>a</i>	96
Tammann temperature	162	<b>Thick Films</b> , Pd, H <sub>2</sub> sensing	204
vapour pressure equation, vapour pressure value	130	RuO <sub>2</sub> resistors, <i>a</i>	49
<b>Rhodium Complexes</b> , [Cp*RhCl <sub>2</sub> ] <sub>2</sub> , to di-alkenyl-Rh	127	<b>Thin Films</b> , Co/Pt, CoCr/Pt, CoCrPtTa	93
Cp*RhCl <sub>2</sub> precursors, to Cp*RhL{[(CH <sub>2</sub> ) <sub>n</sub> ]} <sub>2</sub>	127	CoPd, magnetism, <i>a</i>	157
dirhodium tetracarboxylates, anticancer, <i>a</i>	211	FePd, FePt, magnetism, <i>a</i>	95
medicine	36	Pd, H-induced stress relaxation, <i>a</i>	95
[Rh <sub>2</sub> (bza) <sub>4</sub> (pyz)] <sub>n</sub> , gas adsorbency, <i>a</i>	95	structured surfaces, SERS, <i>a</i>	208
Rh(II) tetramesitylporphyrin, Rh(III) porphyrin alkyls, <i>a</i>	95	Pd sulfide, <i>a</i>	47, 156
Rh(I) + tris(hydroxymethyl)phosphine, H <sub>2</sub> O-soluble, <i>a</i>	208	Pt, structured surfaces, SERS, <i>a</i>	208
Wilkinson's catalyst	116, 150	as thermometers, <i>a</i>	96
<b>Rhodium Compounds</b> , Mg-(Ir,Rh,Pd)-Si, H sorption, <i>a</i>	95	Pt-diamondlike C nanocomposite, electrochemistry, <i>a</i>	156
<b>Ring-Closing Metathesis</b> , in synthesis	69	Ti/Pt, electrical resistivity, <i>a</i>	46
<b>ROMP</b> , in synthesis	69	<b>Three-Way Catalysts</b>	145, 162
<b>Rubber</b> , nitrile, hydrogenation, <i>a</i>	210	<b>Toluene</b> , combustion	42
<b>Ruthenium</b> , Al-Cr-Ru, Cr-Ru	104	<b>Vapour Pressure</b> , equations, values, pgms	130
boiling point, melting point	130	<b>Water</b> , dissolved O <sub>2</sub> , hydrogenation, <i>a</i>	209
nanoparticles	36, 97	<b>Water Gas Shift Reaction</b> , Pd membrane reactors	136
phase diagrams	104, 189	<b>Welding</b> , fusion, laser, spot, Pt jewellery alloys	23
Pt-Al-Cr-Ru, thermodynamic database	104		
Pt-Al-Ru, liquidus surface projections	104		
Pt-Cr-Ru, isothermal section, liquidus surface	189		