

# SUBJECT INDEX TO VOLUME 52

	<i>Page</i>	<i>Page</i>
<i>a</i> = abstract		
<b>AFM Probes</b> , Pt, Pt-Ir, Pt-Ni, coated, <i>a</i>	202	
<b>Alcohols</b> , EtOH, sensors, <i>a</i>	253	
MeOH, decomposition	222	
fuel	12, 134	
oxidation	125, 222	
steam reforming	134, 222	
for synthesis of amides	110	
<b>Aldehydes</b> , by hydroformylation	110	
hydrogenation	110	
reduction, <i>a</i>	200	
unsaturated, hydrogenation, selective, <i>a</i>	56	
<b>Alkanes</b> , conversions	107	
<b>Alkenes</b> , C–C coupling	38	
<b>Alkyl Halides</b> , one-electron cleavage of C–Br, C–I	84	
<b>Alkynes</b> , C–C coupling	38	
carbonylation	215	
hydrogenation, selective, <i>a</i>	56	
<b>Amides</b> , synthesis	110	
<b>Amines</b> , secondary, tertiary, by hydroaminomethylation	110	
for synthesis of amides	110	
<b>Aminocarbonylation</b> , aryl halides	110	
<b>Apparatus and Technique</b> , <i>a</i>	57–58, 125–126, 201, 253	
<b>Arenes</b> , + iodoarenes, coupling reactions, <i>a</i>	251	
<b>Aryl Halides</b> , reactions	38, 56, 110, 124, 172, 200, 215, 251	
<b>Arylation</b>	110, 124	
<b>Arylboronic Acids</b> , reactions	110, 251	
<b>Biaryls</b> , synthesis	110	
<b>Biological Activity</b> , Ru(II) oximate complexes, <i>a</i>	253	
<b>Biological Probes</b> , luminescent, Ir(III)-polypyridines, <i>a</i>	202	
<b>Biomedical and Dental</b> , <i>a</i>	126, 253	
<b>Biosensors</b> , DNA, <i>a</i>	126	
<b>Book Reviews</b> , “Adventures at the Bench”	52	
“Catalysis for Renewables”	229	
“Frontiers in Transition Metal-Containing Polymers”	46	
“Green Chemistry and Catalysis”	83	
“Highly Efficient OLEDs with Phosphorescent Materials”	155	
“Medicinal Applications of Coordination Chemistry”	21	
“The Periodic Table: Its Story and Its Significance”	247	
<b>Boranes</b> , C–C coupling	38	
<b>Boronates</b> , C–C coupling	38	
<b>Boronic Acids</b> , C–C coupling	38	
<b>Boronic Esters</b> , C–C coupling	38	
<b>CALPHAD</b> , Cr–Pt	241	
<b>Cancer</b> , anti-, agents, aminoalcohol–Pt complexes	96	
azido–Pt(IV) complexes	2	
azolato-bridged dinuclear Pt compounds	2	
BBR3464	21	
bis(azpy)Ru(II)	2	
di–Pt complexes	21	
dinuclear cationic species containing Ru(II) and Pt(II)	2	
dinuclear Ru–arenes, <i>a</i>	253	
KP1019	96	
NAMI-A	2, 96	
Pd complexes	21	
Pt chxn	96	
Pt(II), Pt(IV) complexes	96	
Rh complexes	21	
Ru complexes	21	
Ru organometallics	96	
Ru quinonediimines	96	
Ru(II), Ru(III), Ru(IV) complexes	96	
[Ru(sandwich)(diamine)Cl]	2	
tri–Pt complexes	21	
drugs, carboplatin	2, 96, 126, 163	
cisplatin	2, 21, 96, 163	
<b>Cancer</b> , ( <i>cont.</i> )		
eptaplatin	163	
iproplatin	96	
lobaplatin	163	
nedaplatin	163	
oxaliplatin	2, 163	
picoplatin	96, 163	
satraplatin	2, 96, 163	
<b>Carbenes</b>	38, 71, 200	
<b>Carbon</b> , catalyst support, Pt/C, TEM	61	
<b>Carbon Oxides</b> , CO, addition, H–D exchange reaction	222	
combustion, <i>a</i>	56	
from glycerol, <i>a</i>	251	
+ NO	107	
oxidation	56, 222	
for reduction, of NO, <i>a</i>	200	
sensors	201, 215	
transport, through Pt@CoO nanoparticles, <i>a</i>	57	
CO <sub>2</sub> , supercritical, hydrogenation, + HN(CH <sub>3</sub> ) <sub>2</sub>	215	
solvent, <i>a</i>	56	
<b>Carbonylation</b> , alkynes	215	
<b>Carboxylic Acids</b> , for synthesis of amides	110	
<b>Catalysis</b> , Applied and		
Physical Aspects, <i>a</i>	56, 124, 200, 251	
asymmetric	110	
book reviews	83, 229	
conferences	110, 172, 222, 229	
in green chemistry	83, 110	
Industrial Process, <i>a</i>	56, 200, 251	
microwave heating	64	
Reactions, <i>a</i>	56, 124, 200, 251	
for renewables	229	
<b>Catalysts</b> , analysis, Pt	205	
encapsulated	64	
nanoalloys	107	
pgm, fundamental studies	249	
pgm/support, 2D mapping	222	
recycling	56, 64, 71, 157, 215, 251	
supported, analysis, crystallite size, by XRD	129	
particle size, by TEM	61	
temperature-programmed reduction	249	
<b>Catalysts</b> , Iridium, H–D exchange reaction; + CO	222	
hydrogenation	229	
Ir/CeO <sub>2</sub> , steam reforming of EtOH	222	
<b>Catalysts</b> , Iridium Complexes, amides, from alcohols	110	
half-sandwich Ir(III) hydroxyindanimines, ROMP of norbornene, <i>a</i>	251	
vinyl polymerisation of norbornene, <i>a</i>	251	
intermolecular enantioselective hydroamination	110	
Ir- <i>N</i> -tosyldiamines, aldehyde reduction, in H <sub>2</sub> O, <i>a</i>	200	
monotosylated ethylenediamine Ir(III), hydrogenation	110	
<b>Catalysts</b> , Osmium Complexes, Os EnCat 40	64	
<b>Catalysts</b> , Palladium, aqueous reforming	229	
dehydrogenation	229	
electrocatalysts, CuPd, <i>a</i>	202	
Ni–Pd, anodes, for DMFCs, <i>a</i>	125	
Pd/hollow C spheres, for DAFCs, <i>a</i>	201	
Pd/Vulcan XC-72 C, for DAFCs, <i>a</i>	201	
Pd–Co–Ag/C, –Au/C, –Pt/C, cathodes, for DMFCs, <i>a</i>	57	
Pd–Co–CN, for PEFCs, <i>a</i>	125	
H–D exchange reaction; + CO	222	
hydrogenation	229	
hydrogenolysis	229	
oxidation	229	
Pd(111), ethene + acetic acid	222	
Pd(0) EnCat, microwave heating, hydrogenations	64	
Pd(0) EnCat NP30, microwave, nitro reduction	64	
transfer hydrogenation	64	
Pd nanoparticles, Heck reactions	38	
Pd tip of field ion microscope, H <sub>2</sub> + NO	222	
Pd/Al <sub>2</sub> O <sub>3</sub> , + Co, Cu, Na, Ni, NO reduction/CO, <i>a</i>	200	
combustion of natural gas	222	

	Page		Page
<b>Catalysts, Palladium, (cont.)</b>		<b>Catalysts, Palladium Complexes, (cont.)</b>	
dechlorination of PVC, <i>a</i>	56	PdCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , Negishi reactions	38
MeOH steam reforming	134	Sonogashira reactions	38
oxidation of CH <sub>4</sub> , <i>a</i>	124	Pd <sub>2</sub> dba <sub>3</sub> + IMes <sup>+</sup> HCl, Suzuki-Miyaura reactions	38
preparation, by flame-spray pyrolysis	222	Pd <sub>2</sub> (dba) <sub>3</sub> + IPr <sup>+</sup> HCl, Kumada reactions	38
total oxidation of CH <sub>4</sub>	222	Pd <sub>2</sub> dba <sub>3</sub> + IPr <sup>+</sup> HCl, Suzuki-Miyaura reactions	38
Pd/(Al <sub>2</sub> O <sub>3</sub> + MO <sub>x</sub> ), oxidation of CH <sub>4</sub> , <i>a</i>	124	Pd(dba) <sub>2</sub> + P( <sup>t</sup> Bu) <sub>3</sub> , cyanation of aryl bromides, <i>a</i>	251
Pd/alumina beads, Hg oxidation	144	Pd diphosphine dendrimer/SiO <sub>2</sub> , intramolecular cyclocarbonylation of iodinated aryl amines	215
Pd/BaSO <sub>4</sub> , Stille cross-couplings, <i>a</i>	124	Pd/dppf-based, Negishi reactions	38
Pd/C, <i>o</i> -chlorotoluene hydrogenolysis, <i>a</i>	200	Pd EnCat, microwave, cross-coupling reactions	64
Heck reactions	38	Pd EnCat 30, microwave, cross-coupling reactions	64
Pd/C microspheres, hydrogenation of ethylene, <i>a</i>	124	Pd EnCat polyTPP30, microwave, cross-couplings	64
Pd/LaCoO <sub>3</sub> (flame-spray pyrolysis), NO reduction/H <sub>2</sub>	222	Pd(II) + ethylphosphatroxaaadamantane/SiO <sub>2</sub> , Suzuki coupling	110
Pd/LaCoO <sub>3</sub> (impregnation), NO reduction/H <sub>2</sub>	222	Pd nanoparticles, stabilised by polymer micelles, Suzuki-Miyaura cross-coupling, <i>a</i>	251
Pd/(La <sub>0.2</sub> Sr <sub>0.3</sub> Ba <sub>0.5</sub> )(MnAl <sub>11</sub> O <sub>19</sub> ), natural gas combustion	222	Pd(OAc) <sub>2</sub> , olefins + aryl halides	38
Pd/membrane, synthesis of H <sub>2</sub> O <sub>2</sub>	222	Pd(OAc) <sub>2</sub> + IPr <sup>+</sup> HCl, Stille reactions	38
Pd/YSZ, natural gas combustion	222	Pd(OAc) <sub>2</sub> /Cy <sub>3</sub> P, Suzuki coupling	172
Pd nanoparticles/Celite <sup>®</sup> , Heck reactions	38	Pd(OAc) <sub>2</sub> /PPh <sub>3</sub> , Heck reactions	38
Pd nanoparticles/spherical polyelectrolyte brushes, <i>a</i>	124	Pd P-C-N-C-P diphosphine/SiO <sub>2</sub> , carbonylative cross-couplings	215
PdO/support, natural gas combustion	222	Pd(P <sup>t</sup> Bu) <sub>3</sub> , Negishi reactions	38
Pd particles/Fe <sub>2</sub> O <sub>3</sub> film/Pt(111), MeOH decomposition	222	Stille reactions	38
PdAu, ethene + acetic acid	222	Pd(Ph <sub>3</sub> P) <sub>4</sub> , Suzuki couplings	172
Pd-Ag/membrane, synthesis of H <sub>2</sub> O <sub>2</sub>	222	synthesis of tetradecane	172
Pd-Au/Al <sub>2</sub> O <sub>3</sub> , selective oxidation of styrene, <i>a</i>	124	Pd(PPh <sub>3</sub> ) <sub>4</sub> , Kumada reactions	38
PdAu/Al <sub>2</sub> O <sub>3</sub> , /C, /TiO <sub>2</sub> , H <sub>2</sub> O <sub>2</sub> synthesis	107	Stille reactions	38
PdRh/γ-Al <sub>2</sub> O <sub>3</sub> , NO-CO reaction	107	Suzuki-Miyaura reactions	38
'Pd-Zn/oxide support', mechanical strength	134	Pd(II) phosphine, Suzuki couplings	215
MeOH steam reforming	134	Pd <sub>4</sub> phosphine metallodendrimer, Suzuki couplings	215
'Pd-ZnO/Al <sub>2</sub> O <sub>3</sub> ', MeOH steam reforming	134	Pd(II) salts + diphenyl-2-pyridylphosphine, alkyne carbonylation	215
<b>Catalysts, Palladium Complexes, aminocarbonylation</b>		Pd(II) with S donors/SiO <sub>2</sub> , Suzuki coupling	110
of aryl halides, synthesis of amides	110	Pd/poly( <i>N</i> -vinylimidazole), Mizoroki-Heck reaction, <i>a</i>	56
biaryl synthesis	110	Pd/poly( <i>N</i> -vinylimidazole-co- <i>N</i> -vinylcaprolactam), Mizoroki-Heck reaction, <i>a</i>	56
+ bidentate phosphines, dppb, dppe, Heck reactions	38	phosphine-ArgoGel-Pd, Suzuki-Miyaura couplings	215
+ Buchwald ligands, Suzuki couplings	172	pincer complexes, Heck reactions	38
+ Buchwald ligands, Suzuki-Miyaura reactions	38	+ P( <sup>t</sup> Bu) <sub>3</sub> , Heck reactions	38
C-C bond forming	83	Stille reactions	38
C-C coupling	38	Suzuki-Miyaura reactions	38
C-H activation	110, 172	Q-Phos based FibreCat, coupling reactions	172
C-5 arylation of thiazoles	110	Suzuki coupling, in synthesis of palytoxin	172
carbene complexes, Heck reactions	38	Suzuki-Miyaura reactions	110
Csp <sup>3</sup> -Csp <sup>2</sup> coupling	172	<b>Catalysts, Platinum, aqueous reforming</b>	229
cyclisation of 2-substituted halogenoarenes	110	BaO(100)/Pt(100), absorption of NO <sub>2</sub>	222
'cyclo-functionalising' unactivated C-C multiple bonds	172	electrocatalysis	229
1,6-diene Pd(0) monophosphine, Suzuki-Miyaura reactions	38	electrocatalysts, FePt, formic acid electrooxidation, <i>a</i>	57
DPEphosPdCl <sub>2</sub> , organozinc-based transformations	172	Pd-Co-Pt nanoparticles/C, cathodes, for DMFCs, <i>a</i>	57
dppfPdCl <sub>2</sub> , organozinc-based transformations	172	platinised C, cathodes, for fuel cells, microchips	12
Suzuki couplings	172	Pt, nanostructured thin film, <i>a</i>	201
dtbpfPdCl <sub>2</sub> , coupling reactions	172	for PAFCs	12
(DtBPF)PdX <sub>2</sub> , α-arylation of ketones, <i>a</i>	124	for PEMFCs	12, 201
enantioselective -OH addition, in cyclisation	110	for SOFCs, <i>a</i>	252
Hiyama couplings	172	Pt black, cathodes, for DMFCs, <i>a</i>	252
homogeneous telomerisation	229	electrodes, for PEMs, <i>a</i>	252
intermolecular enantioselective hydroamination	110	Pt/C, aged, SAXS, TEM, XRD	129
Kumada couplings	172	cathodes, for DMFCs, <i>a</i>	252
+ <i>N</i> -heterocyclic carbenes, Kumada reactions	38	O <sub>2</sub> reduction reaction, mechanism	222
Stille reactions	38	electrodes, in H <sub>2</sub> /O <sub>2</sub> fuel cells, <i>a</i>	57
Suzuki-Miyaura reactions	38	modified by CeO <sub>2</sub> , cathodes, for PEMFCs, <i>a</i>	125
oxime-based palladacycle/composite, C-C coupling, <i>a</i>	251	Pt/GNFs, for PEMFCs, <i>a</i>	252
palladacycle complexes, Heck reactions	38	Pt/XC-72, for PEMFCs, <i>a</i>	252
Suzuki-Miyaura reactions	38	Pt <sub>3</sub> Cr nanoalloy, for fuel cells	107
+ PCy <sub>3</sub> , Stille reactions	38	PtNiFe, Pt <sub>59</sub> Ni <sub>39</sub> Fe <sub>2</sub> , nanostructured thin film, <i>a</i>	201
Suzuki-Miyaura reactions	38	PtNiZr, for PEMFCs, <i>a</i>	201
Pd(II) acetate, vinylic substitution reactions, aryl halides	38	PtRu, see <b>Catalysts, Ruthenium</b>	
[PdBr(P( <sup>t</sup> Bu) <sub>3</sub> ) <sub>2</sub> ], Suzuki-Miyaura reactions	38	green rusts(Pt), dechlorination, tetrachloroethylene, <i>a</i>	252
Pd( <sup>t</sup> Bu <sub>3</sub> P) <sub>2</sub> , organozinc-based transformations	172	H-D exchange reaction; + CO	222
Suzuki couplings	172	hydrogenation	229
[PdCl(η <sup>3</sup> -C <sub>3</sub> H <sub>5</sub> ) <sub>2</sub> ], Hiyama reactions	38	Ni-Pt-Pt(111), glycerol reforming, <i>a</i>	251
PdCl(CH <sub>2</sub> Ph)(PPh <sub>3</sub> ) <sub>2</sub> , Stille reactions	38	oxidation	229
PdCl <sub>2</sub> /CuCl, scCO <sub>2</sub> /PEG, aerobic oxidation, styrene, <i>a</i>	56	Pt, diesel oxidation catalyst	23
PdCl <sub>2</sub> (dppf), Kumada reactions	38		
PdCl <sub>2</sub> (PhCN) <sub>2</sub> , Sonogashira reactions	38		
PdCl <sub>2</sub> (P( <sup>t</sup> Pr) <sub>3</sub> ) <sub>2</sub> , Hiyama reactions	38		

	Page	Page
<b>Catalysts, Platinum, (cont.)</b>		
diesel particulate filter	23	
selective catalytic reduction, NOx control	23	
Pt(111), glycerol reforming, <i>a</i>	251	
Pt(0) EnCat, microwave, hydrogenations, reductions	64	
Pt(0) EnCat 40, microwave, hydrogenations	64	
Pt nanoparticles, encapsulated in hollow metal oxide spheres, CO oxidation	222	
Pt tip of field ion microscope, H <sub>2</sub> + NO	222	
Pt/activated C fibre cloth, H <sub>2</sub> sensor, <i>a</i>	57	
Pt/Al <sub>2</sub> O <sub>3</sub> , preparation, by flame-spray pyrolysis sintered, <i>n</i> -heptane reforming, <i>a</i>	222	
total oxidation of CH <sub>4</sub>	251	
Pt/β-Al <sub>2</sub> O <sub>3</sub> + K <sup>+</sup> , combustion of propane	222	
Pt/alumina beads, Hg oxidation	144	
Pt–Al <sub>2</sub> O <sub>3</sub> /Si, NO + H <sub>2</sub> , <i>a</i>	56	
Pt–Ba/Al <sub>2</sub> O <sub>3</sub> , Pt–Ba–Ce/Al <sub>2</sub> O <sub>3</sub> , NOx trap, <i>a</i>	251	
Pt/Ba/γ-alumina, NOx storage	222	
Pt/K/Al <sub>2</sub> O <sub>3</sub> , lean NOx trap, CO oxidation, <i>a</i>	56	
Pt/C, particle size analysis, by TEM	61	
Pt/ceria-containing supports, > 800°C, redispersion	222	
Pt/Cu–Mg(Al)O, NOx storage, <i>a</i>	124	
Pt–Mg(Al)O, NOx storage, <i>a</i>	124	
Pt/SiO <sub>2</sub> filter, for TiO <sub>2</sub> -based O <sub>2</sub> sensor, <i>a</i>	125	
Pt/TiO <sub>2</sub> , degradation of dichloroacetate anion, UV, <i>a</i> visible light, <i>a</i>	202	
Pt/TiO <sub>2-x</sub> N <sub>x</sub> , degradation of VOCs, visible light, <i>a</i>	200	
Pt/zeolites, NO reduction, with diesel, <i>a</i>	200	
Pt nanoparticles/magnetite nanoparticles, selective hydrogenation, <i>a</i>	56	
PtAu, PtSn, nanoparticles, alkane conversions	107	
Pt–Ni–Pt(111), glycerol reforming, <i>a</i>	251	
Pt–Pd–Au/CeO <sub>2</sub> , total oxidation of CH <sub>4</sub>	222	
Pt–Re/Al <sub>2</sub> O <sub>3</sub> , metal segregation, <i>a</i>	56	
sintered, <i>n</i> -heptane reforming, <i>a</i>	251	
Pt–Rh/Al <sub>2</sub> O <sub>3</sub> , preparation, by flame-spray pyrolysis total oxidation of CH <sub>4</sub>	222	
Pt–Ru/Al <sub>2</sub> O <sub>3</sub> , preparation, by flame-spray pyrolysis total oxidation of CH <sub>4</sub>	222	
steam reforming	229	
<b>Catalysts, Platinum Complexes, Karstedt's catalyst,</b> hydrosilylation, curing of silicones	243	
<b>Catalysts, Rhodium, H–D exchange reaction; + CO</b> hydrogenation	222	
PdRh/γ-Al <sub>2</sub> O <sub>3</sub> , NO–CO reaction	229	
Pt–Rh/Al <sub>2</sub> O <sub>3</sub> , preparation, by flame-spray pyrolysis total oxidation of CH <sub>4</sub>	107	
Rh/Al <sub>2</sub> O <sub>3</sub> , CO combustion, H <sub>2</sub> combustion, <i>a</i> preparation, by flame-spray pyrolysis total oxidation of CH <sub>4</sub>	222	
Rh/MgAl <sub>2</sub> O <sub>4</sub> /Al <sub>2</sub> O <sub>3</sub> , steam reforming of bioethanol	222	
Ru/SiTiO <sub>3</sub> :Rh, solar H <sub>2</sub> production	222	
<b>Catalysts, Rhodium Complexes, BINAPHOS,</b> enantioselective hydroformylation	110	
BIPHEPHOS, hydroformylation	110	
bisphosphine, asymmetric hydrogenation	110	
diazaphospholane, enantioselective hydroformylation	110	
Hiyama couplings	172	
homogeneous hydrogenation	229	
hydroaminomethylation of olefins	110	
hydroformylation of olefins, LP Oxo <sup>SM</sup> Process	110	
monophosphoramidite, asymmetric hydrogenation phosphite, enantioselective hydroformylation	110	
RhCl(CO){P[OCH(CF <sub>3</sub> ) <sub>2</sub> ] <sub>2</sub> }, arenes + iodoarenes, <i>a</i>	251	
RhCl(PPh <sub>3</sub> ) <sub>3</sub> /dendritic SBA-15, hydroformylation, <i>a</i>	200	
Wilkinson's catalyst/dendritic SBA-15, <i>a</i>	200	
<b>Catalysts, Ruthenium, aqueous reforming</b> electrocatalysts, PtRu, nanostructured thin film, <i>a</i>	201	
PtRu black, anodes, for DMFCs, <i>a</i>	252	
PtRu/C, + Mo, for DMFCs	222	
H–D exchange reaction; + CO hydrogenation	222	
oxidic Ru surfaces, oxidation of MeOH	222	
Pt–Ru/Al <sub>2</sub> O <sub>3</sub> , preparation, by flame-spray pyrolysis total oxidation of CH <sub>4</sub>	222	
<b>Catalysts, Ruthenium, (cont.)</b>		
Ru nanoparticles/MgAl spinel, NH <sub>3</sub> synthesis	222	
Ru/SiTiO <sub>3</sub> :Rh, solar H <sub>2</sub> production	222	
RuSn/SiO <sub>2</sub> , cyclododecatriene selective hydrogenation	107	
<b>Catalysts, Ruthenium Complexes, amide preparation</b> C–C bond forming	110	
Cp*Ru(COD)Cl, oxidation, regio-, stereoselective	83	
F-containing polymer-bound Ru alkylidene, RCM	172	
fluoro-tagged, first-generation Grubbs–Hoveyda	71	
second-generation Grubbs–Hoveyda	157	
Grubbs' catalyst, conversion of seed oils	157	
olefin metathesis	222	
polymer-based phosphine resin scavengers	222	
Hoveyda's second-generation, RCM, to SB-462795, <i>a</i>	215	
immobilised NHC Ru complex, CM, RCM	200	
immobilised Ru benzylidene complex, RCM, dienes	71	
self-metathesis, internal olefins	157	
ionic liquid-tagged, NHC–Ru, PCy <sub>3</sub> –Ru	157	
NHC Ru complex immobilised on monolithic support	71	
oxidation	83	
phosphine–ArgoGel–Ru(II), hydrogenation, of scCO <sub>2</sub>	215	
polymer-bound NHC Ru complex, soluble, RCM	71	
polystyrene–Ru–allenylidene, cyclisation of olefins	157	
hydrogenation of olefins	157	
RCM of olefins	157	
Ru alkylidenes, immobilisation, <i>via</i> alkylidene ligands	71	
<i>via</i> anionic ligands	157	
<i>via</i> the arene ligand	157	
<i>via</i> <i>N</i> -heterocyclic carbene ligands	71	
<i>via</i> phosphane ligands	71	
<i>via</i> the Schiff base ligand	157	
tagged, fluoro, ionic liquid	157	
Ru-based, H <sub>2</sub> O-soluble, metathesis, RCM, ROMP	71	
Ru carbenes, metathesis, gas-phase, <i>a</i>	200	
Ru <i>O</i> -hydroxyaryl-substituted NHCs, ROMP, <i>a</i>	124	
Ru–pincer, synthesis of amides	110	
supported NHC Ru complexes, RCM, ROM/CM	71	
zeolite-supported, RCM	71	
<b>Chemistry, <i>a</i></b>	58, 126, 202, 253	
<b>Cisplatin</b>	2, 21, 96, 163	
<b>Coatings, Ir, by CVD, EBVD, PVD</b>	186	
on Rh nozzles	186	
IrO <sub>2</sub> , on DSA <sup>®</sup> , on Ti electrodes	177	
IrO <sub>2</sub> /RuO <sub>2</sub> , on DSA <sup>®</sup> , on Ti electrodes	177	
mixed Ir/Ru oxide, on Ti electrodes	177	
Pt, on Ti electrodes	177	
RuO <sub>2</sub> , on Ti electrodes	177	
<b>Coefficient of Thermal Expansion, Ir<sub>3</sub>X</b>	208	
<b>Colloids, PVP-coated, Pd particles, Pt particles, <i>a</i></b>	125	
combustion, CO, H <sub>2</sub> , <i>a</i>	56	
natural gas	222	
propane	222	
<b>Composites, Ir–Y<sub>2</sub>O<sub>3</sub> electrode</b>	186	
Pd nanoparticle/C template, <i>a</i>	201	
<b>Conferences, Catalysis for Renewables,</b> The Netherlands, 2006	229	
Challenges in Catalysis for Pharmaceuticals and Fine Chemicals, U.K., 2007	110	
Creep 2008, Germany, 2008	241	
Creep 2011, Japan, 2011	241	
Cross Coupling and Organometallics, France, 2007	172	
Dalton Discussion 10: Applications of Metals in Medicine and Healthcare, U.K., 2007	96	
EuropaCat VIII: "From Theory to Industrial Practice", Finland, 2007	222	
EuropaCat IX: "Catalysis for a Sustainable World", Spain, 2009	222	
Faraday Discussion 138: Nanoalloys – From Theory to Applications, U.K., 2007	107	
10th Grove Fuel Cell Symp., London, 2007	12	
<b>Copper, palladised</b>	84	
<b>Coupling Reactions, arenes + iodoarenes, <i>a</i></b>	251	
C–C	38, 124, 251	
carbonylative	215	
conference	172	

	<i>Page</i>		<i>Page</i>
<b>Creep</b> , conference	241	<b>Films</b> , Ir oxide/polyaniline composite, <i>a</i>	126
GTH, GTHR, oxide dispersion strengthened Pt alloys	241	Ni-Pt, electrodeposition, on Au/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	253
Pt alloys	241	<b>Filters</b> , Ir	186
Pt-Al-Cr-Ru, by modelling	241	<b>'Final Analysis'</b>	61, 129, 205
Pt-Rh	241	<b>Fine Chemicals</b> , by catalysis	110, 172
Ru-Ni-Al, ternary B2 alloys, <i>a</i>	125	<b>Flue Gas</b> , Hg oxidation	144
<b>Cross Metathesis</b> , using immobilised Ru alkylidenes	71	<b>Formic Acid</b> , electrooxidation, <i>a</i>	57
<b>Crucibles</b> , Ir	186	<b>Fuel Cells</b> , <i>a</i>	57, 125, 201, 252
<b>CVD</b> , Ir coatings	186	catalysts, analysis by ICPEs	205
pulsed, Ru thin films, <i>a</i>	58	Pt/C, O <sub>2</sub> reduction reaction, mechanism	222
<b>Cyanation</b> , aryl bromides, <i>a</i>	251	conference	12
<b>Cyclisation</b> , 2-substituted halogenoarenes	110	DAFC, electrocatalysts, Pd/hollow C spheres, <i>a</i>	201
by enantioselective -OH addition	110	DMFC, catalysts	222
olefins	157	anodes, cathodes, <i>a</i>	252
<b>Cyclocarbonylation</b> , intramolecular, iodinated aryl amines	215	conference	12
		electrocatalysts, anodes, <i>a</i>	125
		MeOH, fuel	134
		nanocatalysts, cathodes, <i>a</i>	57
		O distribution, visualisation, using a Pt porphyrin, <i>a</i>	201
<b>Dechlorination</b> , PVC, <i>a</i>	56	electrocatalysts, nanostructured thin films, <i>a</i>	201
tetrachloroethylene, <i>a</i>	252	Pt/C, aged, XRD	129
<b>Decomposition</b> , MeOH	222	Pt <sub>3</sub> Cr, O reduction activity	107
<b>Deformation</b> , plastic, Ir	241	electrodes, conference	12
<b>Deposition</b> , atomic layer deposition, Ru thin films, <i>a</i>	58	Pt/C, <i>a</i>	57
CVD, EBVD, PVD, Ir	186	fuel, H <sub>2</sub>	12, 57, 134, 229
Pd, on Cu substrate	84	MeOH	12
pulsed CVD, Ru thin films, <i>a</i>	58	"Fuel Cell Today Industry Review 2008"	123
<b>Deuterium</b> , H-D exchange reaction	222	membrane electrode assemblies, conference	12
<b>Diesel</b> , emission control	23	PAFC, conference	12
heavy-duty engines, regulations; developments	23	PEFC, electrocatalysts, <i>a</i>	125
light-duty engines, regulations; developments	23	PEMFC, catalysts, high throughput study, <i>a</i>	201
NOx control	23	conference	12
NOx traps, <i>a</i>	251	electrocatalysts, cathodes, <i>a</i>	125
particulate matter control	23	graphite nanofibres as catalyst support, <i>a</i>	252
for reduction, of NO, <i>a</i>	200	miniature, power source	134
<b>Diesel Oxidation Catalysts</b>	23	portable applications	134
<b>Diesel Particulate Filters</b>	23	power, consumer electronics, large stationary	12
<b>Dihydroxylation</b> , encapsulated catalyst, microwave	64	reformed MeOH, H <sub>2</sub> , fuel	134
<b>Disinfection</b> , electrochemical, H <sub>2</sub> O	177	SOFC, conference	12
		current collector grid/patterned catalyst, by ALD, <i>a</i>	252
		electrode/catalyst layer, by ALD, <i>a</i>	252
		transport: airplane, locomotives, marine, road vehicles	12
<b>Electrical and Electronics</b> , <i>a</i>	202, 253	<b>Fuels</b> , H <sub>2</sub>	12, 57, 134, 229, 249
<b>Electrochemistry</b> , <i>a</i>	202	hydrocarbons, <i>a</i>	57
formation, IrOx/polyaniline composite films, <i>a</i>	126	MeOH	12, 134
H <sub>2</sub> O disinfection	177	<b>Gauze</b> , Pt, Pt nanowire coating, <i>a</i>	57
measurements, Pt reference electrode	100	<b>Glycerol</b> , reforming, <i>a</i>	251
<b>Electrodeposition</b> , CuPd, <i>a</i>	202	<b>Green Chemistry</b> , catalysis	83, 110
Ir	186		
Ni-Pt films, on Au/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	253	<b>Heck Reactions</b> , Pd-catalysed	38
Pd nanowire arrays, <i>a</i>	125	<i>n</i> -Heptane, reforming, <i>a</i>	251
<b>Electrodes</b> , Cu-Pd, disordered, cleavage, C-Br, C-I	84	<b>Heterocycles</b> , synthesis	110
modified, reduction, alkyl bromides, iodides	84	<b>High Temperature</b> , ultra-, Ir <sub>3</sub> X, thermophysical prop.	208
in fuel cells, see <b>Fuel Cells</b>		<b>High Throughput Screening Techniques</b>	134, 201
Ir-Y <sub>2</sub> O <sub>3</sub> composite	186	<b>History</b> , Periodic Table	114, 247
IrO <sub>2</sub> -coated DSA®, free Cl <sub>2</sub> production	177	<b>HIV</b> , anti-, Pt(II), Ru(II), Ru(III), Ru(IV) complexes	96
IrO <sub>2</sub> -coated Ti, hypochlorite generation	177	<b>Hiyama Couplings</b>	38, 172
lifetime	177	<b>HotSpot™ Reactor</b> , H <sub>2</sub> generation	249
IrO <sub>2</sub> -type DSA®, degradation, <i>a</i>	202	<b>Human Blood Cells</b> , sensor, <i>a</i>	201
IrO <sub>2</sub> /RuO <sub>2</sub> -coated DSA®, free Cl <sub>2</sub> production	177	<b>Hydrides</b> , Pd	120
IrO <sub>2</sub> /RuO <sub>2</sub> -coated Ti, hypochlorite generation	177	<b>Hydroamination</b> , intermolecular, enantioselective	110
lifetime	177	<b>Hydroaminomethylation</b> , olefins	110
micro-, Pt	100	<b>Hydrocarbons</b> , reforming	57, 249
mixed Ir/Ru oxide-coated Ti, in disinfection devices	177	<b>Hydroformylation</b> , enantioselective	110
Pd nanoparticles/MWCNTs/Nafion/GCE, <i>a</i>	126	olefins	110
platinised Ti electrodes, in disinfection device	177	styrene, <i>a</i>	200
Pt, electrochemical reference	100	<b>Hydrogen</b> , absorption	120, 201
Pt black, electroplated, human blood cell sensing, <i>a</i>	201	combustion, <i>a</i>	56
Pt-coated Ti electrodes, lifetime	177	diffusion coefficients, in Pd <sub>0.77</sub> Ag <sub>0.23</sub>	120
Pt wire, electrochemical reference	100	from bioethanol	222
reference, electrochemical, Pt wire	100	from glycerol, <i>a</i>	251
RuO <sub>2</sub> -coated Ti electrodes, lifetime	177	from H <sub>2</sub> O	222
<b>Emissions Control</b> , <i>a</i>	56, 200, 251-252		
catalysts, analysis by ICPEs	205		
diesel engines, heavy-duty, light-duty	23		
<b>Engines</b> , heavy-duty diesel, light-duty diesel	23		
<b>Ethylene</b> , hydrogenation, <i>a</i>	124		

	<i>Page</i>	<i>Page</i>
<b>Hydrogen, (cont.)</b>		
from hydrocarbons, oxygenates	249	
fuel	12, 57, 134, 229, 249	
H–D exchange reaction	222	
membranes	120, 126	
+ NO	56, 222	
sensors, <i>a</i>	57, 201	
storage, Pd nanoparticle/C template composites, <i>a</i>	201	
for synthesis of H <sub>2</sub> O <sub>2</sub>	222	
uphill diffusion, ‘Lewis Effect’, Pd	120	
<b>Hydrogen Peroxide, synthesis</b>	107, 222	
<b>Hydrogen Sulfide, + Pd, + Pd-Cu membranes, <i>a</i></b>	58	
sensors	215	
<b>Hydrogenation, aldehydes</b>	110, 200	
asymmetric	110	
encapsulated catalyst, microwave heating	64	
ethylene, <i>a</i>	124	
olefins	157	
scCO <sub>2</sub> , + HN(CH <sub>3</sub> ) <sub>2</sub>	215	
selective, alkyne, <i>a</i>	56	
cyclododecatriene	107	
unsaturated aldehydes, <i>a</i>	56	
transfer, aldehydes	110	
encapsulated catalyst, microwave heating	64	
<b>Hydrogenolysis, <i>o</i>-chlorotoluene, <i>a</i></b>	200	
<b>Hydrolysis, Ru alkoxide/Ti tetraethoxide, <i>a</i></b>	253	
<b>Hydrosilylation, curing of silicones, Pt-catalysed</b>	243	
<b>Hypochlorite, generation</b>	177	
<b>ICPES, determination of Pt in solution</b>	205	
<b>Ionic Liquids</b>	38, 83	
<b>Iridium, coatings, by CVD, EBVD, PVD</b>	186	
on Rh nozzles	186	
crucibles	186	
deformation processing	186	
deposition, electrodeposition	186	
filters	186	
Ir–Y <sub>2</sub> O <sub>3</sub> composite electrode	186	
joining	186	
melting	186, 252	
nanoparticles, <i>a</i>	126	
Periodic Table	114, 247	
plastic deformation	241	
plating	186	
powder metallurgy	186	
processing	186	
purification	186, 252	
single crystals, deformation	241	
sponge	186	
welding	186	
wire	186	
<b>Iridium Alloys, deformation processing</b>	186	
DOP-26	186	
Ir–Pt, powder metallurgy	186	
‘Ir–Nb’, dendritic segregation, <i>a</i>	252	
‘Ir–Zr’, dendritic segregation, <i>a</i>	252	
joining	186	
melting	186	
processing	186	
Pt–Ir, coating, AFM probes, <i>a</i>	202	
welding	186	
<b>Iridium Complexes, cyclometalated Ir(III)-polypyridines</b>	202	
in biological probes, luminescence, <i>a</i>	202	
encapsulated Ir porphyrins, O <sub>2</sub> sensors	46	
Ir acetylacetonate, for CVD	186	
Ir-allyl, for CVD	186	
Ir(III) <i>N</i> -benzylpyrazoles, phosphorescence, <i>a</i>	253	
Ir(btp) <sub>2</sub> (acac), in OLEDs	155	
Ir-carbonyl, for CVD	186	
Ir(COD)(MeCp), for CVD	186	
Ir-cyclooctadienyl, for CVD	186	
Ir(dfppy) <sub>2</sub> (pq), in OLEDs, <i>a</i>	202	
Ir(ppy) <sub>2</sub> (DBM), Ir(ppy) <sub>2</sub> (SB), phosphorescence, <i>a</i>	126	
Ir(ppy) <sub>3</sub> , luminescence, <i>a</i>	126	
<b>Iridium Complexes, (cont.)</b>		
in OLEDs	155, 253	
Ir(III) pyridylphosphines	215	
Ir(III)/Au(I) phosphines	215	
OLEDs	155, 202, 231, 253	
<b>Iridium Compounds, electrodes, see Electrodes</b>		
intermetallic, thermal conductivity, thermal expansion	208	
Ir chloride solutions, for plating of Ir	186	
Ir hexafluoride, for CVD	186	
Ir oxide, in chemical refining of Ir	186	
Ir oxide/polyaniline composite films, <i>a</i>	126	
sodium hexabromoiridate(II) solutions, plating of Ir	186	
<b>Jewellery, Pt, manufacture</b>	52	
<b>Johnson Matthey, ‘Platinum 2007 Interim Review’</b>	54	
‘Platinum 2008’	198	
sustainability	132	
<b>Joining, Ir, Ir alloys</b>	186	
<b>Kumada Couplings</b>	38, 172	
<b>Lasers, Pt jewellery, manufacture</b>	52	
welding, Ir alloy	186	
<b>Lewis Effect, uphill diffusion of H, in Pd</b>	120	
<b>Lipoid, with Pt(II) containing salicylate derivative</b>	163	
<b>Lipophilicity, Pt(II) containing salicylate derivative</b>	163	
<b>LPG, sensors, <i>a</i></b>	201	
<b>Luminescence, cyclometalated Ir(III)-polypyridines, <i>a</i></b>	202	
dendritic tetranuclear Ru(II) complex	46	
Ir(ppy) <sub>3</sub> , <i>a</i>	126	
Pt(II) isoquinolinyl indazoles, <i>a</i>	58	
Pt porphyrin, <i>a</i>	201	
switching, Pt(II) dithiooxamides, <i>a</i>	58	
<b>Magnetism, nanoalloys, CoPt, CoRh, PdAu, PdFe, PdNi, PtAu, PtFe, PtNi</b>	107	
<b>Mannich Condensation, P-based, for aminophosphines</b>	215	
<b>MEAs, conference</b>	12	
<b>Medical Uses, pgm complexes, anti-HIV</b>	96	
anticancer	2, 21, 96, 126, 163	
<b>Melting, Ir, <i>a</i></b>	252	
Ir alloys	186	
<b>Membranes, Pd, sulfidisation, <i>a</i></b>	58	
Pd/modified $\alpha$ -Al <sub>2</sub> O <sub>3</sub> , in reactor, H <sub>2</sub> production, <i>a</i>	57	
Pd/Ag23%, heat treatment, <i>a</i>	126	
Pd <sub>0.77</sub> Ag <sub>0.23</sub> , H <sub>2</sub> diffusion coefficients, uphill effects	120	
Pd–Cu, sulfidisation, <i>a</i>	58	
<b>Mercury, oxidation</b>	144	
<b>Metal-Ligand Exchange Kinetics, Pt, Ru complexes</b>	2	
<b>Metallo dendrimers, encapsulated, Ir, Pd, Pt porphyrins</b>	46	
<b>Metallurgy and Materials, <i>a</i></b>	57, 125, 201, 252	
<b>Metathesis, olefins</b>	71, 157, 222	
<b>Methane, oxidation, <i>a</i></b>	124	
sensors, <i>a</i>	253	
total oxidation	222	
<b>Microwaves, in organic synthesis</b>	38, 64	
syntheses of cycloplatinated complexes, <i>a</i>	58	
<b>Mizoroki-Heck Reactions, <i>a</i></b>	56	
<b>Molten Salts, electrodeposition of Ir</b>	186	
<b>Nanoalloys, CoPt, CoRh, PdAu, PdFe, PdNi, PdRh, PtAu, Pt<sub>3</sub>Cr, PtFe, PtNi, PtSn</b>	107	
<b>Nanocomposites, C MWNT/Pd, for detection of CH<sub>4</sub>, <i>a</i></b>	253	
Pd nanoparticles-polyphenosafranin, nitrate sensing, <i>a</i>	58	
Ru nanoparticles/C MWNT, for supercapacitor, <i>a</i>	253	
<b>Nanoparticles, FePt, <i>a</i></b>	57	
Ir, <i>a</i>	126	
Pd	38, 58, 124, 126, 201, 251	
PdAu	107	
Pd–Co–Ag, Pd–Co–Au, Pd–Co–Pt, <i>a</i>	57	

	<i>Page</i>		<i>Page</i>
<b>Nanoparticles, (cont.)</b>		<b>Palladium, (cont.)</b>	
Pd/Pt, <i>a</i>	201	uphill diffusion, 'Lewis Effect', H <sub>2</sub>	120
Pt	56, 61, 222	<b>Palladium Alloys</b> , absorption, H <sub>2</sub>	120
Pt@CoO, <i>a</i>	57	Cu-Pd, disordered, electrodes	84
PtAu	107	modified, electrodes	84
PtSn	107	CuPd, crystal structure information	84
Ru	222, 253	electrocatalytic properties, <i>a</i>	202
RuO <sub>2</sub> , <i>a</i>	253	electrodeposition, <i>a</i>	202
<b>Nanostructures</b> , yolk-shell, Pt@CoO nanoparticles, <i>a</i>	57	hydrides	120
<b>Nanowires</b> , arrays, Pd, <i>a</i>	125	membranes	58, 120, 126
Pt, on metal gauze, <i>a</i>	57	nano-, PdAu, PdFe, PdNi, PdRh	107
<b>Natural Gas</b> , combustion	222	PdAu nanoparticles, synthesis, in a sputter reactor	107
<b>Natural Products</b> , synthesis, by cross-coupling	172	PdNi, PdZn, nanosized powders, <i>a</i>	126
<b>Negishi Couplings</b>	38, 172	<b>Palladium Complexes</b> , anticancer agents	21
<b>Nitrite</b> , sensors, <i>a</i>	58	dichloropalladium(II) ditertiary phosphines	215
<b>Nitrogen</b> , adsorption, on Pt(111), <i>a</i>	125	dichloropalladium(II) pyridylphosphines	215
on Pt(111)(1×1)H, <i>a</i>	125	encapsulated Pd porphyrins, O <sub>2</sub> sensors	46
<b>Nitrogen Oxides</b> , NO, + CO	107	OLEDs	155
+ H <sub>2</sub>	56, 222	organometallic polymers	46
reduction, with CO, <i>a</i>	200	[Pd] <sub>10</sub> [MTD] <sub>163</sub> , [Pd] <sub>50</sub> [MTD] <sub>113</sub> , complex-block	46
with diesel, <i>a</i>	200	Pd(acac) <sub>2</sub> , decomposition, reduction, <i>a</i>	125
NO <sub>2</sub> , adsorption	222	[Pd(NH <sub>3</sub> ) <sub>4</sub> ][Ni(Ox) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ]·2H <sub>2</sub> O, thermal decomp., <i>a</i>	126
NOx, control	23	[Pd(NH <sub>3</sub> ) <sub>4</sub> ][Zn(Ox) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ]·2H <sub>2</sub> O, thermal decomp., <i>a</i>	126
lean, trap	23, 56	Pd oxoselenates, preparation, <i>a</i>	58
selective catalytic reduction	23	Pd(Se <sub>2</sub> O <sub>3</sub> ), Pd(SeO <sub>3</sub> ), Pd(SeO <sub>4</sub> ), preparation, <i>a</i>	58
storage, by catalysts	124, 222	Ru <sub>2</sub> Pd phosphadamtane	215
traps, for diesel, <i>a</i>	251	<b>Palladium Compounds</b> , K <sub>2</sub> PdCl <sub>4</sub> in H <sub>2</sub> SO <sub>4</sub> electrolyte, <i>a</i>	125
<b>Norbornene</b> , ROMP, <i>a</i>	251	Pd(II), recovery, with chitosan microspheres, <i>a</i>	253
vinyl polymerisation, <i>a</i>	251	PdCl <sub>2</sub> in HCl, for Pd deposition	84
		Pd(NO <sub>3</sub> ) <sub>2</sub> in HNO <sub>3</sub> , for Pd deposition	84
		PdSO <sub>4</sub> ·2H <sub>2</sub> O, in H <sub>2</sub> SO <sub>4</sub> , for Pd deposition	84
		<b>Particle Size Analysis</b> , Pt/C catalysts, by TEM	61
		<b>Particulate Matter</b> , control	23
		<b>Patents</b>	59–60, 127–128, 203–204, 254–255
		analysis	231
		mapping	231
		<b>Periodic Table</b>	114, 247
		<b>Pharmaceuticals</b> , by catalysis	110, 172
		<b>Phase Diagrams</b> , Cr-Ni-Pt	241
		Cr-Pt	48
		Pt-Al-Cr-Ni	48
		<b>Phases</b> , Pt-Al-Cr-Ni	241
		<b>Phosphines</b> , pgm complexes, applications, properties	215
		<b>Phosphorescence</b> , electro-, Ir(dppp) <sub>2</sub> (pq), in OLEDs, <i>a</i>	202
		Ir(III) <i>N</i> -benzylpyrazoles, <i>a</i>	253
		Ir(ppy) <sub>2</sub> (DBM), Ir(ppy) <sub>2</sub> (SB), <i>a</i>	126
		Pt(II)-acetylides, <i>a</i>	58
		<b>Photocatalysis</b> , degradation, of dichloroacetate anion, <i>a</i>	202
		of VOCs, <i>a</i>	200
		H <sub>2</sub> O, to H <sub>2</sub>	222
		<b>Photoconversion</b> , <i>a</i>	58, 126, 202, 253
		<b>Photo-reduction</b> , Ru(III) ionic solutions, <i>a</i>	252
		<b>Plating</b> , Ir	186
		<b>Platinum</b> , additions, NiAl, wetting, of alumina, <i>a</i>	57
		coating, AFM probes, <i>a</i>	202
		colloidal particles, PVP-coated, <i>a</i>	125
		Cr-Ni-Pt, phase diagram	241
		Cr-Pt, CALPHAD	241
		determination, in solution	205
		doped, TiO <sub>2</sub> , O <sub>2</sub> sensor, <i>a</i>	125
		electrodes, see <b>Electrodes</b>	
		gauze, Pt nanowire coating, <i>a</i>	57
		jewellery, manufacture	52
		nanoparticles	56, 61, 201
		nanowires, <i>a</i>	57
		particles, particle size analysis, by TEM	61
		Periodic Table	114, 247
		phase diagrams	48
		Pt(111), Pt(111)(1×1)H, adsorption of N <sub>2</sub> , <i>a</i>	125
		Pt-Al-Cr	241
		Pt-Al-Cr-Ni, phases	241
		thermodynamic database	48
		PtAl <sub>12</sub> Cr <sub>6</sub> , PtAl <sub>12</sub> Cr <sub>6</sub> Ni <sub>5</sub> , PtAl <sub>12</sub> Ni <sub>6</sub>	48
		thin films, by OMCVD, <i>a</i>	126
		<b>Platinum Alloys</b> , creep	241
			241

	<i>Page</i>		<i>Page</i>
<b>Platinum Alloys, (cont.)</b>		<b>Reforming, (cont.)</b>	
Ir-Pt, powder metallurgy	186	glycerol, <i>a</i>	251
jewellery, manufacture	52	<i>n</i> -heptane, <i>a</i>	251
nano-, CoPt, PtAu, Pt <sub>3</sub> Cr, PtFe, PtNi, PtSn	107	hydrocarbons, <i>a</i>	57
Ni-Pt amperometric sensor, for alcohols, <i>a</i>	253	steam, bioethanol, EtOH	222
NiPtAl, wetting, of alumina, <i>a</i>	57	MeOH	134
oxide dispersion strengthened, GTH, GTHR, creep	241	using HotSpot™ reactor, hydrocarbons, oxygenates	249
Pt-Al-Cr-Ru, creep properties, by modelling	241	<b>Release Liners, silicone</b>	243
Pt-Ir, Pt-Ni, coating, AFM probes, <i>a</i>	202	<b>Renewables, catalysis</b>	229
PtNi, PtZn, nanosized powders, <i>a</i>	126	<b>Rhodium, Periodic Table</b>	114
Pt-Rh, creep	241	<b>Rhodium Alloys, nano-, CoRh, PdRh</b>	107
superalloys, Pt base	241	Pt-Rh, creep	241
thermodynamic database	48	<b>Rhodium Complexes, anticancer agents</b>	21
<b>Platinum Complexes, anticancer agents, see Cancer</b>		OLEDs	155
anticancer drugs, see <b>Cancer</b>		Rh porphyrinoids, synthesis, dynamic structure, <i>a</i>	202
carbazole-based Pt(II)-acetylides, preparation, <i>a</i>	58	Rh(III) pyridylphosphines	215
(cod)Pt(Me) <sub>2</sub> , for OMCVD, <i>a</i>	126	<b>ROMP, norbornene, <i>a</i></b>	251
cycloplatinated complexes, synthesis, <i>a</i>	58	Ru-based NHC-arene systems, <i>a</i>	124
encapsulated Pt porphyrins, O <sub>2</sub> sensors	46	using immobilised Ru alkylidenes	71
EtCpPtMe <sub>3</sub> , MeCpPtMe <sub>3</sub> , for OMCVD, <i>a</i>	126	<b>Ruthenium, Periodic Table</b>	114
fluorene-based Pt(II)-acetylides, preparation, <i>a</i>	58	PVP-protected Ru particles, by photoreduction, <i>a</i>	252
OLEDs	155	Ru nanoparticles/C MWNTs, for supercapacitor, <i>a</i>	253
organometallic polymers	46	thin films, <i>a</i>	58
[Pt] <sub>50</sub> [MTD] <sub>113</sub> complex-block	46	<b>Ruthenium Alloys, Pt-Al-Cr-Ru, creep, modelling</b>	241
Pt(acac) <sub>2</sub> , decomposition, reduction, <i>a</i>	125	Ru-Ni-Al, ternary B <sub>2</sub> , <i>a</i>	125
Pt(II) dithioxamides, luminescence, switching, <i>a</i>	58	<b>Ruthenium Complexes, anticancer agents, see Cancer</b>	
Pt(II) isoquinolinyl indazolates, luminescence, <i>a</i>	58	dendritic tetranuclear Ru(II) complex, luminescence	46
[Pt(Me <sub>2</sub> bzimpy)Cl](PF <sub>6</sub> )•DMF, vapo-chromic, <i>a</i>	202	OLEDs	155
[Pt(NH <sub>3</sub> ) <sub>4</sub> ][Ni(Ox) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ]•2H <sub>2</sub> O, thermal decomp., <i>a</i>	126	organometallic polymers	46
[Pt(NH <sub>3</sub> ) <sub>4</sub> ][Zn(Ox) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ]•2H <sub>2</sub> O, thermal decomp., <i>a</i>	126	phosphine-ArgoGel-[Ru <sub>5</sub> C(CO) <sub>15</sub> ], gas sensors	215
Pt porphyrin, luminescence, <i>a</i>	201	phosphine-ArgoGel-[Ru <sub>6</sub> C(CO) <sub>17</sub> ]	215
Pt(II) pyridylphosphines	215	Ru(II) oximate, preparation, biological activity, <i>a</i>	253
[Pt(R <sub>2</sub> -dto) <sub>2</sub> ], + HCl, photoluminescence; + NH <sub>3</sub> , <i>a</i>	58	Ru(II) pyridylphosphines	215
Ru <sub>2</sub> Pt phosphaadamantane	215	Ru(II)/Au(I) phosphines	215
<b>Platinum Compounds, anticancer agents, see Cancer</b>		Ru <sub>2</sub> Pd phosphaadamantane	215
PtCl <sub>2</sub> solution, dip coating, nano SnO <sub>2</sub> thick films, <i>a</i>	201	<b>Ruthenium Compounds, bis(N,N'-di-<i>tert</i>-butyl- acetamidinato)Ru(II) dicarbonyl, deposition, <i>a</i></b>	58
Pt(II) salicylate derivatives, biological evaluation, characterisation, design, lipophilicity, liposomal formulation, synthesis	163	electrodes, see <b>Electrodes</b>	
Pt(IV), recovery with chitosan microspheres, <i>a</i>	253	RuCl <sub>3</sub> • <i>n</i> H <sub>2</sub> O, for photoreduction, <i>a</i>	252
<b>Platinum Group Metals, patents</b>	231	RuO <sub>2</sub> nanoparticles, <i>a</i>	253
Periodic Table	114, 247	RuO <sub>2</sub> -TiO <sub>2</sub> mixed oxides, preparation, <i>a</i>	253
<b>Polymerisation, by metathesis</b>	71, 124	<b>Scavengers, polymer-based phosphine resins</b>	215
vinyl-type, norbornene, <i>a</i>	251	<b>Selective Catalytic Reduction, NOx control</b>	23
<b>Polymers, Ir oxide/polyaniline composite films, <i>a</i></b>	126	<b>Self-Metathesis, internal olefins</b>	157
organometallic	46	<b>Sensors, CH<sub>4</sub>, <i>a</i></b>	253
PVC, dechlorination, <i>a</i>	56	CO	201, 215
PVP-coated, Pd, Pt, colloidal particles, <i>a</i>	125	EtOH, <i>a</i>	253
PVP-protected, Ru particles, <i>a</i>	252	H <sub>2</sub> , <i>a</i>	57, 201
transition metal-containing	46	H <sub>2</sub> S	215
<b>Powder Metallurgy, Ir, Ir alloys</b>	186	human blood cells, <i>a</i>	201
<b>Propane, combustion</b>	222	LPG, <i>a</i>	201
<b>PVD, Ir</b>	186	nitrite, <i>a</i>	58
		O <sub>2</sub>	46, 125
<b>RCM, olefins</b>	157	SO <sub>2</sub>	215
Ru carbene catalysts, <i>a</i>	200	<b>Silicones, Pt-catalysed hydrosilylation; release liners</b>	243
synthesis, dicyclic compounds	71	<b>Single Crystals, Ir, deformation</b>	241
macrocyclic compounds	71	<b>Soldering, Pt jewellery, manufacture</b>	52
SB-462795, <i>a</i>	200	<b>Solvent Extraction, Ir</b>	186
using immobilised Ru alkylidenes	71	<b>Solvents, in catalysis</b>	83, 110
<b>Reactors, membrane, H<sub>2</sub> production, <i>a</i></b>	57	<b>Sonogashira Couplings</b>	38, 64
packed bed, Hg oxidation	144	<b>Sponge, Ir</b>	186
<b>Redox Systems, Pt reference electrode</b>	100	<b>Sputtering, PdAu nanoparticles</b>	107
<b>Reduction, aldehydes, <i>a</i></b>	200	<b>Stille Couplings</b>	38, 124
electrochemical, alkyl bromide, chlorides, iodides	84	<b>Styrene, hydroformylation, <i>a</i></b>	200
NO, with CO, <i>a</i>	200	oxidation, aerobic, <i>a</i>	56
with diesel, <i>a</i>	200	selective, <i>a</i>	124
with H <sub>2</sub>	222	<b>Sulfidisation, Pd membranes, Pd-Cu membranes, <i>a</i></b>	58
temperature-programmed, catalytic materials	249	<b>Sulfur Oxides, SO<sub>2</sub>, sensors</b>	215
<b>Refining, chemical, Ir</b>	186	<b>Superalloys, Pt base</b>	241
<b>Refining and Recovery, <i>a</i></b>	253	Pt-based, thermodynamic database	48
<b>Reformer, micro-, H<sub>2</sub> production</b>	134	<b>Supercapacitors, Ru nanoparticles/C MWNTs, <i>a</i></b>	253
<b>Reforming, catalysts, metal segregation, <i>a</i></b>	56	<b>Supercritical Fluids</b>	38, 56
ethylene glycol, EtOH, <i>a</i>	251	<b>Surface Coatings, <i>a</i></b>	58, 126, 202

	<i>Page</i>		<i>Page</i>
<b>Sustainability</b> , Editorial	132	<b>Ultrasound</b> , in C–C couplings	38
<b>Suzuki Couplings</b>	110, 172, 215	<b>Vapochromism</b> , [Pt(Me <sub>2</sub> bzimpy)Cl](PF <sub>6</sub> )•DMF, <i>a</i>	202
<b>Suzuki-Miyaura Couplings</b>	38, 110, 215, 251	<b>VOCs</b> , degradation, <i>a</i>	200
<b>TEM</b> , Pt/C catalysts, particle size analysis	61	<b>Water</b> , electrochemical disinfection	177
<b>Temperature-Programmed Reduction</b> , catalysts	249	solvent	110, 200, 251
<b>Tetrachloroethylene</b> , dechlorination, <i>a</i>	252	<b>Welding</b> , Ir	186
<b>Thermal Conductivity</b> , Ir <sub>3</sub> X (X = Hf, Nb, Ta, Ti, V, Zr)	208	Ir alloys	186
<b>Thermal Expansion</b> , Ir <sub>3</sub> X (X = Hf, Nb, Ta, Ti, V, Zr)	208	<b>Wire</b> , Ir	186
<b>Thermodynamic Database</b> , Pt-based superalloys	48	<b>XRD</b> , Pt/C catalysts, crystallite size analysis	129
<b>Thermophysical Properties</b> , Ir <sub>3</sub> X	208		
<b>Thiazoles</b> , C-5 arylation	110		
<b>Thin Films</b> , nanostructured, Pt, PtNiFe, PtRu, <i>a</i>	201		
Ru, deposition, by atomic layer deposition, by CVD, <i>a</i>	58		