

# SUBJECT INDEX TO VOLUME 10

<i>a</i> = abstract	<i>Page</i>	<i>Page</i>
<b>Anodic Protection</b> , of austenitic stainless steel, <i>a</i>	152	<b>Catalysts (Contd.)</b>
of carbon steel, <i>a</i>	152	
<b>Battery</b> , miniature, for NASA	132	<b>Pd/zeolite</b> , isomerisation of <i>n</i> -hexane, <i>a</i>
<b>Catalysis</b> , bonding of adsorbed species	87	isomerisation of hydrocarbons, <i>a</i>
<b>Catalysts</b> , for HNO <sub>3</sub> production, <i>a</i>	110	<b>Palladium-Ruthenium</b> , CH <sub>4</sub> -D <sub>2</sub> exchange on, <i>a</i>
<b>Iridium</b> , Adams', hydrogenation of aromatic nitro-compounds by, <i>a</i>	151	<b>Platinum</b> , black, effect of light, <i>a</i>
complex, hydrogenation of C <sub>2</sub> H <sub>4</sub> , C <sub>2</sub> H <sub>2</sub> , <i>a</i>	71	black, hydrogenation of dienes, <i>a</i>
complexes, isomerisation of cyclo-octadienes, <i>a</i>	72	black, oxidation of C <sub>2</sub> H <sub>5</sub> OH, <i>a</i>
complexes, isomerisation of octenes, <i>a</i>	72	complexes, isomerisation of cyclo-octadienes, <i>a</i>
<b>Ir/zeolite</b> , hydrogenation of C <sub>6</sub> H <sub>6</sub> , <i>a</i>	149	exploded wire, <i>a</i>
<b>Iridium-Platinum</b> , Adams', hydrogenation of aromatic nitro-compounds by, <i>a</i>	151	film structure, <i>a</i>
<b>Palladium</b> , black, effect of pH during hydrogenation on, <i>a</i>	150	films, oxidation of CO on, <i>a</i>
black, hydrogenation of dienes, <i>a</i>	34	foil, H <sub>2</sub> O <sub>2</sub> decomposition, <i>a</i>
black, magnetic susceptibility of, <i>a</i>	112	gauze, NH <sub>3</sub> oxidation, <i>a</i>
complexes, CO addition to cyclo-octa-1,5-diene, <i>a</i>	71	H <sub>2</sub> -O <sub>2</sub> reaction on
exploded wire, <i>a</i>	35	isomerisation of paraffins, <i>a</i>
hydroformylation of olefins, <i>a</i>	112	oxidation of H <sub>2</sub> on, <i>a</i>
salts, oxidation of olefins by, <i>a</i>	151	reactions of silacyclobutanes, <i>a</i>
wire, sponge, H <sub>2</sub> -D <sub>2</sub> exchange, <i>a</i>	112	reforming, <i>a</i>
<b>PdCl<sub>2</sub></b> , carbonylation of allene-PdCl <sub>2</sub> complexes, <i>a</i>	71	reforming, high octane petrol by, <i>a</i>
carbonylation of butadiene and isoprene complexes, <i>a</i>	35	salts, oxidation of olefins by, <i>a</i>
carbonylation of		<b>Platinum-Iridium</b> , Adams', hydrogenation of aromatic nitro-compounds, <i>a</i>
1,5,9-cyclododecatriene, <i>a</i>	112	aromatic nitro-compounds, <i>a</i>
carbonylation of cyclooctadienes, <i>a</i>	112	<b>Platinum Metal Oxides</b> , activity
carbonylation of cyclopropane, <i>a</i>	35	Platinum Metals, chemisorbed species in
carbonylation of diphenylacetylene, <i>a</i>	112	decomposition of H <sub>2</sub> O <sub>2</sub> , <i>a</i>
carbonylation of propargyl chloride, <i>a</i>	112	hydrogenation of terminal acetylenes, <i>a</i>
complexes, reaction with nucleophiles, <i>a</i>	151	supported, for liquid-phase reactions
copolymerisation of CO and norbornadiene, <i>a</i>	71	supported, review of
coupling with aromatic compounds, <i>a</i>	71	<b>Pt/Aerosil</b> , oxidation of CO on, <i>a</i>
cyclooctadiene complex, reaction with ethyl malonate, <i>a</i>	35	<b>Pt/Al<sub>2</sub>O<sub>3</sub></b> , alkali, activated,
decarbonylation of acyl chloride and aldehyde, <i>a</i>	71	dehydrocyclisation of <i>n</i> -C <sub>6</sub> H <sub>14</sub> on, <i>a</i>
hydroformylation of olefins, <i>a</i>	112	butane adsorption on, <i>a</i>
isocyanate preparation	90	conversions dicyclohexyl, dicyclohexylmethane, <i>a</i>
oxidation of butene-1, <i>a</i>	112	conversion of hydrocarbons on spent and reactivated, <i>a</i>
oxidation of olefins by, <i>a</i>	151	conversion of organophosphate vapour on, <i>a</i>
oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	71	dehydrogenation of cyclohexane, isopropyl alcohol, <i>a</i>
reaction of $\pi$ -allyl-PdCl <sub>2</sub> with nucleophiles, <i>a</i>	71	dehydrogenation of methylcyclohexane, <i>a</i>
<b>PdCl<sub>2</sub>/CuCl<sub>2</sub></b> , oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	35	effect of Na, <i>a</i>
oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	35	effect of Na, aromatisation of <i>n</i> -hexane, <i>a</i>
<b>Palladium-Gold</b> , CH <sub>4</sub> -D <sub>2</sub> exchange, <i>a</i>	112	hydrogenation of C <sub>6</sub> H <sub>6</sub> , <i>a</i>
<b>Pd/Al<sub>2</sub>O<sub>3</sub></b> , conversions of dicyclohexyl, dicyclohexylmethane, <i>a</i>	111	hydrogenolysis of cyclic hydrocarbons, <i>a</i>
hydrogenation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	113	oxidation of CO on, <i>a</i>
hydrogenation of C <sub>2</sub> H <sub>4</sub> , C <sub>3</sub> H <sub>6</sub> , <i>a</i>	150	oxidation of CH <sub>4</sub> on, <i>a</i>
hydrogenolysis of cyclic hydrocarbons, <i>a</i>	70	preparation of organosilanols, <i>a</i>
oxidation of CO on, <i>a</i>	150	<b>Pd/BaSO<sub>4</sub></b> , effect of pH during hydrogenation on, <i>a</i>
oxidation of CH <sub>4</sub> on, <i>a</i>	113	hydrogenation of dimethylethynylcarbinol, <i>a</i>
reduction of organosilanols, <i>a</i>	113	reduction of aliphatic nitro-compounds, <i>a</i>
<b>Pd/CuCl<sub>2</sub></b> , oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	35	<b>Pd/C</b> , carbonylation of propargyl alcohols, <i>a</i>
oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	35	conversions of diethylamine, <i>a</i>
<b>Palladium-Gold</b> , CH <sub>4</sub> -D <sub>2</sub> exchange, <i>a</i>	112	hydrogenation of dimethylethynylcarbinol, <i>a</i>
<b>Pd/Al<sub>2</sub>O<sub>3</sub></b> , conversions of dicyclohexyl, dicyclohexylmethane, <i>a</i>	111	oxidation of HCOOH, <i>a</i>
hydrogenation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	113	Pd distribution on, <i>a</i>
hydrogenation of C <sub>2</sub> H <sub>4</sub> , C <sub>3</sub> H <sub>6</sub> , <i>a</i>	150	preparation of organosilanols, <i>a</i>
hydrogenolysis of cyclic hydrocarbons, <i>a</i>	70	reduction of aliphatic nitro-compounds, <i>a</i>
oxidation of CO on, <i>a</i>	150	<b>Pd/polyethyleneterephthalate</b> , reduction of C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> , nitrophenol, <i>a</i>
oxidation of CH <sub>4</sub> on, <i>a</i>	113	Pd/SiO <sub>2</sub> , hydrogenation of dimethylethynylcarbinol, <i>a</i>
preparation of organosilanols, <i>a</i>	113	
<b>Pd/BaSO<sub>4</sub></b> , effect of pH during hydrogenation on, <i>a</i>	150	<b>Pt/Catalysts (Contd.)</b>
hydrogenation of dimethylethynylcarbinol, <i>a</i>	113	<b>Pt/zeolite</b> , isomerisation of <i>n</i> -hexane, <i>a</i>
reduction of aliphatic nitro-compounds, <i>a</i>	113	isomerisation of hydrocarbons, <i>a</i>
<b>Pd/C</b> , carbonylation of propargyl alcohols, <i>a</i>	112	<b>Platinum</b> , black, effect of light, <i>a</i>
conversions of diethylamine, <i>a</i>	34	black, hydrogenation of dienes, <i>a</i>
hydrogenation of dimethylethynylcarbinol, <i>a</i>	113	black, oxidation of C <sub>2</sub> H <sub>5</sub> OH, <i>a</i>
oxidation of HCOOH, <i>a</i>	34	complexes, isomerisation of cyclo-octadienes, <i>a</i>
Pd distribution on, <i>a</i>	149	exploded wire, <i>a</i>
preparation of organosilanols, <i>a</i>	113	film structure, <i>a</i>
reduction of aliphatic nitro-compounds, <i>a</i>	113	films, oxidation of CO on, <i>a</i>
<b>Pd/polyethyleneterephthalate</b> , reduction of C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> , nitrophenol, <i>a</i>	113	foil, H <sub>2</sub> O <sub>2</sub> decomposition, <i>a</i>
<b>Pd/SiO<sub>2</sub></b> , hydrogenation of dimethylethynylcarbinol, <i>a</i>	113	gauze, NH <sub>3</sub> oxidation, <i>a</i>
		H <sub>2</sub> -O <sub>2</sub> reaction on
		isomerisation of paraffins, <i>a</i>
		oxidation of H <sub>2</sub> on, <i>a</i>
		reactions of silacyclobutanes, <i>a</i>
		reforming, <i>a</i>
		reforming, high octane petrol by, <i>a</i>
		salts, oxidation of olefins by, <i>a</i>
		<b>Platinum-Iridium</b> , Adams', hydrogenation of aromatic nitro-compounds, <i>a</i>
		aromatic nitro-compounds, <i>a</i>
		<b>Platinum Metal Oxides</b> , activity
		<b>Platinum Metals</b> , chemisorbed species in
		decomposition of H <sub>2</sub> O <sub>2</sub> , <i>a</i>
		hydrogenation of terminal acetylenes, <i>a</i>
		supported, for liquid-phase reactions
		supported, review of
		<b>Pt/Aerosil</b> , oxidation of CO on, <i>a</i>
		<b>Pt/Al<sub>2</sub>O<sub>3</sub></b> , alkali, activated,
		dehydrocyclisation of <i>n</i> -C <sub>6</sub> H <sub>14</sub> on, <i>a</i>
		butane adsorption on, <i>a</i>
		conversions dicyclohexyl, dicyclohexylmethane, <i>a</i>
		conversion of hydrocarbons on spent and reactivated, <i>a</i>
		conversion of organophosphate vapour on, <i>a</i>
		dehydrogenation of cyclohexane, isopropyl alcohol, <i>a</i>
		dehydrogenation of methylcyclohexane, <i>a</i>
		effect of Na, <i>a</i>
		effect of Na, aromatisation of <i>n</i> -hexane, <i>a</i>
		hydrogenation of C <sub>6</sub> H <sub>6</sub> , <i>a</i>
		hydrogenolysis of cyclic hydrocarbons, <i>a</i>
		isomerisation of <i>n</i> -pentane, <i>a</i>
		isomerisation of <i>n</i> -pentane, activation by air, H <sub>2</sub> , <i>a</i>
		Pt distribution on, <i>a</i>
		reforming, in E. Germany, <i>a</i>
		reforming of petroleum fractions, <i>a</i>
		regeneration of, <i>a</i>
		surface diffusion of <i>n</i> -C <sub>4</sub> H <sub>10</sub> , <i>a</i>
		<b>Pt/C</b> , conversions of diethylamine, <i>a</i>
		conversion of 1,4-endomethylene-spiro-(5,5)-undecane, <i>a</i>
		conversion of <i>cis</i> -8-methylhydrindane, <i>a</i>
		hydrogenation of 2-methyl-5-acetylfuran, <i>a</i>
		hydrogenolysis of cyclopentane hydrocarbons, <i>a</i>
		<b>Pt/SiO<sub>2</sub></b> , activity for H <sub>2</sub> -D <sub>2</sub> exchange, <i>a</i>
		activity for hydrogenation of hexene-1, <i>a</i>
		activity in H <sub>2</sub> O <sub>2</sub> decomposition, <i>a</i>
		alkali-activated, dehydrocyclisation of <i>n</i> -C <sub>6</sub> H <sub>14</sub> on, <i>a</i>
		aromatisation of <i>n</i> -hexane, <i>a</i>
		effect of light, <i>a</i>
		hydrogenation of C <sub>6</sub> H <sub>6</sub> , <i>a</i>
		loss of activity, <i>a</i>
		petroleum reforming, in Czechoslovakia, <i>a</i>
		<b>Pt/SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub></b> , isomerisation of paraffins, <i>a</i>
		isomerisation of <i>n</i> -pentane, <i>a</i>
		<b>Pt/zeolite</b> , isomerisation of hydrocarbons, <i>a</i>
		<b>PTO<sub>2</sub></b> , reduction of aliphatic nitro-compounds, <i>a</i>
		<b>Platinum-Rhodium</b> , gauze, NH <sub>3</sub> oxidation, <i>a</i>
		CH <sub>4</sub> -D <sub>2</sub> exchange on, <i>a</i>
		<b>Rhodium</b> , black, hydrogenation of dienes, <i>a</i>
		complexes, decarbonylation of aldehyde, <i>a</i>

Catalysts (Contd.)	Page	Electrodeposition of Platinum-Rhodium (Contd.)	Page
<b>Rhodium,</b>		from HCl electrolyte, <i>a</i>	32
complexes, hydrogenation of C <sub>2</sub> H <sub>4</sub> , C <sub>2</sub> H <sub>2</sub> , <i>a</i>	71	<b>Rhodium,</b> crack-free, <i>a</i>	110
complexes, isomerisation of cyclooctadienes, <i>a</i>	72	from sulphate electrolytes, <i>a</i>	149
complexes, isomerisation of olefins by, <i>a</i>	151	slip-ring surfaces, <i>a</i>	32
complexes, polymerisation of butadiene-1,3 by, <i>a</i>	151	<b>Rhodium-Iridium,</b> from chloride electrolytes, <i>a</i>	149
salts, polymerisation of butadiene, <i>a</i>	72	<b>Rhodium-Platinum,</b> from <i>cis</i> -dinitrodiamino electrolytes, <i>a</i>	32
<b>RhCl<sub>3</sub>,</b> hydrogenation of aldehydes, <i>a</i>	114	from HCl electrolyte, <i>a</i>	32
olefin-to-olefin addition	65	<b>Ruthenium,</b> slip-ring surfaces, <i>a</i>	32
polymerisation of butadiene-1,3 by, <i>a</i>	151	<b>Electrodes, Palladium,</b> adsorption of CO, <i>a</i>	109
<b>Rh chloro complexes,</b> hydrogenation of maleic acid, <i>a</i>	114	bright, O <sub>2</sub> overvoltage on, <i>a</i>	68
<b>Rh hydroxide,</b> black, hydrogenation of aniline, <i>a</i>	114	H/D separation using, <i>a</i>	148
black, hydrogenation of organic compounds, <i>a</i>	113	H <sub>2</sub> diffusion in, <i>a</i>	72
<b>Rh/Al<sub>2</sub>O<sub>3</sub>,</b> crotonic condensation of butyraldehyde by, <i>a</i>	151	oxidation of CH <sub>3</sub> OH, HCOOH on, <i>a</i>	110
hydrogenation of C <sub>2</sub> H <sub>4</sub> , C <sub>2</sub> H <sub>2</sub> , <i>a</i>	150	oxidation of organic substances, <i>a</i>	32
<b>Rh/clay,</b> hydrocondensation and hydrolymerisation by, <i>a</i>	35	H <sub>2</sub> O electrolysis with	19
<b>Rh/zeolite,</b> hydrogenation of C <sub>6</sub> H <sub>6</sub> , <i>a</i>	149	<b>Palladium-Hydrogen,</b> preparation and properties, <i>a</i>	31
<b>Rhodium-Platinum,</b> gauze, NH <sub>3</sub> oxidation, <i>a</i>	70	<b>Palladium-Ruthenium,</b> oxidation of CH <sub>3</sub> OH, HCOOH on, <i>a</i>	110
CH <sub>4</sub> -D <sub>2</sub> exchange on, <i>a</i>	33	<b>Palladium-Silver,</b> H/D separation using, <i>a</i>	148
<b>Ruthenium,</b> complexes, hydrogenation of olefins and acetylenes, <i>a</i>	72	H <sub>2</sub> diffusion in	127
<b>RuCl<sub>3</sub>,</b> D <sub>2</sub> -H <sub>2</sub> O exchange, <i>a</i>	114	<b>Platinised Paper,</b> in fuel cells, <i>a</i>	36
<b>Ru hydroxide,</b> black, hydrogenation of aniline, <i>a</i>	114	<b>Platinised Ta,</b> platinising of, <i>a</i>	32
black, hydrogenation of organic compounds, <i>a</i>	113	<b>Platinised Ti,</b> anodes, in brackish water, <i>a</i>	152
<b>Ru/Al<sub>2</sub>O<sub>3</sub>,</b> hydrogenation of CO, CO <sub>2</sub> , <i>a</i>	35	anodes, in cathodic protection, <i>a</i>	152
<b>Ru/C,</b> hydrogenation of aromatic acids, <i>a</i>	35	anodes, in cathodic protection of ships, <i>a</i>	73
hydrogenation of aromatic compounds, <i>a</i>	35	platinising of, <i>a</i>	32
hydrogenation of furan compounds, <i>a</i>	151	<b>Platinum,</b> anodic polarisation of, <i>a</i>	148
hydrogenation of N-containing heterocyclic compounds, <i>a</i>	152	black, B <sub>2</sub> C-supported, in fuel cells, <i>a</i>	114
preparation of organosilanol, <i>a</i>	113	black, H <sub>2</sub> determination in inert gases, <i>a</i>	32
<b>Ru/SiO<sub>2</sub>,</b> hydrogenation of aromatic compounds, <i>a</i>	35	black, in fuel cells, <i>a</i>	114
hydrogenation of N-containing heterocyclic compounds, <i>a</i>	152	cathodes, anodic protection with, <i>a</i>	152
<b>RuO<sub>2</sub>,</b> hydrogenation of aromatic compounds, <i>a</i>	35, 72, 151, 152	influence of ac, <i>a</i>	148
oxidation of sugars, <i>a</i>	72	in miniature battery	132
<b>RuO<sub>4</sub>,</b> oxidation of carbohydrate derivatives by, <i>a</i>	151	microelectrodes, in Pb anodes, <i>a</i>	73
<b>Ruthenium-Palladium,</b> CH <sub>4</sub> -D <sub>2</sub> exchange on, <i>a</i>	33	HNO <sub>3</sub> -passivated, <i>a</i>	31
<b>Cathodic Protection,</b> platinised Ti anodes	48, 152	oxidation of H <sub>2</sub> on, <i>a</i>	109
platinised Ti anodes, for ships, <i>a</i>	73	porous graphite support, <i>a</i>	31
platinised Ti anodes, in brackish water, <i>a</i>	152	surface state of	86
Pt microelectrodes in Pb anodes, <i>a</i>	73	synthesis of dimethyl ethers, <i>a</i>	31
<b>Coatings, Rh,</b> vapour deposition of	13	synthesis of methyl esters of $\alpha,\beta$ -unsaturated carboxylic acids, <i>a</i>	110
<b>Corrosion,</b> in paper-making machines	48	<b>Platinum-Gold,</b> oxidation of CH <sub>3</sub> OH, <i>a</i>	31
Pd-Ti, <i>a</i>	114	<b>Platinum Metals,</b> blacks, in fuel cells	93
Pt, <i>a</i>	148	oxidation of H <sub>2</sub> , CH <sub>3</sub> OH	135
Rh, in HCl, <i>a</i>	68	<b>Pt/Ta,</b> in fuel cells, <i>a</i>	72
Ru, <i>a</i>	148	<b>Platinum-Rhodium,</b> reduction of O <sub>2</sub> on, <i>a</i>	148
<b>Crucibles, Ir</b>	M8	surface in electrocatalysis, <i>a</i>	68
<b>Deuteration of,</b> C <sub>2</sub> H <sub>4</sub> , C <sub>2</sub> H <sub>2</sub> , <i>a</i>	150	<b>Platinum-Ruthenium,</b> reduction of O <sub>2</sub> on, <i>a</i>	148
<b>Deuterium,</b> exchange with H <sub>2</sub> , <i>a</i>	34, 112	<b>Platinum-Titanium,</b> activated, in fuel cells	139
exchange with CH <sub>4</sub> , <i>a</i>	33, 112	<b>Platinum-Titanium-Tantalum,</b> activated, in fuel cells	139
exchange with H <sub>2</sub> O, <i>a</i>	114	<b>Rhodium,</b> adsorption properties, <i>a</i>	68
separation, <i>a</i>	148	oxidation, <i>a</i>	31
<b>Diffusion,</b> T <sub>2</sub> enrichment by Pd, <i>a</i>	33	<b>Rhodium-Platinum,</b> reduction of O <sub>2</sub> on, <i>a</i>	148
<b>Diffusion Tubes,</b> H/D separation through, <i>a</i>	148	surface in electrocatalysis, <i>a</i>	68
<b>Electrical Contacts,</b> noble metal base, <i>a</i>	152	<b>Ruthenium,</b> adsorption properties, <i>a</i>	68
3rd International Symposium on wear and friction of	2, 107	anodic corrosion of, <i>a</i>	148
<b>Electrodeposition of, Iridium,</b> deposits, <i>a</i>	32	anodic dissolution of, <i>a</i>	68
from aqueous electrolytes	59	oxidation of CH <sub>3</sub> OH, HCOOH on, <i>a</i>	110
from chloride electrolytes, <i>a</i>	149	passivation of, <i>a</i>	149
<b>Iridium-Rhodium,</b> from chloride electrolytes, <i>a</i>	149	<b>Ruthenium-Palladium,</b> oxidation of CH <sub>3</sub> OH, HCOOH on, <i>a</i>	110
mixed deposits, of Pt, Pd with Ru, <i>a</i>	69	<b>Ruthenium-Platinum,</b> reduction of O <sub>2</sub> on, <i>a</i>	148
<b>Palladium,</b> from alkaline electrolytes, <i>a</i>	32	<b>Fuel Cells,</b> Pd-H diffusion electrode, <i>a</i>	72
physical properties, <i>a</i>	110	platinised paper electrodes, <i>a</i>	36
<b>Platinum,</b> on Ni, Mo, <i>a</i>	149	Pt-Ti, Pt-Ti-Ta electrodes in	139
on Ti, Ta, <i>a</i>	32	Pt/B <sub>2</sub> C electrodes, <i>a</i>	114
<b>Platinum Metals,</b> review, <i>a</i>	149	C <sub>2</sub> H <sub>2</sub> -air, Pt metals in	93
<b>Platinum-Rhodium,</b> from <i>cis</i> -dinitrodiamino electrolytes, <i>a</i>	32	C <sub>2</sub> H <sub>2</sub> -O <sub>2</sub> , <i>a</i>	114
		Teflon-bonded Pt/Ta electrodes, <i>a</i>	72
		<b>Furnace,</b> Pt-wound, in semiconductor manufacture	53
		Rh-Pt wound, for oxide studies, <i>a</i>	32
		<b>Glass,</b> industry, design of Pt linings for, <i>a</i>	78
		use of Pt in, <i>a</i>	152
		melting furnaces, control of oxide semiconductors, <i>a</i>	131
		storage of radioactive residues, <i>a</i>	152
		tubing, two-ply	73
		vertical drawing furnace for, temperature in, <i>a</i>	153
		viscosity of, <i>a</i>	73
		wetting of Pt and Pt alloys	54
		<b>Guyton de Morveau,</b> Pt apparatus by	24

	<i>Page</i>		<i>Page</i>
<b>Hydrogenation of, C<sub>2</sub>H<sub>2</sub>, a</b>	113	<b>Oxidation of (Contd.)</b>	
aldehydes, a	114	H <sub>2</sub> , CH <sub>3</sub> OH	135
aniline, a	114	Ir, a	109
aromatic compounds, a	35, 72, 151	CH <sub>4</sub> , a	113
C <sub>6</sub> H <sub>6</sub> , a	33, 112, 149	CH <sub>3</sub> OH, a	31
CO and CO <sub>2</sub> , a	35	CH <sub>3</sub> OH, HCOOH, a	110
cyclohexene, a	71	olefins, a	151
dienes, a	34	Pt, a	29
dimethylethynylcarbinol, a	113	Rh, a	31
C <sub>2</sub> H <sub>4</sub> , C <sub>3</sub> H <sub>2</sub> , a	71	sugars, a	72
C <sub>2</sub> H <sub>4</sub> , C <sub>3</sub> H <sub>4</sub> , a	150	<b>Oxygen, production by H<sub>2</sub>O electrolysis</b>	19
furan compounds, a	151		
hept-1-ene and hex-1-yne, a	72	<b>Palladium, diffusion of H<sub>2</sub> in, a</b>	146
hexene-1, a	34	diffusion of T <sub>2</sub> in, a	33
maleic acid, a	114	electronic properties of, a	145
2-methyl-5-acetylfuran, a	70	magnetic properties of, a	112
C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> , nitrophenol, a	113	recovery of atomic defects, a	66
N-containing heterocyclic compounds, a	152	<b>Palladium Alloys, Palladium-Arsenic, crystal structure, a</b>	30
organic compounds, a	113	<b>Palladium-Antimony, crystal structure, a</b>	30
terminal acetylenes, a	34	<b>Palladium-Cobalt, electronic properties of, a</b>	145
<b>Hydrogen Diffusion, H/D separation by, a</b>	148	Pd activity in, a	29
in H <sub>2</sub> O electrolysis cathode	19	<b>Palladium-Cobalt-Silicon, structure of amorphous phase, a</b>	30
in Pd, a	146	<b>Palladium-Copper, diffusion of H<sub>2</sub> in, a</b>	108
in Ag-Pd, a	146	recovery of atomic defects, a	66
in Ag-Pd foil electrode	127	<b>Palladium-Copper-Gold, structure of, a</b>	146
<b>Iridium, deformation of single crystals, a</b>	67	<b>Palladium-Copper-Nickel, lattice parameters, a</b>	30
in electrical contacts, a	107	<b>Palladium-Gold, absorption of H<sub>2</sub> by, a</b>	29
in oxide glass semiconductors, a	152	heats of formation, a	29, 108
mechanical properties and corrosion resistance of, a	147	ordered structure, a	67
vaporisation of, a	109	parahydrogen conversion on, a	146
<b>Iridium Alloys, with T<sub>3</sub>B, structure, a</b>	68	<b>Palladium-Gold-Copper, structure of, a</b>	146
<b>Iridium-Bismuth, crystal structure, a</b>	67	<b>Palladium-Hydrogen, absorption isotherms of H<sub>2</sub>, a</b>	67
<b>Iridium-Boron, properties</b>	8	constitution	20
<b>Iridium-Hafnium, superconductivity in, a</b>	109	deformation and hardening, a	67
<b>Iridium-Iron, transformations in, a</b>	147	diffusion of H <sub>2</sub> in, a	146
<b>Iridium-Lanthanum, emission properties of, a</b>	147	electrical resistance of, a	146
<b>Iridium-Molybdenum, ordered phases, a</b>	108	specific heat of, a	146
<b>Iridium-Niobium, superconductivity in, a</b>	109	<b>Palladium-Iron, electronic properties of, a</b>	145
<b>Iridium-Phosphorus, properties</b>	8	magnetic properties of, a	107
<b>Iridium-Silicon, properties</b>	8	<b>Palladium-Iron-Platinum, magnetic properties of, a</b>	107
<b>Iridium-Tellurium, superconductivity in, a</b>	68	<b>Palladium-Iron-Silicon, structure of amorphous phase, a</b>	30
<b>Iridium-Thorium, emission properties of, a</b>	147	<b>Palladium-Mercury, crystal structure, a</b>	30
<b>Iridium-Tungsten, mechanical properties of, a</b>	147	<b>Palladium-Nickel, electronic properties of, a</b>	145
ordered phases, a	108	Pd activity in, a	29
<b>Iridium-Uranium, structure, a</b>	67	<b>Palladium-Nickel-Copper, lattice parameters, a</b>	30
<b>Iridium-Vanadium, superconductivity in, a</b>	109	<b>Palladium-Nickel-Silicon, structure of amorphous phase, a</b>	30
<b>Iridium-Zirconium, mechanical properties of, a</b>	147	<b>Palladium-Platinum, crystal structures, a</b>	29
<b>Iridium Chloride, crystal structure, a</b>	31	thermocouple sheaths	128
vapour, a	109	<b>Palladium-Platinum-Iron, magnetic properties of, a</b>	107
<b>Iridium Oxide, dissociation of, a</b>	148	<b>Palladium-Rare Earths, structure and valency, a</b>	30
vapour, a	109	<b>Palladium-Rhodium, electrical properties, a</b>	67
<b>Iridium Oxychloride, vapour, a</b>	109	galvanomagnetic properties, a	66
<b>Isocyanates, production of</b>	90	<b>Palladium-Ruthenium, magnetic properties, a</b>	29
		<b>Palladium-Selenium, superconductivity in, a</b>	68
<b>Leak detector, for hydrocarbons, a</b>	69	<b>Palladium-Silicon, structure of amorphous phase, a</b>	30
		<b>Palladium-Silicon-Cobalt, structure of amorphous phase, a</b>	30
<b>Magnets, Co-Pt, effect of high temperatures on</b>	84	<b>Palladium-Silicon-Iron, structure of amorphous phase, a</b>	30
		<b>Palladium-Silicon-Nickel, structure of amorphous phase, a</b>	30
<b>Osmium, properties and compounds, a</b>	30	<b>Palladium-Silver, deformation of, a</b>	145
<b>Osmium Alloys, with T<sub>3</sub>B, structure, a</b>	68	diffusion of H <sub>2</sub> in, a	146
<b>Osmium-Lanthanum, emission properties of, a</b>	147	electrical properties, a	67
<b>Osmium-Molybdenum-Tungsten, constitution, a</b>	30	foil, in diffusion-sorption pump, a	69
<b>Osmium-Tantalum, lattice parameters, a</b>	30	galvanomagnetic properties, a	66
<b>Osmium-Thorium, emission properties of, a</b>	147	H <sub>2</sub> absorption in, a	107
<b>Osmium-Tungsten-Molybdenum, constitution, a</b>	30	in electrical contacts, a	107
<b>Osmium-Uranium, structure, a</b>	67	low temperature transport properties of, a	108
<b>Osmium-Vanadium, constitution, a</b>	147	parahydrogen conversion on, a	146
<b>Osmium Oxides</b>	31, 68	<b>Palladium-Tellurium, superconductivity in, a</b>	68
<b>Oxidation of, NH<sub>3</sub>, a</b>	149	<b>Palladium-Titanium, corrosion resistance of, a</b>	114, 152
butene-1, a	112		
carbohydrate derivatives, a	151		
CO, a	149, 150		
Cr-Ru, a	147		
C <sub>2</sub> H <sub>5</sub> OH, a	70		
C <sub>2</sub> H <sub>4</sub> , a	35		
HCOOH, with radiation, a	34		
HCOOH and HCHO, a	32		
hydrocarbons, a	72		
H <sub>2</sub> , a	33, 109		

	<i>Page</i>		<i>Page</i>
<b>Palladium Complexes</b> , carbonylation of, <i>a</i>	148	<b>Resistance Thermometers</b> , Pt, accuracy, <i>a</i>	36
sulphato complexes, <i>a</i>	109	Pt, at 630–900°C, <i>a</i>	153
<b>Palladium Fluoride Complexes</b> , <i>a</i>	31	Pt, calibration on IPTS scale, <i>a</i>	36
<b>Petroleum Refining</b> , hydrocracking, <i>a</i>	110	Pt, recent advances	42
<b>Petroleum Reforming</b> , aromatics production, <i>a</i>	111	Pt, 12–273.15°K reference table, <i>a</i>	115
high octane petrol production by, <i>a</i>	111	<b>Rhodium</b> , in electrical contacts, <i>a</i>	107
in Czechoslovakia, <i>a</i>	111	vapour deposition of	13
in E. Germany, <i>a</i>	33	<b>Rhodium Alloys</b> , <b>Rhodium-Hafnium</b> ,	
<b>Platforming</b> , in Puerto Rico, aromatics production	47	superconductivity in, <i>a</i>	109
optimisation of, <i>a</i>	69	<b>Rhodium-Iron</b> , magnetic properties of, <i>a</i>	108
with hydrocracking, <i>a</i>	110	thin films, magnetic and electrical	
<b>Platinum</b> , apparatus by Guyton de Morveau	24	properties of, <i>a</i>	108
emissivity of, <i>a</i>	107	transformation in, <i>a</i>	146
formation of PtO <sub>2</sub>	91	<b>Rhodium-Manganese</b> , transformation in, <i>a</i>	146
in glass industry, <i>a</i>	152	<b>Rhodium-Manganese-Platinum</b> , magnetic	
in rotating cylinder viscometer, <i>a</i>	73	properties of, <i>a</i>	146
linings for glass industry	78	<b>Rhodium-Molybdenum</b> , ordered phases, <i>a</i>	108
malleable, produced by Wollaston	101	<b>Rhodium-Niobium</b> , superconductivity in, <i>a</i>	109
mandrel, for two-ply glass tubing	131	<b>Rhodium-Platinum</b> , furnace element for oxide	
melting point of, effect of pressure on, <i>a</i>	145	studies, <i>a</i>	32
mining at Rustenburg, production expanded	52	thermoelectric properties, <i>a</i>	29
oxidation of, <i>a</i>	29, 66	<b>Rhodium-Platinum-Gold</b> , wetting by glass	54
sheet, recrystallisation, <i>a</i>	66	<b>Rhodium-Platinum-Manganese</b> , magnetic	
strain gauge element, <i>a</i>	33	properties of, <i>a</i>	146
surface structures, <i>a</i>	29	<b>Rhodium-Tantalum</b> , superconductivity in, <i>a</i>	109
thermal conductivity and diffusivity, <i>a</i>	66	<b>Rhodium-Tellurium</b> , crystal structure of, <i>a</i>	108
thermal conductivity and electrical resistivity	132	<b>Rhodium-Titanium</b> , constitution of, <i>a</i>	146
wetting by H <sub>2</sub> O, <i>a</i>	66	<b>Rhodium-Tungsten</b> , ordered phases, <i>a</i>	108
wire, in hydrocarbon-leak-detector, <i>a</i>	69	<b>Rhodium-Uranium</b> , structure, <i>a</i>	67
<b>Platinum Alloys</b> , <b>Platinum-Antimony</b> , crystal		<b>Rhodium Complexes</b> , $\pi$ -allylic derivatives, <i>a</i>	68
structure, <i>a</i>	30	<b>Rhodium Sulphate</b> , electrolytes, <i>a</i>	149
<b>Platinum-Arsenic</b> , crystal structure, <i>a</i>	30	green disulphate, <i>a</i>	109
<b>Platinum-Bismuth</b> , crystal structure, <i>a</i>	30	<b>Rhodium Sulphate Complexes</b> , <i>a</i>	68, 148
<b>Platinum-Cobalt</b> , electrical resistivity and		<b>Rustenburg Mines</b> , production expanded	52
Curie point of, <i>a</i>	145	<b>Ruthenium</b> , dissolving of, <i>a</i>	68
magnetic moments of, <i>a</i>	107	electrical and thermal conductivities of, <i>a</i>	147
magnetic properties of, <i>a</i>	107, 145	in electrical contacts, <i>a</i>	107
magnetic properties of, at high tem-		zone refining of crystals, <i>a</i>	30
peratures	84	<b>Ruthenium Alloys</b> , <b>Ruthenium-Aluminium</b> ,	
<b>Platinum-Copper</b> , deformation of, <i>a</i>	145	crystal structure, <i>a</i>	109, 147
thermodynamic properties, <i>a</i>	29	<b>Ruthenium-Chromium</b> , ductility of, <i>a</i>	109
<b>Platinum-Gold</b> , fracture of, <i>a</i>	145	oxidation of, <i>a</i>	147
<b>Platinum-Gold-Rhenium</b> , formation of, <i>a</i>	145	<b>Ruthenium-Iron</b> , phase changes under	
<b>Platinum-Iron</b> , magnetic moments, <i>a</i>	66	pressure, <i>a</i>	30
magnetic properties of, <i>a</i>	145	<b>Ruthenium-Niobium</b> , constitution, <i>a</i>	67
<b>Platinum-Iron-Palladium</b> , magnetic		<b>Ruthenium-Niobium-Tantalum</b> , constitution	
properties of, <i>a</i>	107	and properties, <i>a</i>	108
<b>Platinum-Lanthanum</b> , emission		<b>Ruthenium-Palladium</b> , magnetic properties, <i>a</i>	29
properties of, <i>a</i>	147	<b>Ruthenium-Tantalum</b> , constitution, <i>a</i>	67
<b>Platinum-Manganese-Rhodium</b> ,		<b>Ruthenium-Tantalum-Niobium</b> , constitution	
magnetic properties of, <i>a</i>	146	and properties, <i>a</i>	108
<b>Platinum-Nickel</b> , Pt activity in, <i>a</i>	29	<b>Ruthenium Compounds</b> , oxide hydrates, chlorides,	
<b>Platinum-Niobium</b> , superconductivity in, <i>a</i>	109	oxide chlorides, <i>a</i>	31
<b>Platinum-Palladium</b> , crystal structures, <i>a</i>	29	<b>Ruthenium Dioxide</b> , structure of, <i>a</i>	109
thermocouple sheaths	128	<b>Ruthenium Tetroxide</b> , structure of, <i>a</i>	68
<b>Platinum-Palladium-Iron</b> , magnetic		<b>Semiconductors</b> , diffusion heat treatment of	53
properties of, <i>a</i>	107	oxide glass, <i>a</i>	152
<b>Platinum-Phosphorus</b> , crystal structure, <i>a</i>	30	<b>Slip-rings</b> , Rh and Ru surfaces, <i>a</i>	32
<b>Platinum-Plutonium</b> , physical properties of, <i>a</i>	145	<b>Space Vehicles</b> , O <sub>2</sub> for	19
<b>Platinum-Rhenium-Gold</b> , formation of, <i>a</i>	145	<b>Strain Gauges</b> , Pt/W-Pt, <i>a</i>	33
<b>Platinum-Rhodium</b> , furnace element for		<b>Temperature Measurement</b> , in industry, small	
oxide studies, <i>a</i>	32	thermometers	42
thermoelectric properties, <i>a</i>	29	thermodynamic and IPTS scales, <i>a</i>	36
<b>Platinum-Rhodium-Gold</b> , wetting by glass	54	<b>Thermocouples</b> , <b>Platinum:Rhodium-Platinum</b> ,	
<b>Platinum-Rhodium-Manganese</b> , magnetic		in FINGAL process, <i>a</i>	73
properties of, <i>a</i>	146	of 50kV emission microscope cathode, <i>a</i>	36
<b>Platinum-Tantalum</b> , superconductivity in, <i>a</i>	109	pressure dependence, <i>a</i>	114, 115
<b>Platinum-Tellurium</b> , superconductivity in, <i>a</i>	68	S-type, sinker assembly, <i>a</i>	153
<b>Platinum-Thorium</b> , emission properties of, <i>a</i>	147	<b>Platinum:Ruthenium-Platinum</b> , properties of, <i>a</i>	115
<b>Platinum-Tungsten</b> , strain gauge element, <i>a</i>	33	<b>Rhodium-Platinum:Rhodium-Platinum</b> ,	
<b>Platinum Complexes</b> , carbonylation of, <i>a</i>	148	“forty-twenty” reference tables, <i>a</i>	73
carbonyl derivatives, <i>a</i>	68	in furnace for oxide studies, <i>a</i>	32
<b>Platinum Fluoride Complexes</b> , <i>a</i>	31	in glass furnaces	128
<b>Platinum Hexafluoride</b> , reactions with N oxides		in vertical glass drawing furnace, <i>a</i>	153
and fluorides, <i>a</i>	147	<b>Tritium</b> , enrichment, <i>a</i>	33
<b>Platinum Metals</b> , coordination chemistry of	140	<b>Viscometer</b> , rotating cylinder, for glass, <i>a</i>	73
elastic and plastic properties	14	<b>Werner, Alfred</b>	140
electronic properties, <i>a</i>	66	<b>Wollaston, William Hyde</b>	101
electronic structure and alloying of	94		
in electrical contacts, <i>a</i>	152		
wear and friction	2		
<b>Platinum Sulphide</b> , PtS phase, <i>a</i>	148		
<b>Platinum Sulphohalides</b> , <i>a</i>	109		
<b>Pumping</b> , diffusion-sorption, through Ag-Pd foil, <i>a</i>	69		
<b>Radioactive Residues</b> , disposal as glass, <i>a</i>	73		