

# SUBJECT INDEX TO VOLUME 15

<i>a</i> —abstract	Page	<b>Catalysts, (contd)</b>	Page
Capacitors, platinum metals for	19	<b>Pd/Al<sub>2</sub>O<sub>3</sub></b> , aromatisation of <i>N</i> -C <sub>6</sub> H <sub>11</sub> on, <i>a</i>	112
Catalysts, Honeycat system, for industrial odour control	9, 132	cyclohexene and -hexane conversions on, <i>a</i>	112
Iridium, black, adsorption of H <sub>2</sub> on, <i>a</i>	114	dehydrocyclisation on, <i>a</i>	113
complexes, decomposition of HClO <sub>4</sub> with, <i>a</i>	34	dehydrocyclisation of <i>N</i> -hexane, on, <i>a</i>	152
complexes, IrH(CO)[P(Ph <sub>3</sub> ) <sub>3</sub> ], reactivity of, <i>a</i>	74	deuteration of butadiene on, <i>a</i>	33
complexes, IrX(CO)(PPh <sub>3</sub> ) <sub>2</sub> , oxidation of styrene and PPh <sub>3</sub> , <i>a</i>	34	effect of S and N compounds on, <i>a</i>	152
complexes, Ir[(Ph <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> Ph) <sub>2</sub> Cl], oxidation of styrene and PPh <sub>3</sub> , <i>a</i>	34	epimerisation of dimethylcyclohexane on, <i>a</i>	153
complexes, {Ir(C <sub>5</sub> Me <sub>5</sub> ) <sub>2</sub> HCl} <sub>3</sub> , hydrogenation of olefins with, <i>a</i>	154	hydrogenation of C <sub>6</sub> H <sub>6</sub> containing S, <i>a</i>	113
electrodeposited, adsorptive and catalytic properties of, <i>a</i>	73	hydrogenation of 1-heptene on, <i>a</i>	33
hydrogenation of cyclopropane on, <i>a</i>	114	hydrogenation of mesityl oxide on, <i>a</i>	113
powder, hydrogenolysis of <i>N</i> -heptane, <i>a</i>	114	hydrogenation of pentadienes on, <i>a</i>	34
oxidation of diphenylpicrylhydrazine, on, <i>a</i>	34	hydrogenolysis of cyclopentane on, <i>a</i>	153
Ir/Al <sub>2</sub> O <sub>3</sub> , chemisorption of H <sub>2</sub> and O <sub>2</sub> on, <i>a</i>	115	uniform size particles of, <i>a</i>	32
epimerisation of dimethylcyclohexane on, <i>a</i>	153	<b>Pd/BaSO<sub>4</sub></b> , structure of, <i>a</i>	114
hydrogenolysis of cyclopentane on, <i>a</i>	153	<b>Pd/CaCO<sub>3</sub></b> , hydrogenation of butynediol on, <i>a</i>	114
Ir/C, hydrogenolysis of cyclobutanes on, <i>a</i>	34	<b>Pd/C</b> , dehydrogenation of 1-tetralone on, <i>a</i>	114
Osmium, black, adsorption of H <sub>2</sub> on, <i>a</i>	73	H <sub>2</sub> absorption on, <i>a</i>	33
hydrogenation of cyclopropane on, <i>a</i>	114	hydrogenolysis of cyclobutanes on, <i>a</i>	34
Os/Al <sub>2</sub> O <sub>3</sub> , hydrogenolysis of cyclopentane on, <i>a</i>	153	hydrogenolysis of cyclopropanes on, <i>a</i>	114
K <sub>2</sub> PdCl <sub>4</sub> /resin, syntheses with macromolecular ligands	142	poisoned with quinoline-sulphur	8
Palladised Palladium, synthesis of NH <sub>3</sub> over, <i>a</i>	150	X-ray study of, <i>a</i>	33
Palladium, complexes, π-allyl, formation of butadiene polymers, <i>a</i>	153	<b>Pd/kieselguhr</b> , rate of dehydrogenation of secondary alcohols on, <i>a</i>	73
complexes, π-allylpalladium acetate, oligomerisation of butadiene, <i>a</i>	153	<b>Pd/polyacrylonitrile</b> , activity of, <i>a</i>	33
complexes, bis(benzonitrile)PdCl <sub>2</sub> /resin	142	<b>Pd/polymer</b> , hydrogenation over, <i>a</i>	152
complexes, cyclisation of dienes, <i>a</i>	115	<b>Pd/pumice</b> , deuteration and exchange of cyclo-olefins, <i>a</i>	152
complexes, diphosphine, butadiene reaction with CH <sub>2</sub> compounds, <i>a</i>	153	<b>Pd/SiO<sub>2</sub></b> , hydrogenation of C <sub>6</sub> H <sub>6</sub> on, <i>a</i>	33
complexes, hydrogenation of soybean oil	2	<b>Pd/zeolite</b> , effect of S and N compounds on, <i>a</i>	152
complexes, oxidation of C <sub>2</sub> H <sub>4</sub> on, <i>a</i>	73	<b>PdO</b> , in liquid phase, effect of solvent on, <i>a</i>	94
complexes, with PPh <sub>3</sub> , butadiene reaction with aldehydes, <i>a</i>	73	<b>Palladium-Platinum</b> , dehydrogenation of C <sub>6</sub> H <sub>12</sub> on, <i>a</i>	72
complexes, with PPh <sub>3</sub> , butadiene telomerisation, <i>a</i>	115	<b>Palladium-Rhodium</b> , structure and physico-chemical properties of, <i>a</i>	152
compounds, hydrosilation of olefins and polyenes, <i>a</i>	115	<b>Pd-Rh/C</b> , hydrogenation of aniline over, <i>a</i>	152
electrodeposited, adsorptive and catalytic properties of, <i>a</i>	73	<b>Pd-Ru/Al<sub>2</sub>O<sub>3</sub></b> , hydrogenation of dimethylethynylcarbinol on, <i>a</i>	73
filaments, alkane and alkene oxidation on, <i>a</i>	150	<b>Palladium-Silver</b> , dehydrogenation of C <sub>6</sub> H <sub>12</sub> on, <i>a</i>	72
films, deuteration and exchange of cyclo-olefins, <i>a</i>	152	<b>Palladium/Thoria</b> , to detect CH <sub>4</sub> and O <sub>2</sub> deficiency	91
hydrogenation of cyclopropane on, <i>a</i>	114	<b>Platforming</b> , mathematical model of, <i>a</i>	71
hydrosilation of olefins, <i>a</i>	115	<b>Platinised Platinum</b> , synthesis of NH <sub>3</sub> over, <i>a</i>	150
powder, hydrogenolysis of <i>N</i> -heptane on, <i>a</i>	114	<b>H<sub>2</sub>PtCl<sub>6</sub>-SnCl<sub>2</sub></b> , carbonylation of olefins by, <i>a</i>	34
supported, addition of Zn to, <i>a</i>	33	<b>Platinum</b> , black, activity of, <i>a</i>	150
supported, dehydrogenation of coal on, <i>a</i>	152	black, chemisorption of H <sub>2</sub> on, <i>a</i>	113
supported, for N oxides abatement, <i>a</i>	114	black, H <sub>2</sub> -D <sub>2</sub> exchange on, <i>a</i>	113
<b>Pd(OAc)<sub>2</sub></b> , reaction of ferrocene with styrene, <i>a</i>	34	black, hydrogenation of acrylic acid on, <i>a</i>	151
butadiene telomerisation, <i>a</i>	115	black, sintering studies of, <i>a</i>	151
<b>Pd(NH<sub>3</sub>)<sub>4</sub>Cl<sub>2</sub>/resin</b> , carbonylation	142	CO oxidation on, <i>a</i>	112
<b>PdCl<sub>2</sub></b> , cyclodimerisation of 1-methylcyclopropane, <i>a</i>	73	complexes, hydrogenation of soybean oil	2
isomerisation of olefins, <i>a</i>	115	compounds, isotopic H exchange using, <i>a</i>	153
<b>PdCl<sub>2</sub>-CuCl<sub>2</sub></b> , oxychlorination of C <sub>2</sub> H <sub>4</sub> on, <i>a</i>	34	filaments, oxidation of alkanes and alkenes on, <i>a</i>	150
<b>PdCl<sub>2</sub>/C</b> , oxidation of C <sub>2</sub> H <sub>4</sub> on, <i>a</i>	152	for petroleum reforming, <i>a</i>	150
<b>PdCl<sub>2</sub>/resin</b> , hydrogenation of olefins on, <i>a</i>	152	hydrogenation of cyclopropane on, <i>a</i>	114
<b>PdCl<sub>2</sub><sup>2-</sup></b> , oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	153	isotopic H exchange on, <i>a</i>	153
<b>Palladium-Boron</b> , dehydrogenation of C <sub>6</sub> H <sub>12</sub> on, <i>a</i>	72	oxidation of CH <sub>3</sub> OH on, <i>a</i>	112
<b>Palladium-Iridium</b> , electrodeposited, adsorptive and catalytic properties of, <i>a</i>	73	powder, hydrogenolysis of <i>N</i> -heptane, <i>a</i>	114
<b>Palladium-Nickel</b> , dehydrogenation of C <sub>6</sub> H <sub>12</sub> on, <i>a</i>	72	powder, oxidation of diphenylpicrylhydrazine on, <i>a</i>	34
properties of, <i>a</i>	72	supported, for abating N oxides, <i>a</i>	114
		<b>Platinum Metals</b> , for petroleum isomerisation, <i>a</i>	150
		hydrogenation of cyclic hydrocarbons on, <i>a</i>	115
		<b>Platinum Metals Compounds</b> , in organic synthesis	93
		<b>Pt/Al<sub>2</sub>O<sub>3</sub></b> , activation with HCl, <i>a</i>	151
		adsorption of H <sub>2</sub> and O <sub>2</sub> on, <i>a</i>	32
		aromatisation of <i>N</i> -C <sub>6</sub> H <sub>14</sub> on, <i>a</i>	112
		aromatisation of <i>N</i> -C <sub>8</sub> H <sub>18</sub> on, <i>a</i>	72
		chemisorption of gases on, <i>a</i>	32

Catalysts, Pt/Al <sub>2</sub> O <sub>3</sub> (contd)	Page	Catalysts, Rhodium. (contd)	Page
chlorinated, for hydrocracking, <i>a</i>	32	complexes, RhH(CO)(Ph <sub>3</sub> P) <sub>3</sub> ,	
coke formation on aromatisation, <i>a</i>	151	reactivity of, <i>a</i>	74
cyclohexane and -hexene		complexes, RhH(CO)(Ph <sub>3</sub> P) <sub>3</sub> ,	
conversions on, <i>a</i>	112	hydroformylation of alkenes, <i>a</i>	74
deacyclisation of methylcyclopentane		complexes, [(C <sub>8</sub> H <sub>14</sub> )RhCl <sub>3</sub> ] <sub>3</sub> , reaction	
on, <i>a</i>	151	with O <sub>2</sub> H <sub>2</sub> , CO and olefins, <i>a</i>	34
deuteration of butadiene on, <i>a</i>	33	complexes, Rh <sub>2</sub> (OCOMe) <sub>4</sub> ,	
deuteration of olefins on, <i>a</i>	71	hydrogenation of olefins, <i>a</i>	34
disproportionation of cyclohexene on, <i>a</i>	32	complexes, Cl <sub>3</sub> (4-C <sub>12</sub> H <sub>10</sub> -1-C <sub>10</sub> H <sub>18</sub> -PhP)	
effect of production method on		Rh(II), hydrogenation, <i>a</i>	34
activity of, <i>a</i>	151	complexes, [Rh(C <sub>5</sub> Me <sub>5</sub> )]HCl <sub>3</sub> ,	
effect of S and N poisons on, <i>a</i>	152	hydrogenation of olefins using, <i>a</i>	154
electron microscope study of, <i>a</i>	72	complexes, Rh(en) <sub>2</sub> X <sub>2</sub> , catalytic	
gasoline reforming on, <i>a</i>	72	mechanism of, <i>a</i>	153
hydrogenation of pentadienes on, <i>a</i>	34	complexes, Rh(py) <sub>2</sub> Br <sub>2</sub> , catalytic	
hydrogenolysis of cyclopentane on, <i>a</i>	153	mechanism of, <i>a</i>	153
hydrogenolysis of methylcyclopentane		complexes, Rh(py) <sub>2</sub> Cl <sub>2</sub> , catalytic	
on, <i>a</i>	32	mechanism of, <i>a</i>	153
isomerisation and dehydrocyclisation		hydrogenation of cyclopropane on, <i>a</i>	114
of hexanes on, <i>a</i>	72	powder, hydrogenolysis of <i>N</i> -heptane	
O <sub>2</sub> chemisorption on, <i>a</i>	151	on, <i>a</i>	114
poisoning of, <i>a</i>	71	powder, oxidation of	
reduction of N oxides on, <i>a</i>	32	diphenylpicrylhydrazine on, <i>a</i>	34
sintering studies of, <i>a</i>	151	salts, hexachlororhodate/resin,	
stability after C deposition, <i>a</i>	153	hydroformylation using	142
with Mn or Cr, C <sub>6</sub> H <sub>6</sub>		supported, for N oxides abatement, <i>a</i>	114
hydrogenation on, <i>a</i>	112	<b>Rh(OAc)<sub>3</sub></b> , hydrogenation of alkenes, <i>a</i>	74
<b>Pt/C</b> , adsorption of H <sub>2</sub> on, <i>a</i>	32	<b>Rh(OAc)<sub>3</sub>/resin</b> , carbonylation and	
hydrogenolysis of cyclobutanes on, <i>a</i>	34	hydrogenation using	142
hydrogenolysis of cyclopentanes on, <i>a</i>	113	<b>[Rh(CO)<sub>2</sub>]<sub>4</sub></b> , hydrogenation of	
<b>Pt/kieselguhr</b> , rate of dehydrogenation of		nitroalkenes on, <i>a</i>	73
secondary alcohols on, <i>a</i>	73	<b>RhCl<sub>3</sub></b> , conversion of 4-vinylcyclohexene	
<b>Pt/polymers</b> , catalytic activity of, <i>a</i>	32	on, <i>a</i>	153
<b>Pt/polymer coated Al<sub>2</sub>O<sub>3</sub></b> , catalytic		<b>RhCl<sub>3</sub>/resin</b> , hydrogenation and	
activity of, <i>a</i>	32	hydroformylation using	142
<b>Pt/SiO<sub>2</sub></b> , adsorption properties of, <i>a</i>	151	<b>Rh/Al<sub>2</sub>O<sub>3</sub></b> , epimerisation of	
hydrogenation of C <sub>6</sub> H <sub>6</sub> on, <i>a</i>	33	dimethylcyclohexane on, <i>a</i>	153
hydrogenation of PhOH on, <i>a</i>	32	hydrogenolysis of cyclopentane on, <i>a</i>	153
hydrogenolysis of hydrocarbons on, <i>a</i>	72	isomerisation and hydrogenation, <i>a</i>	114
hydrogenolysis of methylcyclopentane		reduction of phenones on, <i>a</i>	33
on, <i>a</i>	32	deuteration of butadiene on, <i>a</i>	33
preparation of, <i>a</i>	113	<b>Rh/BaSO<sub>4</sub></b> , structure of, <i>a</i>	114
<b>Pt/SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub></b> , state of Pt on, <i>a</i>	113	<b>Rh/C</b> , hydrogenolysis of cyclobutanes on, <i>a</i>	34
<b>Pt/zeolite</b> , H <sub>2</sub> O <sub>2</sub> decomposition on, <i>a</i>	151	isomerisation and hydrogenation on, <i>a</i>	114
CaY, effect of S and N compounds on, <i>a</i>	152	<b>Rh/SiO<sub>2</sub></b> , hydrogenation of C <sub>6</sub> H <sub>6</sub> on, <i>a</i>	33
Y, adsorption of C <sub>6</sub> H <sub>6</sub> and cyclohexane		<b>Rhodium-Palladium</b> , structure and	
on, <i>a</i>	72	physico-chemical properties of, <i>a</i>	152
Y, O <sub>2</sub> chemisorption on, <i>a</i>	151	<b>Rh-Pd/C</b> , hydrogenation of aniline over, <i>a</i>	152
<b>PtO<sub>2</sub></b> , for NH <sub>3</sub> oxidation, <i>a</i>	31	<b>Rh-Pd/SiO<sub>2</sub></b> , hydrogenation of C <sub>6</sub> H <sub>6</sub> on, <i>a</i>	33
<b>Platinum-Palladium</b> , dehydrogenation		<b>Rhodium-Platinum</b> , gauzes for NH <sub>3</sub>	
of C <sub>6</sub> H <sub>12</sub> on, <i>a</i>	72	oxidation	52
<b>Pt-Pd/Al<sub>2</sub>O<sub>3</sub></b> , hydrogenation of		gauzes for HCN synthesis, <i>a</i>	150
1-heptane on, <i>a</i>	33	<b>Rh-Pt/SiO<sub>2</sub></b> , hydrogenation of C <sub>6</sub> H <sub>6</sub> on, <i>a</i>	33
<b>Platinum-Rhenium</b> , for petroleum		<b>Ruthenium</b> , black, adsorption of H <sub>2</sub> on, <i>a</i>	73
reforming, <i>a</i>	72, 150	complexes, with <i>N</i> -phenylalanine,	
new Platformer containing, <i>a</i>	150	hydrogenation of olefins, <i>a</i>	154
<b>Platinum-Rhodium</b> , gauze, for NH <sub>3</sub>		complexes, with Ph <sub>3</sub> P, polymerisation	
oxidation	52	of butadiene, <i>a</i>	74
gauze, for HCN synthesis, <i>a</i>	150	complexes, [Ru(C <sub>6</sub> H <sub>5</sub> )Cl <sub>2</sub> ] <sub>2</sub> ,	
gauze, recovery of Pt from <i>a</i>	31	hydrogenation of pentenes, <i>a</i>	35
<b>Pt-Ag/C</b> , activity of, <i>a</i>	72	complexes, Ru <sub>2</sub> (OCOMe) <sub>4</sub> ,	
<b>Rhodium</b> , black, adsorption of H <sub>2</sub> on, <i>a</i>	114	hydrogenation of olefins, <i>a</i>	34
black, hydrogenation of acrylic		complexes, Ru(O <sub>2</sub> )(NCS)(NO)(Ph <sub>3</sub> P) <sub>3</sub> ,	
acid on, <i>a</i>	151	oxidation of Ph <sub>3</sub> P, <i>a</i>	35
black, isomerisation and		complexes, RuCl <sub>2</sub> (Ph <sub>3</sub> P) <sub>3</sub> , isomerisation	
hydrogenation on, <i>a</i>	114	of olefins using, <i>a</i>	154
complexes, phosphine, hydrogenation		hydrogenation of cyclopropane on, <i>a</i>	114
of olefins	8	powder, hydrogenolysis of <i>N</i> -heptane	
complexes, reaction of benzoic		on, <i>a</i>	114
anhydrides on, <i>a</i>	74	<b>Ru(OAc)<sub>2</sub></b> , hydrogenation of alkenes, <i>a</i>	74
complexes, with <i>L</i> -tyrosine,		<b>Ru(OAc)<sub>2</sub>/resin</b> , carbonylation and	
isomerisation and hydrogenation, <i>a</i>	114	hydrogenation using	142
complexes, with chiral phosphines,		<b>Ru<sub>2</sub>(CO)<sub>9</sub></b> , hydroformylation of olefins on, <i>a</i>	73
hydrogenation, <i>a</i>	115	<b>RuCl<sub>2</sub>/resin</b> , hydroformylation using	142
complexes, (Ph <sub>3</sub> P) <sub>3</sub> RhCl, decarbonylation		<b>Ru/Al<sub>2</sub>O<sub>3</sub></b> , epimerisation of	
of allylic alcohols on, <i>a</i>	74	dimethylcyclohexane on, <i>a</i>	153
complexes, (Ph <sub>3</sub> P) <sub>3</sub> RhCl,		hydrogenolysis of cyclopentane on, <i>a</i>	153
general uses of, <i>a</i>	115	<b>Ru-Pd/Al<sub>2</sub>O<sub>3</sub></b> , hydrogenation of	
complexes, (Ph <sub>3</sub> P) <sub>3</sub> RhCl,		dimethylethynylcarbinol on, <i>a</i>	73
hydrogenation of cycloalkenes on, <i>a</i>	74	<b>Cathodic Protection</b> , Pd-Ti anodes for, <i>a</i>	115
complexes, (Ph <sub>3</sub> P) <sub>3</sub> RhCl, rate of		Platinum, in lead anodes for	90
hydrogenation on, <i>a</i>	74	Pt/Ti anodes for, <i>a</i>	115
complexes, (Ph <sub>3</sub> P) <sub>2</sub> RhCl/resin,		<b>Conductors</b> , soldered Pd in, <i>a</i>	116
hydroformylation using	142		

	Page		Page
<b>Contacts, Pd-Ti-Ag, in solar cells, <i>a</i></b>	116	<b>Fuel Cells, (<i>contd</i>)</b>	
<b>Corrosion, addition of Pd to steel, <i>a</i></b>	35	Platinum catalyst, in fluidised bed electrodes, <i>a</i>	115
		Pt-Ru catalyst, in fluidised bed electrodes, <i>a</i>	115
<b>Electrical Contacts, Palladium, in U.S.</b>		<b>Honeycat, odour control systems</b>	9, 132
telephone relays	141	<b>Hybrid Circuits, platinum group metals in</b>	19
<b>Palladium-Gold, in U.S. telephone relays</b>	141		
<b>Palladium-Silver, in miniature P.O. relay</b>	141	<b>Iridium, electrical and thermal conductivity, <i>a</i></b>	109
<b>Electrodeposition of, Iridium, from molten cyanide</b>		thermal expansion of, <i>a</i>	68
<b>Osmium, <i>a</i></b>	71, 111	<b>Iridium-Alloys, Iridium-Platinum,</b>	
<b>Palladium, electrolytes for, <i>a</i></b>	31	thermodynamic data	134
for jewellery, <i>a</i>	150	<b>Iridium-Titanium, composition of, <i>a</i></b>	70
from molten cyanide	58	<b>Iridium Complexes, dinitrogen, <i>a</i></b>	30
review of, <i>a</i>	71	<b>Iridium Compounds, with Y, Ce and Er, <i>a</i></b>	110
<b>Palladium-Silver, from nitrate electrolyte, <i>a</i></b>	150	<b>Iridium Dioxide, growth, structure and resistivity of, <i>a</i></b>	110
<b>Platinum, from chloroplatinate and -ite solutions, <i>a</i></b>	149		
from molten cyanide	58	<b>Merensky, Dr Hans, life and work of</b>	102
review of, <i>a</i>	71	<b>Microcircuits, PtSi in, sputtered films in, <i>a</i></b>	154
<b>Rhodium, for jewellery, <i>a</i></b>	150		
from molten cyanide	58	<b>Organometallic Complexes, of Pt metals, for syntheses</b>	93
review of, <i>a</i>	71	<b>Osmium, electrical and thermal conductivity, <i>a</i></b>	109
<b>Rhodium, on Ti</b>	57	thin targets of, <i>a</i>	31
<b>Ruthenium, review of, <i>a</i></b>	71	<b>Osmium Alloys, Osmium-Palladium,</b>	
<b>Electrodes, Iridium, chlorine reaction on, <i>a</i></b>	71	thermoelectric power of, <i>a</i>	69
<b>Iridium-Platinum, anodic discharge of Cl<sup>-</sup> on, <i>a</i></b>	74	<b>Osmium-Rhenium, superconductivity of, <i>a</i></b>	148
<b>Osmium, evolution of H<sub>2</sub> on, <i>a</i></b>	31	<b>Osmium-Ruthenium, superconductivity of, <i>a</i></b>	148
reduction of butyraldehyde and allyl alcohol on, <i>a</i>	149	<b>Osmium Complexes, dinitrogen, <i>a</i></b>	30
<b>Os/Pt, reaction of Hg with, <i>a</i></b>	149	<b>[(CO)<sub>2</sub>OsO]<sub>2</sub>, cubane structure of</b>	25
<b>Pd/Pd, electrochemical properties of, <i>a</i></b>	111	<b>Oxidation of, CH<sub>3</sub>OH, on Ru-Pt, <i>a</i></b>	71
<b>Palladium, adsorption of O<sub>2</sub> on, <i>a</i></b>	149		
anion adsorption on, <i>a</i>	71	<b>Palladium, addition to steel, <i>a</i></b>	35
H/D isotope separation effects	144	absorption and adsorption of H <sub>2</sub> in, <i>a</i>	108
oxidation of H <sub>2</sub> on, <i>a</i>	111	adsorption of H <sub>2</sub> in, <i>a</i>	69
<b>Palladium-Iridium, adsorption and catalytic properties of, <i>a</i></b>	111	Debye temperature of, <i>a</i>	69
<b>Palladium-Titanium, self-passivation in H<sub>2</sub>SO<sub>4</sub>, <i>a</i></b>	149	ferromagnetism in, <i>a</i>	109
<b>Pt/Pt, O coverage on, <i>a</i></b>	110	H <sub>2</sub> and D <sub>2</sub> dissolved in, <i>a</i>	69
preparation and properties of	101	H <sub>2</sub> diffusion in, <i>a</i>	69
reaction of Hg with, <i>a</i>	149	H <sub>2</sub> diffusion tubes, in chromatography	131
<b>Platinum, activity and weight of Pt deposit, <i>a</i></b>	111	in brazing alloy, <i>a</i>	31
adsorption of anions on, <i>a</i>	30	interaction with H <sub>2</sub>	21
bright, sorption of O <sub>2</sub> by, <i>a</i>	148	ions, sensitising plastic substrates with, <i>a</i>	111
chlorine reaction on, <i>a</i>	71	resistor compositions, properties of, <i>a</i>	116
current/potential behaviour, <i>a</i>	30	soldered, in thick film conductors, <i>a</i>	116
decomposition of H <sub>2</sub> O <sub>2</sub> on, <i>a</i>	149	thermal conductivity of, <i>a</i>	108
electrodeposited, structure and properties of, <i>a</i>	31	thermal expansion of, <i>a</i>	68
in electrochemical sensor, <i>a</i>	112	<b>Palladium Alloys, Palladium-Aluminium,</b>	
H <sub>2</sub> adsorption and CH <sub>3</sub> OH oxidation on, <i>a</i>	30	thermodynamics of, <i>a</i>	147
oxidation of 1-pentyne on, <i>a</i>	149	<b>Palladium-Antimony, structure of, <i>a</i></b>	109
polarisation on, <i>a</i>	30, 148	thermodynamic properties of, <i>a</i>	69
reduction of oxides on, <i>a</i>	30	<b>Palladium-Barium, composition of, <i>a</i></b>	69
with calcia-stabilised ZrO <sub>2</sub> , <i>a</i>	111	<b>Palladium-Boron, heat capacities of, <i>a</i></b>	29
<b>Platinum-Gold, surface composition of, <i>a</i></b>	149	<b>Palladium-Cadmium, thermodynamic properties of, <i>a</i></b>	69
<b>Platinum-Iridium, anodic discharge of Cl<sup>-</sup> on, <i>a</i></b>	74	<b>Palladium-Chromium, antiferromagnetism in, <i>a</i></b>	29
<b>Platinum Metals Oxides/Ti, use and advantages of, <i>a</i></b>	115	thermoelectric power of, <i>a</i>	69
<b>Platinum-Osmium, adsorption and catalytic properties of, <i>a</i></b>	111	<b>Palladium-Cobalt, magneto-resistance of, <i>a</i></b>	147
<b>Platinum-Rhodium, adsorption of H<sub>2</sub> on, <i>a</i></b>	31	ordered phase in, <i>a</i>	29
electrolyte effect on properties, <i>a</i>	111	resistivity of, <i>a</i>	147
<b>Platinum-Ruthenium, black,</b>		thermodynamic properties of, <i>a</i>	29
electrocatalytic activity of, <i>a</i>	71	thermoelectric power of, <i>a</i>	69
<b>Rhodium, adsorption of O<sub>2</sub> on, <i>a</i></b>	149	<b>Palladium-Cobalt-Iron, magnetic properties of, <i>a</i></b>	147
black, reduction of maleic acid on, <i>a</i>	149	<b>Palladium-Copper, thermal e.m.f. and electrical resistance of, <i>a</i></b>	109
chlorine reaction on, <i>a</i>	71	<b>Palladium-Copper-Nickel, thermal e.m.f. of, <i>a</i></b>	147
H <sub>2</sub> adsorption and CH <sub>3</sub> OH oxidation on, <i>a</i>	30	<b>Palladium-Gold, adsorption of H<sub>2</sub> on, <i>a</i></b>	69
<b>Rhodium-Platinum, H<sub>2</sub> adsorption and CH<sub>3</sub>OH oxidation on, <i>a</i></b>	30	for Pt recovery in HNO <sub>3</sub> plants, <i>a</i>	31
<b>Ruthenium, evolution of H<sub>2</sub> on, <i>a</i></b>	31	permeability for H <sub>2</sub> , <i>a</i>	147
reduction of maleic acid on, <i>a</i>	111	<b>Palladium-Gold-Silver, permeability for H<sub>2</sub>, <i>a</i></b>	147
<b>Ruthenium-Platinum, black,</b>		<b>Palladium-Hydrogen, isotope effects in</b>	144
electrocatalytic activity of, <i>a</i>	71	<b>Palladium-Indium, energy bands in, <i>a</i></b>	69
<b>Electroless Deposition, PdCl<sub>2</sub> activation for, <i>a</i></b>	71	thermodynamic properties of, <i>a</i>	69
		<b>Palladium-Iron, magneto-resistance of, <i>a</i></b>	147
<b>Fuel Cells, Au-Pd catalysts for, <i>a</i></b>	35	spin waves in, <i>a</i>	109
		thermoelectric power of, <i>a</i>	69
		<b>Palladium-Manganese, resistivity of, <i>a</i></b>	109
		thermoelectric power of, <i>a</i>	69
		<b>Palladium-Nickel, structure of, <i>a</i></b>	147
		<b>Palladium-Niobium, diffusion in, <i>a</i></b>	109

	<i>Page</i>		<i>Page</i>
<b>Palladium Alloys, (contd)</b>			
<b>Palladium-Osmium</b> , thermoelectric power of, <i>a</i>	69	<b>Platinum Antimonide</b> , n.m.r. studies of, <i>a</i>	70
<b>Palladium-Platinum</b> , magnetic properties of, <i>a</i>	68	<b>Platinum Arsenide</b> , n.m.r. studies of, <i>a</i>	70
<b>Palladium-Platinum-Gold</b> , heats of formation of, <i>a</i>	108	<b>Platinum Chloride</b> , study of Pt-Cl system, <i>a</i>	110
<b>Palladium-Platinum-Rhodium</b> , creep strength of, <i>a</i>	147	<b>Platinum Complexes</b> , as bacteriocides	42
<b>Palladium-Rhenium</b> , thermoelectric power of, <i>a</i>	69	cubane structure of $[(C_2H_5)_3PtCl]_2$	25
<b>Palladium-Rhodium</b> , H <sub>2</sub> adsorption in, <i>a</i>	69	directional electrical conductivity of preparation of, <i>a</i>	129
resistivity and susceptibility of, <i>a</i>	29	with olefins and acetylenes, <i>a</i>	110
<b>Palladium-Ruthenium</b> , thermoelectric power of, <i>a</i>	69	zerovalent, photochemical reactions giving	20
<b>Palladium-Silicon</b> , magnetic properties of Fe containing, <i>a</i>	30	<b>Platinum Compounds</b> , with Y, Ce and Er, <i>a</i>	110
mechanical properties of, <i>a</i>	147	<b>Platinum Metals</b> , alloys with Au, dental, <i>a</i>	109
<b>Palladium-Silver</b> , contact in miniature relay	141	complexes, general review of, <i>a</i>	110
H <sub>2</sub> fugacity in	92	complexes, for organic syntheses	60
H <sub>2</sub> diffusion in, <i>a</i>	69	complexes, with CO, <i>a</i>	71
H <sub>2</sub> diffusion tube in chromatography	131	in hybrid circuits	19
preparation of films of, <i>a</i>	29	<b>Platinum Oxide</b> , thermodynamic data on	134
wire, for high temperature electrical conductor	100		
<b>Palladium-Silver-Titanium</b> , for solderless contacts, <i>a</i>	116	<b>Relays</b> , telephone, Pd-Ag contacts in	141
<b>Pd-Ag-Cu-Au-Pt-Zn</b> , wire, specification of, <i>a</i>	108	<b>Resistance Thermometers</b> , Pt, effect of magnetic fields on, <i>a</i>	116
<b>Palladium-Tellurium</b> , mixtures with B-elements, <i>a</i>	109	Pt, review of, <i>a</i>	154
thermoelectric power of, <i>a</i>	69	<b>Resistors</b> , Pd in thick film compositions, <i>a</i>	116
<b>Palladium-Tin</b> , thermodynamic properties of, <i>a</i>	69	<b>Rhodium</b> , critical temperature of, <i>a</i>	109
<b>Palladium-Titanium</b> , thermoelectric power of, <i>a</i>	69	thermal expansion of, <i>a</i>	68
<b>Palladium-Vanadium</b> , thermoelectric power of, <i>a</i>	69	<b>Rhodium Alloys, Rhodium-Cobalt</b> , resistance of, <i>a</i>	30
<b>Palladium Complexes</b> , diborylamines, <i>a</i>	70	<b>Rhodium-Copper</b> , constitution of, <i>a</i>	148
directional electrical conductivity of enthalpy of formation of, <i>a</i>	129	<b>Rhodium-Iridium</b> , superconducting transition temperature of, <i>a</i>	109
of PdCl <sub>2</sub> and dienes, <i>a</i>	70	<b>Rhodium-Iron</b> , electrical resistance of, <i>a</i>	109
phosphine-ethylene complexes, <i>a</i>	148	<b>Rhodium-Osmium</b> , superconducting transition temperature of, <i>a</i>	109
with olefins and acetylenes, <i>a</i>	110	<b>Rhodium-Palladium</b> , H <sub>2</sub> adsorption in, <i>a</i>	69
<b>Palladium Hydride</b> , neutron diffraction of, <i>a</i>	148	resistivity and susceptibility of, <i>a</i>	29
<b>Palladium Oxide</b> , crystal growth and semiconductor of, <i>a</i>	148	<b>Rhodium-Platinum</b> , thermal properties of, <i>a</i>	68
<b>Plastics</b> , plating of, Pd ions for, <i>a</i>	111	<b>Rhodium-Platinum-Palladium</b> , creep strength of, <i>a</i>	147
<b>Platinum</b> , anodic oxidation of, <i>a</i>	110	<b>Rhodium Complexes</b> , with Cl and CO, <i>a</i>	110
electrical and thermal conductivity of, <i>a</i>	109	<b>Rhodium Oxide</b> , synthesis and structure of, <i>a</i>	70
heat of fusion of, <i>a</i>	29	<b>Rustenberg</b> , new mining area for	26
homogenisation quenching of, <i>a</i>	29	<b>Ruthenium</b> , ferromagnetism in, <i>a</i>	109
in probe cell, for resistivity measurements, <i>a</i>	112	films of, work function of, <i>a</i>	70
in resistance thermometers, effect of magnetic fields on, <i>a</i>	116	optical properties of, <i>a</i>	70
interface with Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	108	physico-chemical behaviour of, in sea water, <i>a</i>	70
purity of	122	review of bibliography on	140
resistance coil of, for thermostat, <i>a</i>	112	<b>Ruthenium Alloys, Ruthenium-Niobium</b> , phase transformations in, <i>a</i>	30
single crystal of, coadsorption of H <sub>2</sub> and CO on, <i>a</i>	108	<b>Ruthenium-Osmium</b> , superconductivity of, <i>a</i>	148
sputtered layers of, Si migration in, <i>a</i>	108	<b>Ruthenium-Palladium</b> , thermoelectric power of, <i>a</i>	69
thermal conductivity of, <i>a</i>	108	<b>Ruthenium-Rhenium</b> , superconductivity of, <i>a</i>	148
thermodynamic data, uses of	134	<b>Ruthenium-Tantalum</b> , electron work function of, <i>a</i>	70
thin films of, structure and stress of, <i>a</i>	108	phase transformations, <i>a</i>	109
vapour pressure of, <i>a</i>	68	<b>Ruthenium Complexes</b> , dinitrogen, <i>a</i>	30
<b>Platinum Alloys, Platinum-Alumina</b> , electrical and tensile properties of, <i>a</i>	68	crystallographic study of Ru(NH <sub>3</sub> ) <sub>6</sub> Cl <sub>2</sub> and Ru(NH <sub>3</sub> ) <sub>6</sub> Cl <sub>3</sub> , <i>a</i>	110
<b>Platinum-Barium</b> , constitution diagram of, <i>a</i>	108	<b>Ruthenium Dioxide</b> , free energy of formation of, <i>a</i>	110
<b>Platinum-Gold</b> , decomposition kinetics of, <i>a</i>	29	growth, structure and resistivity of, <i>a</i>	110
work function of, <i>a</i>	68	thermodynamic properties of, <i>a</i>	148
<b>Platinum-Iridium</b> , thermodynamic data	134	<b>Ruthenium Trichloride</b> , reaction with Zn, <i>a</i>	30
<b>Platinum-Iron</b> , ordering in, <i>a</i>	68		
resistive behaviour of, <i>a</i>	68	<b>Screen Printing</b> , of Pt metals for hybrid circuits	19
<b>Platinum-Nickel</b> , thermodynamic properties of, <i>a</i>	68	<b>Semiconductors</b> , doping with Ir, Pd, Rh, Ru, <i>a</i>	75
<b>Platinum-Palladium</b> , magnetic properties of, <i>a</i>	68	<b>Soybean Oil</b> , hydrogenation by Pt and Pd complexes	2
<b>Platinum-Palladium-Gold</b> , heats of formation of, <i>a</i>	108	<b>Surface Coatings, Platinum</b> , sputter deposition on Si, <i>a</i>	31
<b>Platinum-Palladium-Rhodium</b> , creep strength of, <i>a</i>	147		
<b>Platinum-Rhodium</b> , thermal properties of, <i>a</i>	68	<b>Thermocouples, platinum-clad</b> , in glass cooling tanks, <i>a</i>	35
<b>Platinum-Silicon</b> , microstructure of sputtered films, <i>a</i>	154	Pt:Rh-Pt, effect of pressure on	59
<b>Pt-Ag-Cu-Au-Pd-Zn</b> , wire, specification of, <i>a</i>	108	in corrosive melts, <i>a</i>	75
<b>Platinum-Thoria</b> , electrical and tensile properties of, <i>a</i>	68	in glass cooling tanks, <i>a</i>	35
<b>Platinum-Uranium</b> , electrical resistivity of, <i>a</i>	108	reaction with refractory oxides	13
		reference tables for, <i>a</i>	75
		sheathed, stability of	82
		temperature profiling of, <i>a</i>	75
		Y and Be oxides coatings for, <i>a</i>	75
		<b>Thick Films, Palladium</b> , in conductors, <i>a</i>	116
		in resistors, <i>a</i>	116
		<b>Wire, Palladium-Silver</b> , in high temperature electrical conductor	100