

# SUBJECT INDEX TO VOLUME 3

| <i>a</i> = abstract   | Page    | Catalysts ( <i>contd.</i> )  | Page |
|---|---------|--|------|
| <b>Acetaldehyde</b> , new method of preparation   | 139     | reforming with RD-150, <i>a</i>  | 110  |
| <b>Acetylene</b> , selective hydrogenation of, <i>a</i>   | 30      | synthesis of HCN, <i>a</i>   | 109  |
| <b>Ammonia</b> ,  |         | <b>Platinum Metals</b> , hydrogenation of  |      |
| catalytic oxidation, modern developments  | 2       | acetylene, <i>a</i>  | 30   |
| catalytic oxidation by ozone, <i>a</i>  | 70      | hydrogen reduction of cyclopentanone, <i>a</i>   | 30   |
| <b>Benzocyclobutene</b> , preparation of, <i>a</i>  | 31      | ozone oxidation of ammonia, <i>a</i>   | 70   |
| <b>Bromoplatinic acid</b> , in detection of alkaloids and organic bases, <i>a</i>   | 149     | <b>Pt/Al<sub>2</sub>O<sub>3</sub></b> , aromatisations with, <i>a</i>  | 150  |
| <b>Bushveld Igneous Complex</b> , geology and economics of  | 94      | B exchange experiments, <i>a</i>   | 150  |
| <b>Catalyst Bases</b> , in hydrocarbon isomerisation, comparison of Al <sub>2</sub> O <sub>3</sub> and SiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> | 65      | deactivation of, <i>a</i>  | 70   |
| <b>Catalysis</b> , heterogeneous, development in industry, <i>a</i>   | 151     | dehydrogenation of cyclohexane, <i>a</i>   | 110  |
| <b>Catalysts</b> ,  |         | deuterium exchange reactions on, <i>a</i>  | 151  |
| development by BASF, <i>a</i>   | 29      | <b>Pt/Al<sub>2</sub>O<sub>3</sub>/halogen</b> , reactivities of naphthenes over, <i>a</i>  | 110  |
| industrial methods for testing of, <i>a</i>   | 151     | <b>Pt/Al<sub>2</sub>O<sub>3</sub>/SiO<sub>2</sub></b> , aromatisation of gasoline and preparation of C <sub>8</sub> H <sub>18</sub> , <i>a</i> | 152  |
| <b>Iridium</b> , hydrogen chemisorption on, <i>a</i>  | 149     | deuterium exchange reactions on, <i>a</i>  | 151  |
| <b>in petroleum industry</b> , review, <i>a</i>   | 70      | <b>Pt/C</b> , aromatisation of gasoline, <i>a</i>  | 71   |
| new USA patents, <i>a</i>   | 151     | deuterium exchange reactions on, <i>a</i>  | 151  |
| <b>OsO<sub>4</sub></b> , hydroxylation of codeine, <i>a</i>   | 31      | heavy water production   | 118  |
| <b>Palladium</b> , chromatographic study of   |         | hydrogenation of hexafluorobenzene   | 99   |
| surface catalysis, <i>a</i>   | 70      | oxidations with, <i>a</i>  | 31   |
| deuterium exchange of cyclopentanone and cyclohexanone, <i>a</i>  | 30      | <b>Pt/HF/Al<sub>2</sub>O<sub>3</sub></b> , effects of Pt and HF contents, <i>a</i>   | 29   |
| manufacture of hydrogen peroxide  | 54      | <b>PtO<sub>2</sub></b> , hydrogenation of allocholesterol, <i>a</i>  | 111  |
| oxidation of hydrogen in CO, <i>a</i>   | 70      | hydrogenation of bicyclic unsaturated ketones, <i>a</i>  | 71   |
| <b>Pd/Al<sub>2</sub>O<sub>3</sub></b> , ether-deuterium exchange reactions, <i>a</i>  | 150     | hydrogenation of cortisol, <i>a</i>  | 151  |
| <b>Pd/BaSO<sub>4</sub></b> , polymerisation in presence of, <i>a</i>  | 111     | hydrogenation of $\alpha$ -ketols, <i>a</i>  | 31   |
| <b>Pd-black</b> , oxidation of hydrogen in CO, <i>a</i>   | 110     | hydrogenation of methyl linoleate, <i>a</i>  | 71   |
| <b>Pd/CaCO<sub>3</sub></b> , preparation of <i>dl</i> -ricinoleic acid, <i>a</i>  | 31      | hydrogenation of polydimethylene-acetylene, <i>a</i>   | 150  |
| <b>Pd/C</b> , debenzoylation of ethers and esters, <i>a</i>   | 71      | preparation of <i>p</i> - and <i>m</i> -aminomethyl-cyclohexylcarboxylic acids, <i>a</i>   | 111  |
| dehydrogenation of methyl reserpate and yohimbine, <i>a</i>   | 72      | <b>Pt/SiO<sub>2</sub></b> , deuterium exchange reactions on, <i>a</i>  | 151  |
| formation of 1-pyrroline, <i>a</i>  | 72      | <b>Pt/silica gel</b> , preparation and catalytic properties, <i>a</i>  | 149  |
| hydrogenation of bicyclic unsaturated ketones, <i>a</i>   | 71      | <b>Review</b> , Catalysts in Action, <i>a</i>  | 70   |
| hydrogenation of castor oil, <i>a</i>   | 30, 111 | <b>Rh/Al<sub>2</sub>O<sub>3</sub></b> , ether-deuterium exchange reactions, <i>a</i>   | 150  |
| hydrogenation of fats, <i>a</i>   | 71      | formation of 1-pyrroline, <i>a</i>   | 72   |
| hydrogenation of methyl linoleate, <i>a</i>   | 71      | hydrogenation of cortisol, <i>a</i>  | 151  |
| hydrogenation of unsaturated compounds, <i>a</i>  | 110     | <b>Rh/Pt</b> , gauze, in NH <sub>4</sub> NO <sub>3</sub> manufacture, <i>a</i>   | 149  |
| hydrogenation of unsaturated sulphides and sulphones, <i>a</i>  | 31      | synthesis of HCN   | 109  |
| preparation of benzocyclobutene, <i>a</i>   | 31      | <b>Ruthenium</b> , As (III)-Ce (IV) reaction, <i>a</i>   | 151  |
| preparation of papaverine, <i>a</i>   | 30      | paraffin wax synthesis   | 59   |
| reduction of azido compounds, <i>a</i>  | 72      | <b>Ru/Al<sub>2</sub>O<sub>3</sub></b> , adsorption of gases on, <i>a</i>   | 109  |
| synthesis of 5-hydroxytryptophan, <i>a</i>  | 111     | adsorption rate of hydrogen on, <i>a</i>   | 109  |
| synthesis of indoles, <i>a</i>  | 31      | <b>Ru/C</b> , selective hydrogenation of olefines, <i>a</i>  | 150  |
| <b>Pd-Cl<sub>2</sub></b> , determination of phosphite, <i>a</i>   | 70      | <b>Ru-Cu</b> , hydrogenation of CO on, <i>a</i>  | 111  |
| <b>Pd/silica gel</b> , hydrogenation of acetylene on, <i>a</i>  | 111     | <b>RuO<sub>2</sub></b> , preparation of cyclohexyl-alkylamines, <i>a</i>   | 31   |
| <b>Pd/SrCO<sub>3</sub></b> , hydrogenation of bicyclic unsaturated ketones, <i>a</i>  | 71      | <b>Study by X-ray scattering</b> , <i>a</i>  | 28   |
| <b>Platinum</b> , deuterium exchange with hydroxyl groups, <i>a</i>   | 30      | <b>Cathodic Protection</b> ,   |      |
| deuterium oxide exchange of aromatic compounds, <i>a</i>  | 30      | experiments with trailing Pt anode, <i>a</i>   | 152  |
| film, in HCN manufacture  | 11      | for naval vessels, <i>a</i>  | 112  |
| gauze, for nitric acid manufacture, modern developments   | 2       | potential applications of Pt-clad anodes   | 38   |
| oxidation of alcohols   | 71      | Pt-Pb bi-electrodes for, <i>a</i>  | 32   |
| partial oxidation of gaseous hydrocarbons, <i>a</i>   | 150     | Pt-Pb bi-electrodes  | 44   |
| pentane isomerisation   | 9       | <b>Cermets</b> ,   |      |
| preparation of indoles, <i>a</i>  | 31      | bonding techniques, survey, <i>a</i>   | 152  |
| reforming and hydroforming processes, <i>a</i>  | 71      | Pt-bonded silicides and borides  | 46   |
|   |         | <b>Chemical Plant</b> , Pt-clad Mo, <i>a</i>   | 24   |
|   |         | <b>Codeine Derivatives</b> , use of OsO <sub>4</sub> in hydroxylation, <i>a</i>  | 31   |
|   |         | <b>Corrosion</b> , inactivation of Ti & activation of other metals by Pt ions, <i>a</i>  | 27   |
|   |         | <b>Cyclohexylalkylamines</b> , preparation of, <i>a</i>  | 31   |

|   | Page |  | Page    |
|---|------|--|---------|
| <b>Deuterium,</b>   |      |  |         |
| exchange reactions with $n\text{-C}_4\text{H}_{10}$ , <i>a</i>          | 151  | <b>Heavy Water,</b> production of  | 118     |
| exchange reactions over platinum metal films, <i>a</i>                  | 110  | <b>Hydrocracking,</b> study of reactions in hydrocarbon isomerisation          | 65      |
| reactions with cyclopentanone and cyclohexanone, <i>a</i>               | 30   | <b>Hydrocyanic Acid,</b>   |         |
| reactions with hydroxyl groups, <i>a</i>                                | 30   | manufacture  | 11      |
| <b>Deuterium Oxide,</b> reactions with aromatic compounds, <i>a</i>     | 30   | manufacture, <i>a</i>  | 109     |
| <b>Dosimeter,</b> PdO film, <i>a</i>                                    | 69   | <b>Hydrogen,</b>   |         |
| <b>Electrical Contacts,</b>   |      | absorption by single crystals of Pd, <i>a</i>                                  | 107     |
| contamination by organic deposits                                       | 19   | adsorption on Ru-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>                     | 109     |
| contamination, prevention in sealed relays                              | 22   | diffusion in Pd, <i>a</i>  | 67      |
| Pd-Ag, use in telephone relays, <i>a</i>                                | 112  | permeation of and diffusion through Pd, <i>a</i>                               | 67      |
| Rh plating of, in printed circuits                                      | 16   | sorption on Pd films, <i>a</i>   | 70      |
| Rh-plated Ag, <i>a</i>  | 112  | transport through Pd-clad electrodes, <i>a</i>                                 | 68      |
| <b>Electrodeposition of,</b>  |      | <b>Hydrogenation,</b>  |         |
| <b>Iridium,</b> survey, <i>a</i>  | 148  | of acetylene, <i>a</i>   | 111     |
| <b>Palladium,</b> effect of some organic substances, <i>a</i>           | 28   | of anthraquinone   | 54      |
| survey, <i>a</i>  | 148  | of carbon monoxide, <i>a</i>   | 111     |
| <b>Platinum,</b> from chloroplatinic acid, <i>a</i>                     | 28   | of fats, <i>a</i>  | 71      |
| survey, <i>a</i>  | 148  | of fatty oils, <i>a</i>  | 30      |
| on zirconium  | 8    | of $\alpha$ -ketols, <i>a</i>  | 31      |
| <b>Rhodium,</b> anti-corrosion properties, <i>a</i>                     | 69   | liquid phase, of CO  | 59      |
| bright and thick deposits, <i>a</i>                                     | 69   | of unsaturated compounds, <i>a</i>   | 110     |
| effect of addition agents on stress and cracking, <i>a</i>              | 108  | <b>Hydrogen Peroxide,</b> manufacture, new plant                               | 54      |
| effect of wetting and brightening agents, <i>a</i>                      | 69   | <b>Indoles,</b> synthesis, <i>a</i>  | 31      |
| on printed circuits   | 16   | <b>Iridium,</b>  |         |
| survey, <i>a</i>  | 148  | electrochemical properties   | 100     |
| <b>Ruthenium,</b> survey, <i>a</i>                                      | 148  | gamma radiography with Ir <sup>192</sup>                                       | 12      |
| <b>Electrodes,</b>  |      | Poisson's number, during elastic stress, <i>a</i>                              | 24      |
| noble metal & Pd alloy, potentials, <i>a</i>                            | 27   | <b>Iridium Alloys,</b>   |         |
| Pd and Pd-clad Fe, transport of hydrogen through, <i>a</i>              | 68   | <b>Iridium-Antimony,</b> metallographic & X-ray study of system, <i>a</i>      | 26      |
| Pd-H, atomic hydrogen overvoltage on, <i>a</i>                          | 148  | <b>Iridium-Boron,</b> structure of IrB <sub>1-2</sub> , <i>a</i>               | 108     |
| <b>Platinum,</b> anode, synthesis of                                    |      | <b>Iridium-Platinum,</b> resistance of films of, <i>a</i>                      | 112     |
| C <sub>30</sub> -triterpenes, <i>a</i>                                  | 108  | <b>Iridium-Thorium,</b> constitution, <i>a</i>                                 | 26      |
| anodes, cathodic protection with, <i>a</i>                              | 112  | with V, Cr, Nb, Mo, Ta & W,  |         |
| anodes, electrolysis of perchlorates, <i>a</i>                          | 28   | survey of systems for $\sigma$ -phases, <i>a</i>                               | 27      |
| anodes, use in organic electrolytic processes                           | 131  | <b>Iridium Compounds,</b> magnetochemistry of, <i>a</i>                        | 146     |
| anodic process in H <sub>2</sub> SO <sub>4</sub> electrolysis, <i>a</i> | 69   | <b>Lead,</b> anodic protection by contact with Pt, <i>a</i>                    | 32      |
| coarsening by a.c. electrolysis, <i>a</i>                               | 68   | <b>Lustres,</b> on ceramics  | 60      |
| cyclic a.c. voltammetry with, <i>a</i>                                  | 108  | <b>Magnets,</b> permanent Pt-Co, processing & properties, <i>a</i>             | 25      |
| effect of $\gamma$ -irradiation on potential, <i>a</i>                  | 27   | <b>Molybdenum,</b> protection against oxidation at high temperatures, <i>a</i> | 24      |
| effect of surface oxidation in voltammetry, <i>a</i>                    | 108  | <b>Nitric Acid,</b> manufacture, modern developments                           | 2       |
| electrochemical behaviour of O <sub>2</sub> on, <i>a</i>                | 148  | <b>Osmium Alloys,</b>  |         |
| micro, oxidation of indole alkaloids, <i>a</i>                          | 28   | <b>Osmium-Thorium,</b> constitution, <i>a</i>                                  | 26      |
| passivation of, <i>a</i>  | 148  | with V, Cr, Nb, Mo, Ta & W, survey of systems for $\sigma$ -phases, <i>a</i>   | 27      |
| polarisation phenomena at, <i>a</i>                                     | 148  | <b>Osmium Hexafluoride,</b> magnetic properties, <i>a</i>                      | 146     |
| preparation of reproducible surfaces, <i>a</i>                          | 27   | <b>Osmocene,</b> structure of, <i>a</i>  | 148     |
| rotating, in polarographic analysis, <i>a</i>                           | 149  | <b>Oxidation,</b>  |         |
| wire cathode in the 'solion', <i>a</i>                                  | 112  | of alcohols, <i>a</i>  | 71      |
| <b>Pt-Pb,</b> as inert anodes in cathodic protection, <i>a</i>          | 32   | of hydrogen in carbon monoxide, <i>a</i>                                       | 70, 110 |
| uses in cathodic protection   | 44   | <b>Oxidation Reactions,</b> study by thermocouple method, <i>a</i>             | 32      |
| <b>Pt-clad Ta or Ti anodes</b> for cathodic protection                  | 38   | <b><sup>18</sup>O-Water,</b> purification, <i>a</i>                            | 148     |
| <b>Pt/Ti anodes,</b> development, <i>a</i>                              | 68   | <b>Palladium,</b>  |         |
| <b>Electroless Plating,</b> palladium, <i>a</i>                         | 109  | absolute thermoelectric power at high temperatures, <i>a</i>                   | 25      |
| <b>Furnaces,</b>  |      | diffusion of hydrogen, in, <i>a</i>  | 67      |
| Pt-alloy wound, use in creep tests, <i>a</i>                            | 69   | electrical resistance in acid solution, <i>a</i>                               | 147     |
| Rh-Pt, for glass fibre manufacture                                      | 66   | electrochemical properties   | 100     |
| <b>Glass,</b>   |      | films, deuterium exchange reactions over, <i>a</i>                             | 110     |
| effect of Pt in lead glasses  | 17   | films, hydrogen sorption on, <i>a</i>  | 70      |
| fibre manufacture   | 66   | films, surface reactions on, <i>a</i>  | 109     |
| wetting of Pt by  | 128  | permeation of and diffusion of hydrogen through, <i>a</i>                      | 67      |
| <b>L-Gulose,</b> preparation of, <i>a</i>                               | 31   |  |         |

|   |             |   |             |
|---|-------------|---|-------------|
| <b>Palladium (contd.)</b>   | <b>Page</b> | <b>Platinum (contd.)</b>  | <b>Page</b> |
| Poisson's number, change during elastic & plastic stress, <i>a</i>                  | 24          | decorative uses for ceramic lustres   | 60          |
| single crystals, absorption of hydrogen by, <i>a</i>                                | 107         | dishes for preparing phosphors, <i>a</i>  | 148         |
| with PdO <sub>2</sub> , as film resistor, <i>a</i>                                  | 147         | effect in lead glasses  | 17          |
| <b>Palladium Alloys,</b>  |             | electrical resistivity, Hall coefficient and magnetoresistance, at low temperatures, <i>a</i> | 146         |
| with transition elements,   |             | electrochemical properties  | 47          |
| magnetic properties, <i>a</i>   | 68          | element in aircraft thermometer, <i>a</i>   | 72          |
| <b>Palladium-Bismuth,</b> composition, <i>a</i>                                     | 108         | films, deuterium exchange reactions over, <i>a</i>  | 110         |
| <b>Palladium-Boron,</b> constitution, <i>a</i>                                      | 108         | foil, in purification of <sup>18</sup> O-water, <i>a</i>                                      | 148         |
| <b>Palladium-Chromium,</b> magnetic properties, <i>a</i>                            | 26          | gauze, in the 'solion', <i>a</i>  | 112         |
| <b>Palladium-Copper,</b> electrical resistance at liquid He temperatures, <i>a</i>  | 25          | history of deposits in New Granada  | 140         |
| sorption of hydrogen by, <i>a</i>   | 147         | hot-wire anemometer, <i>a</i>   | 109         |
| superstructure of Cu <sub>3</sub> Pd, high temperature study, <i>a</i>              | 147         | in cell for polarisation studies, <i>a</i>  | 148         |
| <b>Palladium-Gold,</b> electrical resistance at liquid He temperatures, <i>a</i>    | 25          | irradiation effects, <i>a</i>   | 24          |
| <b>Palladium-Hydrogen,</b> α-Pd-H,  |             | kinetics of chlorine oxidation on, <i>a</i>   | 147         |
| electrochemical determination of saturation pressure and heat of solution, <i>a</i> | 27          | oxidation, rate measurement, <i>a</i>   | 24          |
| electrode potentials, <i>a</i>  | 69          | point defects in, <i>a</i>  | 24          |
| <b>Palladium-Molybdenum,</b> constitution, <i>a</i>                                 | 108         | Poisson's number, change during elastic & plastic stress, <i>a</i>                            | 24          |
| <b>Palladium-Niobium-Zirconium,</b>   |             | protection of Mo against oxidation at high temperatures, <i>a</i>                             | 24          |
| corrosion resistance under irradiation, <i>a</i>                                    | 26          | pyrolysis tube, synthesis of hexafluorobenzene  | 99          |
| use in nuclear reactors, <i>a</i>   | 26          | strength-creep relationship, <i>a</i>   | 107         |
| <b>Palladium-Platinum,</b> electrical resistance in acid solution, <i>a</i>         | 147         | wetting by molten glass   | 128         |
| <b>Palladium-Platinum-Hydrogen,</b>   |             | <b>Platinum-Alloys,</b>   |             |
| constitution, electrode potentials and electrical resistances, <i>a</i>             | 67          | <b>Platinum-Aluminium,</b> study of Pt-rich alloys, <i>a</i>                                  | 25          |
| <b>Palladium-Rhodium,</b> constitution, <i>a</i>                                    | 146         | <b>Platinum-Boron,</b> structure of PtB, <i>a</i>   | 108         |
| <b>Palladium-Silver,</b> electrical resistance at liquid He temperatures, <i>a</i>  | 25          | <b>Platinum-Carbon,</b> film, in electron metallography, <i>a</i>                             | 109         |
| electrical resistance in acid solution, <i>a</i>                                    | 147         | <b>Platinum-Cobalt,</b> effect of irradiation on magnetic properties, <i>a</i>                | 107         |
| magnetic susceptibility at low temperatures, <i>a</i>                               | 26          | magnetic properties, <i>a</i>   | 25, 146     |
| <b>Palladium-Titanium,</b> composition, <i>a</i>                                    | 26          | <b>Platinum-Gold,</b> catalytic properties, <i>a</i>  | 150         |
| corrosion resistance  | 88          | film components used with transistors, <i>a</i>   | 152         |
| <b>Palladium-Vanadium,</b> constitution, <i>a</i>                                   | 68          | in metal film potentiometers, <i>a</i>  | 146         |
| <b>Palladium Compounds,</b>   |             | in metal film resistors, <i>a</i>   | 147         |
| structure of, <i>a</i>  | 146         | resistance of films of, <i>a</i>  | 112         |
| palladium chloride, use in preparation of CH <sub>3</sub> CHO                       | 139         | thermodynamics of, <i>a</i>   | 67          |
| <b>Palladium Oxide,</b>   |             | <b>Platinum-Gold-Silver,</b> constitution, <i>a</i>   | 67          |
| film, use in dosimeter, <i>a</i>  | 69          | <b>Platinum-Iridium,</b> resistance of films of, <i>a</i>                                     | 112         |
| with Pd, as film resistor, <i>a</i>   | 147         | <b>Platinum-Iron,</b> magnetic properties, <i>a</i>   | 107, 146    |
| <b>Paraffin Wax,</b> synthesis  | 59          | <b>Platinum-Iron-Nickel,</b> studies of Fe <sub>3</sub> Pt phase, <i>a</i>                    | 25          |
| <b>Perchlorates,</b> electrolysis of, <i>a</i>                                      | 28          | <b>Platinum-Molybdenum,</b> constitution, <i>a</i>  | 67, 146     |
| <b>Petroleum Refining,</b>  |             | for control grids, <i>a</i>   | 72          |
| catalysts, a review, <i>a</i>   | 70          | <b>Platinum-Nickel,</b> resistance of films of, <i>a</i>                                      | 112         |
| Complexforming, <i>a</i>  | 152         | <b>Platinum-Niobium-Zirconium,</b> corrosion resistance under irradiation, <i>a</i>           | 26          |
| hexane isomerisation, Penex process, <i>a</i>                                       | 110         | <b>Platinum-Palladium,</b> electrical resistance in acid solution, <i>a</i>                   | 147         |
| Penex process at Borger, Texas, <i>a</i>  | 150         | <b>Platinum-Titanium,</b> corrosion resistance  | 88          |
| pentane isomerisation, Penex process  | 9           | <b>Platinum-Uranium,</b> composition, <i>a</i>  | 107         |
| Powerforming, <i>a</i>  | 70          | <b>Platinum Metal Alloys,</b> with uranium, <i>a</i>  | 26          |
| principal developments, review, <i>a</i>  | 150         | <b>Platinum Metals,</b>   |             |
| reforming at Sinclair's Houston refinery, <i>a</i>                                  | 110         | binary alloys, structure  | 92          |
| reforming, investigation of chemical processes, <i>a</i>                            | 29          | co-ordination chemistry of  | 90          |
| reforming, review, <i>a</i>   | 29          | electrochemical properties  | 47          |
| reforming, studies of naphthene reactivities, <i>a</i>                              | 110         | films of, temperature coefficients of resistance, <i>a</i>                                    | 112         |
| synthesis of benzene derivatives, <i>a</i>  | 71          | paramagnetic resonance in compounds of South African resources                                | 137         |
| units at Tulsa refinery of D-X Sunray Oil Co., <i>a</i>                             | 71          | ternary oxides, of <i>a</i>   | 94          |
| <b>Platinum,</b>  |             | <b>Platinum Oxides,</b> properties  | 147         |
| absolute thermoelectric power at high temperatures, <i>a</i>                        | 25          | <b>Radiography,</b> Ir <sup>192</sup> as source   | 12          |
| catalytic properties, effect of adsorbed gases on, <i>a</i>                         | 151         | <b>Refinery Capacity,</b> West German, in 1957, <i>a</i>                                      | 29          |
| chemisorption of hydrogen on thin films, <i>a</i>                                   | 29          | <b>Relays,</b> high-speed in switching arrays, <i>a</i>                                       | 152         |
| control grids, <i>a</i>   | 72          | <b>Resistance Thermometers,</b>   |             |
|   |             | platinum, calibration of, <i>a</i>  | 113         |
|   |             | platinum, in production of hexachlorocyclohexane, <i>a</i>                                    | 112         |
|   |             | platinum, review  | 78          |
|   |             | <b>Resistors,</b> high temperature, noble metal films   | 147         |

|  |             |   |             |
|--|-------------|---|-------------|
| <b>Rhodium,</b>  | <i>Page</i> | <b>Temperature Control,</b>                                   | <i>Page</i> |
| allotropy of, <i>a</i>   | 146         | in zinc blast furnace   | 93          |
| ductility of, <i>a</i>   | 107         | of soaking pit  | 136         |
| electrochemical properties   | 100         | <b>Temperature Measurement,</b>                               |             |
| films, deuterium exchange reactions over, <i>a</i>                             | 110         | automatic recording dilatometer, <i>a</i>                     | 69          |
| Poisson's number, during elastic stress, <i>a</i>                              | 24          | continuous, of liquid glass                                   | 18          |
| <b>Rhodium Alloys,</b>   |             | in aircraft engine control, <i>a</i>                          | 72          |
| <b>Rhodium-Bismuth,</b> constitution, <i>a</i>                                 | 68          | in the glass industry, <i>a</i>                               | 112         |
| <b>Rhodium-Boron,</b> structure of RhB, <i>a</i>                               | 108         | in high-speed aircraft, <i>a</i>                              | 72          |
| <b>Rhodium-Molybdenum,</b> constitution, <i>a</i>                              | 108         | in iron and steel vacuum metallurgy, <i>a</i>                 | 113         |
| <b>Rhodium-Palladium,</b> constitution, <i>a</i>                               | 146         | in production of hexachlorocyclohexane, <i>a</i>              | 112         |
| <b>Rhodium-Silicon,</b> structure of Rh <sub>2</sub> Si, <i>a</i>              | 108         | of molten glass   | 66          |
| <i>dl</i> -Ricinoleic Acid, synthesis, <i>a</i>                                | 31          | of molten iron and steel                                      | 56          |
| <b>Ruthenium,</b>  |             | of rocket exhaust gases, <i>a</i>                             | 152         |
| atomic and electronic heat at low  |             | of roofs of oxygen-blown steel furnaces, <i>a</i>             | 32          |
| temperatures, <i>a</i>   | 67          | <b>Thermocouples,</b>   |             |
| electrochemical properties   | 100         | <b>immersion,</b> practical survey, <i>a</i>                  | 73          |
| physical properties, <i>a</i>  | 25          | <b>Iridium : Iridium-Rhodium,</b> measurement                 |             |
| <b>Ruthenium Alloys,</b>   |             | of rocket exhaust gases, <i>a</i>                             | 152         |
| <b>Ruthenium-Boron,</b> structure of Ru <sub>7</sub> B <sub>3</sub> , <i>a</i> | 108         | <b>Platinum metals,</b> for aircraft engine control, <i>a</i> | 72          |
| <b>Ruthenium-Molybdenum-Uranium,</b>   |             | <b>Platinum : Rhodium-Platinum,</b>                           |             |
| constitution, <i>a</i>   | 26          | continuous glass temperature                                  |             |
| <b>Ruthenium-Silicon,</b> structure of Ru <sub>2</sub> Si, <i>a</i>            | 108         | measurement   | 18          |
| <b>Ruthenium with U-Zr, U-Nb and U-Mo</b>                                      |             | control of soaking pit temperature                            | 136         |
| $\gamma$ -phase-alloys, <i>a</i>   | 27          | error in surface temperature, <i>a</i>                        | 73          |
| <b>Ruthenium Tetroxide,</b> as an oxidant for organic                          |             | for microscope hot-stage attachment, <i>a</i>                 | 149         |
| compounds, <i>a</i>  | 68          | for oxygen-blown steel furnace, roof                          |             |
| <b>Ruthenocene,</b> structure of, <i>a</i>                                     | 148         | temperature measurement, <i>a</i>                             | 32          |
| 'Solion', development of, <i>a</i>   | 112         | in iron and steel vacuum metallurgy, <i>a</i>                 | 113         |
| <b>Sulphides,</b> hydrogenation of, <i>a</i>                                   | 31          | measurement of rocket exhaust gases, <i>a</i>                 | 152         |
| <b>Sulphones,</b> hydrogenation of, <i>a</i>                                   | 31          | quick-immersion   | 56          |
| <b>Surface Moisture,</b> measurement of,                                       | 145         | use in creep tests, <i>a</i>                                  | 69          |
|  |             | use in dilatation studies, <i>a</i>                           | 69          |
|  |             | use in study of oxidation reactions, <i>a</i>                 | 32          |
|  |             | use in zinc blast furnace                                     | 93          |
|  |             | <b>Platinum sheathed,</b> <i>a</i>                            | 112         |
|  |             | <b>Triterpenes,</b> synthesis, <i>a</i>                       | 108         |
|  |             | <b>Tritium-Labelled Water,</b> preparation, <i>a</i>          | 30          |