

# SUBJECT INDEX TO VOLUME 33

<i>a</i> =abstract	<i>Page</i>	<i>Page</i>
<b>Absorption</b> , spectra, of Pt(phpz) <sub>2</sub> , Pt{100}-CO, <i>a</i>	24, 85	
<b>Acetaldehyde</b>	33, 60	<b>Book Reviews</b> , Advances in Metal Carbene Chemistry
<b>Acetals</b> , acetaldehyde dialkyl-, formation, <i>a</i>	146	117
<b>Acetic Acid</b> , Anhydride, Acetyls, BP plant	168	Combustion Research in Japan, Vol. 5
<b>Acetone</b> , hydrogenation, <i>a</i>	30	105
<b>Acetylene</b> , reactions with Pd catalysts, <i>a</i>	89, 146	Geo-Platinum 87, symposium
<b>Adsorption</b> , C, S, effect on H-Pd permeation, <i>a</i>	214	13
Cl, on Pt electrode, in O reduction, <i>a</i>	139	Gmelin Handbook of Inorganic Chemistry
CO, O, on Pt, Pd, <i>a</i>	81, 129, 219	21
EtOH, on Pt electrodes, <i>a</i>	83	<b>Boundary Layers</b> , subminiature sensor for, <i>a</i>
H, on Pt electrodes, sulphurised Pt, <i>a</i>	84, 139	142
H, D, in Pd, hydride formation, <i>a</i>	213	<b>BP Chemicals Ltd</b> , acetic acid, plant
HCl, +H, +H <sub>2</sub> O, on Pt(111), <i>a</i>	213	168
NO, on Rh(100), <i>a</i>	82	<b>Bronzes</b> , W doped with Pt, <i>a</i>
<b>Alcohols</b> , allyl, hydroformylation, <i>a</i>	90	26
aqueous, photocatalytic dehydrogenation, <i>a</i>	140	<b>1,3-Butadiene</b> , catalytic reactions, <i>a</i>
benzyl, electro-oxidation, <i>a</i>	27	29, 89
butyl, from propene hydroformylation, <i>a</i>	143	<b>Butane</b> , oxidation, by Pt black-MO <sub>x</sub> , <i>a</i>
ethyl, for H production, <i>a</i>	145	87
oxidation on Pt electrodes, <i>a</i>	83	<b>Butyraldehyde</b> , formation, <i>a</i>
production, <i>a</i>	32, 220	143
isopropyl, reactions with H <sub>2</sub> PtCl <sub>6</sub> , PtCl <sub>4</sub> , <i>a</i>	26	<b>Cadmium</b>
methyl, on Pt(100), Pt(111) electrodes, <i>a</i>	84	84, 193
adsorption on Pd/CeO <sub>2</sub> , SiO <sub>2</sub> , TPD, <i>a</i>	219	<b>Cancer</b> , antitumour properties of complexes, <i>a</i>
catalysts for exhaust control, <i>a</i>	88	35, 92
conversion to aromatics, <i>a</i>	144	cisplatin, carboplatin drug therapies
decomposition on Pd, CO desorption, <i>a</i>	214	162
dehydrogenation, <i>a</i>	32, 85	Pt pyrimidine greens, one-pot synthesis, <i>a</i>
for acetic acid, acetic anhydride	168	148
for H, in Hot Spot™ reactor	118	<b>Carbalkoxylation</b> , C <sub>2</sub> H <sub>2</sub> , <i>a</i>
fuel cells, <i>a</i>	33, 91	146
oxidation, on Pt, Pd, <i>a</i>	26, 33, 83, 84, 139	<b>Carbon</b> , C-C bond formation reactions
preparation, on Pd/SiO <sub>2</sub> +Fe, MgO, <i>a</i>	89	186
waste, for H production	58	C <sub>2</sub> -O compounds, synthesis on Rh/V <sub>2</sub> O <sub>3</sub> , <i>a</i>
methyl, +H <sub>2</sub> O, for H photoproduction, <i>a</i>	141	90
oleyl, production, <i>a</i>	145	effect on H-Pd permeation, <i>a</i>
phenyl, synthesis, on Co-Rh, <i>a</i>	220	214
photoreactions, with Pt complex, <i>a</i>	141	<b>Carbon Oxides</b> , CO, adsorption, oxidation on
production from hydrocarbons, <i>a</i>	32	Pt(111), Pt(110), S/Pt(111), <i>a</i>
secondary, oxidation to ketones, <i>a</i>	147	81, 137
selective oxidation, by Ru(IV)-phosphine, <i>a</i>	26	adsorption on Pd/SiO <sub>2</sub> , Pd size effect, <i>a</i>
<b>Aldehydes</b> , <i>a</i>	91, 143, 144, 145, 221	219
see also <b>Acetaldehyde</b> , <b>Formaldehyde</b> , <b>Benzaldehyde</b>		180
<b>Alditols</b> , for aldolactone synthesis, <i>a</i>	222	concentration sensor
<b>Alkali Metal Thermoelectric Converter</b> , <i>a</i>	140	31
<b>Alkanes</b> , <i>a</i>	32, 144, 147	disruption of Rh/Al <sub>2</sub> O <sub>3</sub> , NO effect on, <i>a</i>
<b>Alkenes</b> , <i>a</i>	32, 89, 186	143
<b>2-Alkoxy 1,3-Diene</b> , production, <i>a</i>	146	effect on propene-D exchange reaction, <i>a</i>
<b>Alkyl Vinyl Ethers</b> , vinylation with enol triflates, <i>a</i>	146	46
<b>Alkynes</b> , <i>a</i>	89, 147	emission control from gas turbines
<b>Allylic Acetates</b> , electroreactions with carbonyls, <i>a</i>	139	81, 138
<b>Aluminium</b> , Pd thin films, on, <i>a</i>	81	for NO <sub>2</sub> reduction on Pt foil, <i>a</i>
<b>Aminonitriles</b> , production, on Rh/MgO, <i>a</i>	31	214
<b>Ammonia</b> , oxidation, catalyst gauze etching study	12	from MeOH decomposition on Pd(111), <i>a</i>
production, <i>a</i>	27, 216, 220	220
sensors, <i>a</i>	28, 217	hydrogenation, for Rh <sub>6</sub> , RhFe zeolite, <i>a</i>
<b>Andrussow Process</b> , catalyst gauze etching study	12	31, 88, 142, 144, 219
<b>Antimony</b> , <i>a</i>	142, 143	in MeOH synthesis, <i>a</i>
<b>Arenes</b> , C-C bond formation reactions	186	89
<b>Aromatics</b> , production from MeOH, <i>a</i>	144	oxidation, <i>a</i>
<b>Aromatisation</b> , n-hexane, <i>a</i>	30, 143, 218	219, 220
<b>Arsenic</b> , detection, <i>a</i>	142	poisoning of Pt in fuel cells, <i>a</i>
<b>2-Arylethanol</b> s, synthesis, <i>a</i>	220	91
<b>α-Keto Esters</b> , hydrogenation, <i>a</i>	218	Pt-C stretch mode, in Pt{111}-CO spectra, <i>a</i>
<b>Battery</b> , redox, rechargeable, with Ru complexes, <i>a</i>	91	24
<b>Benzaldehyde</b> , production, <i>a</i>	27	reactions with H, <i>a</i>
<b>Benzene</b> , <i>a</i>	90	144, 219, 220
<b>Benzyl Halide</b> , reaction with CO/H, <i>a</i>	220	<b>CO, CO<sub>2</sub></b> , reduction on Ru pyrolysed
<b>Bicarbonate</b> , photoreduction, <i>a</i>	141	polyacrylonitrile, <i>a</i>
<b>Bonding</b> , Pt wire wedge, for IC, microsensor, <i>a</i>	34	31
		<b>CO<sub>2</sub></b> , greenhouse gas
		hydrogenation, on Pd/La <sub>2</sub> O <sub>3</sub> , <i>a</i>
		30
		reaction with alkynes, <i>a</i>
		147
		reduction, electrocatalytic, to fuels
		2
		reduction to CH <sub>4</sub> , via formamide, <i>a</i>
		222
		sensor, portable, cheap
		127
		<b>Carbonylation</b>
		90, 145, 168
		<b>Carbonyls</b> , addition to allylic acetates, <i>a</i>
		139
		<b>Carboplatin</b> , anti-cancer drug therapy
		162
		<b>Castor Oil</b> , hydrogenation, <i>a</i>
		147
		<b>Catalysis</b> , heterogeneous, <i>a</i>
		29, 30, 31, 87, 88, 89,
		90, 142, 143, 144, 145, 218, 219, 220
		homogeneous, for CO <sub>2</sub> electroreduction
		2
		<i>a</i>
		32, 90, 91, 145, 146, 147, 221, 222
		<b>Catalysts</b> , automotive exhaust
		61, 143, 194, 218
		CeRu <sub>2</sub> , CeCo <sub>2</sub> , CeFe <sub>2</sub> , NH <sub>3</sub> synthesis, <i>a</i>
		220
		Co-Rh bimetallic, 2-arylalcohol, <i>a</i>
		220
		Honeycat®
		178
		in fuel cells, review
		63, 169
		Ir, Rh/Al <sub>2</sub> O <sub>3</sub> , SiO <sub>2</sub> , microstructure, <i>a</i>
		145
		<b>Iridium Complexes</b> , Ir(Cl)(CO)(Ph <sub>3</sub> P) <sub>2</sub> , <i>a</i>
		222
		Ir/Al <sub>2</sub> O <sub>3</sub> , preparation, <i>a</i>
		29, 143
		Ni-Cr, Pd, Pt additive effects, <i>a</i>
		144
		<b>Palladium</b> , gauze damage, in HNO <sub>3</sub> reactor, <i>a</i>
		88
		in combustible gas sensor
		180
		modified, 1,3-butadiene diacetoxylation, <i>a</i>
		89
		<b>Palladium Alloys</b> , Pd-Mn, styrene oxidation, <i>a</i>
		30
		<b>Palladium Complexes</b> , C-C bond coupling
		186
		metallo-ene reactions, <i>a</i>
		145
		organo-Sn coupling with vinyl epoxides, <i>a</i>
		146
		PdBr <sub>2</sub> -LiBr-MeOH, ethylene oxidation, <i>a</i>
		146
		PdBr <sub>2</sub> -P(OPh) <sub>3</sub> -n-BuOH, formation, <i>a</i>
		146
		PdCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , <i>a</i>
		139, 146, 221
		PdCl <sub>2</sub> -CuCl <sub>2</sub> -LiCl, ethylene oxidation, <i>a</i>
		146

Catalysts (contd.)	Page	Catalysts (contd.)	Page
Pd(O), pumiliotoxin synthesis, <i>a</i>	221	<b>Pt-Re/Al<sub>2</sub>O<sub>3</sub></b> , coked, sulphided, <i>a</i>	88
Pd(dba) <sub>2</sub> :2PPh <sub>3</sub> , arene-alkene coupling	186	<b>Pt-Rh gauzes</b> , in HNO <sub>3</sub> production, <i>a</i>	218
Pd(II), thiophene oxidation, <i>a</i>	146	<b>Pt-Rh/Al<sub>2</sub>O<sub>3</sub></b> , gas turbine emission control	46
Pd(II)+salen, alkyne, hydrogenation, <i>a</i>	89	<b>Pt-Sb/Al<sub>2</sub>O<sub>3</sub></b> , <b>Pt-Te/Al<sub>2</sub>O<sub>3</sub></b> , reforming, <i>a</i>	143
Pd(OAc) <sub>2</sub> , Pd(PPh <sub>3</sub> ) <sub>4</sub> , vinylation, <i>a</i>	146	<b>Pt-Sn/Al<sub>2</sub>O<sub>3</sub></b> , after redox cycling, <i>a</i>	88
Pd-P(CH <sub>3</sub> OH) <sub>2</sub> , <i>a</i>	221	<b>Pt-TiO<sub>2</sub></b> , in H photoreactor, <i>a</i>	140
Pd <sub>2</sub> (dba) <sub>3</sub> L, arene-alkene reactions	186	<b>Pt-TiO<sub>2</sub></b> , thin films/glass, photocatalyst, <i>a</i>	85
phosphine-Pd, fluoro olefin, reactions, <i>a</i>	90	<b>Pt-H-ZSM-5, Al<sub>2</sub>O<sub>3</sub></b> , mass transfer effects, <i>a</i>	144
<b>Pd acetate</b> , heterocycle's formation	186	<b>Pt/Al<sub>2</sub>O<sub>3</sub></b> , CO hydrogenation, pathways, <i>a</i>	142
<b>Pd, Mo/WO<sub>3</sub>/W</b> , reaction with N, <i>a</i>	90	coking, <i>a</i>	143
<b>Pd, Rh, Ru/SiO<sub>2</sub></b> , D exchange, <i>a</i>	143	HCl effect on activity, <i>a</i>	29
<b>PdCl<sub>2</sub>-CuCl<sub>2</sub></b> , in SiO <sub>2</sub> , Wacker process	60	hydrogenation of $\alpha$ -keto esters, <i>a</i>	218
<b>Pd(III)</b> , polymerisation, of aldehydes, <i>a</i>	144	S resistance, hydrogenolysis, <i>a</i>	143
<b>Pd(NH<sub>3</sub>)<sub>2</sub><sup>2+</sup>/NaY</b> , calcination study, <i>a</i>	219	SiO <sub>2</sub> , TiO <sub>2</sub> , C, NMR study, <i>a</i>	218
<b>Pd+La<sub>2</sub>O<sub>3</sub>/<math>\alpha</math>-Al<sub>2</sub>O<sub>3</sub></b> , cycled NO reduction, <i>a</i>	144	SiO <sub>2</sub> , passivating oxidation, <i>a</i>	88
<b>Pd-alizarin c/<math>\gamma</math>-Al<sub>2</sub>O<sub>3</sub></b> , hydrogenation, <i>a</i>	30	<b>Pt/C</b> , deactivation, in oxidation, <i>a</i>	29
<b>Pd-Ce/Al<sub>2</sub>O<sub>3</sub></b> , Ce effect on CO oxidation, <i>a</i>	219	fibre, for CO hydrogenation, <i>a</i>	88
<b>Pd-Mg/X-zeolite</b> , ethylene dimerisation, <i>a</i>	219	<b>Pt/CdS</b> , for [Ru <sup>II</sup> (H-EDTA)N <sub>2</sub> ] <sup>-</sup> , <i>a</i>	216
<b>Pd-<math>\beta</math>-cyclodextrins</b> , photoreduction of HCO <sup>-</sup> , <i>a</i> 141		surface composites,	
<b>Pd/Al<sub>2</sub>O<sub>3</sub></b> , Ce effect on CO oxidation, <i>a</i>	219	photodehydrogenation, <i>a</i>	140
HCl effect on activity, <i>a</i>	29	<b>Pt/Fecralloy</b> , in CO <sub>2</sub> TEA lasers	20
with H absorbed layer, hydrogenations, <i>a</i>	89	<b>Pt/H-ZSM-5 zeolite</b> , olefin hydrogenation, <i>a</i>	144
/SiO <sub>2</sub> , vinylacetylene hydrogenation, <i>a</i>	30	<b>Pt/KL-zeolite</b> , aromatisation of n-hexane, <i>a</i>	218
films, CH <sub>4</sub> oxidation, <i>a</i>	89	<b>Pt/photosynthetic membrane</b> , <i>a</i>	27
<b>Pd/C</b> , preparation, surface properties, <i>a</i>	89	<b>Pt/silicalite</b> , preparation, <i>a</i>	89
<b>Pd/CeO<sub>2</sub></b> , TPD after MeOH, adsorption, <i>a</i>	219	<b>Pt/SiO<sub>2</sub></b> , sintering, during C <sub>2</sub> H <sub>4</sub> oxidation, <i>a</i>	29
<b>Pd/La<sub>2</sub>O<sub>3</sub></b> , SiO <sub>2</sub> , La-Pd/SiO <sub>2</sub> , for CO <sub>2</sub>		<b>Pt/TiO<sub>2</sub></b> , acetone hydrogenation, <i>a</i>	30
hydrogenation, <i>a</i>	30	photo, in MeOH fuel cell, <i>a</i>	33
<b>Pd/SiO<sub>2</sub></b> , CO adsorption, Pd size effect, <i>a</i>	219	powder, H production, <i>a</i>	30
in H reactor	118	<b>Pt/X-zeolite+Re, W, Mo</b> , n-hexane	
+MgO, Fe, for CO+H reaction, <i>a</i>	89	dehydrogenation, <i>a</i>	30
gel, CO hydrogenation, <i>a</i>	144	<b>Pt/<math>\gamma</math>-Al<sub>2</sub>O<sub>3</sub></b> , preparation, pH effect, <i>a</i>	142
<b>Pd/TiO<sub>2</sub></b> , hydrogenation of CO, aldehydes, <i>a</i>	144	Pt dispersion study, <i>a</i>	218
<b>Pd/TSMV, TSVK zeolites</b> , xylene, reactions, <i>a</i>	144	<b>RhFe/NaY zeolite</b> , structural characterisation, <i>a</i>	220
phase-transfer, Pd extraction, <i>a</i>	147	<b>Rhodium</b> , diacetylation of 1,3-butadiene, <i>a</i>	89
<b>Platinum</b> , black	87, 180	<b>Rhodium Complexes</b> , CoRh(CO) <sub>2</sub> , for fluoro	
colloidal+polytungstate, <i>a</i>	27	olefin reactions, <i>a</i>	90
foil, CO+NO <sub>2</sub> reaction, <i>a</i>	81, 138	Rh+I promoter, acetyls production	168
modified, 1,3-butadiene diacetylation, <i>a</i>	89	RhCl(CO)(PR <sub>3</sub> ) <sub>2</sub> , irradiated C-H bond	
O reduction, <i>a</i>	82	activation, <i>a</i>	90
poisoning in PEM fuel cells, <i>a</i>	91	RhCl(PMe <sub>3</sub> ) <sub>3</sub> , vinylketones dimerisation, <i>a</i>	221
powder, passivating oxidation, <i>a</i>	88	RhCl <sub>3</sub> /SiO <sub>2</sub> , nitrobenzene reduction, <i>a</i>	146
tunnelling, in graphite hydrogenation, <i>a</i>	24	RhH(CO)(PPh <sub>3</sub> ) <sub>3</sub> +laser irradiation,	
<b>Platinum Alloys</b> , oxidation gauzes	12, 88	olefin hydrogenation, <i>a</i>	141, 221
<b>Platinum Complexes</b> , H <sub>2</sub> PtCl <sub>6</sub> -Ln(NO <sub>3</sub> ) <sub>3</sub> , <i>a</i>	218	Rh(diphos) <sub>2</sub> <sup>+</sup> , for CO <sub>2</sub> reduction	2
H <sub>2</sub> PtCl <sub>6</sub> -(C <sub>6</sub> H <sub>11</sub> ) <sub>3</sub> N-(i-C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> AlH, <i>a</i>	32	Rh(II), carbene insertion in $\beta$ -lactams, <i>a</i>	148
metallo-ene reactions, <i>a</i>	145	Rh-, Rh <sub>2</sub> -(TPPTS), two-phase, alkene	
PtCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , Pt(CO) <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , iodide		hydroformylation, <i>a</i>	32
carbonylation, <i>a</i>	145	Rh <sup>III</sup> (C <sub>5</sub> Me <sub>5</sub> )(bpy) <sup>2+</sup> , NAD(P) <sup>+</sup>	
Pt(II), Pt(IV) ethyl, decay in iodide		reductions, <i>a</i>	32
solutions, <i>a</i>	221	Rh <sub>6</sub> (CO) <sub>16</sub> , fluoro olefin	
Pt(phpz) <sub>2</sub> , Pt(phpz)(thpy), luminescence, <i>a</i>	85	hydroformylation, <i>a</i>	90
Pt-P(CH <sub>3</sub> OH) <sub>2</sub> , <i>a</i>	221	[RhCl(COD)] <sub>2</sub> /SiO <sub>2</sub> , nitrobenzene	
[PtH(PEt <sub>3</sub> ) <sub>3</sub> ] <sup>+</sup> , H production, <i>a</i>	145	reduction, <i>a</i>	146
[Pt <sub>2</sub> (P <sub>2</sub> O <sub>5</sub> H <sub>2</sub> ) <sub>4</sub> ] <sup>4+</sup> , photoreactions, <i>a</i>	141	[RhH(CO)(PPR <sub>3</sub> ) <sub>2</sub> ] <sub>2</sub> , irradiated for H, <i>a</i>	145
[Pt <sub>2</sub> (R <sub>2</sub> SO) <sub>2</sub> X <sub>4</sub> ], activity, <i>a</i>	32	[Rh(bpy) <sub>2</sub> X <sub>2</sub> ] <sup>-</sup> , CO <sub>2</sub> reduction	2
<b>Platinum Metals</b> , gas turbine emission control	46	[Rh(bpy) <sub>2</sub> Cl], H production, <i>a</i>	145
<b>Pt clusters</b> , in EDTA/Ru(bpy) <sub>3</sub> <sup>2+</sup> /MV <sup>2+</sup> , H		[Rh(CO) <sub>2</sub> Cl] <sub>2</sub> +phosphanorbornadiene,	
photoproduction, <i>a</i>	85	hydroformylations, <i>a</i>	221
<b>Pt, Pd, Rh, Pd-Ag, Al<sub>2</sub>O<sub>3</sub></b> , MeOH exhaust, <i>a</i>	88	<b>Rh(CO) clusters/PS</b> , animated, N-O bond	
<b>Pt, Pd, Rh/<math>\alpha</math>-Al<sub>2</sub>O<sub>3</sub></b> , propane, oxidation, <i>a</i>	142	deoxygenation, <i>a</i>	90
<b>Pt, Pt-Ir/Al<sub>2</sub>O<sub>3</sub></b> , preparation, <i>a</i>	29	<b>Rh+Se/ZrO<sub>2</sub></b> , ethene hydroformylation, <i>a</i>	31
<b>Pt, Ru/Pd/V/Pd/Al</b> , H oxidation, during		<b>Rh-Fe/graphite</b> , surface structure, <i>a</i>	137
reactor accident, <i>a</i>	86	<b>Rh-Pt/<math>\gamma</math>-Al<sub>2</sub>O<sub>3</sub></b> , preparation, pH effect, <i>a</i>	142
<b>Pt, -Re, -Re-S/Al<sub>2</sub>O<sub>3</sub></b> , reforming, <i>a</i>	29	<b>Rh-Sn/SiO<sub>2</sub></b> , ester selective hydrogenation, <i>a</i>	220
<b>Pt, -Rh/Al<sub>2</sub>O<sub>3</sub></b> , La doped, exhaust, study, <i>a</i>	218	<b>Rh/Al<sub>2</sub>O<sub>3</sub></b> , CO oxidation, dissociation, <i>a</i>	220
<b>PTFE/Pt metal/substrate</b> , isotope exchange, <i>a</i>	30	effect of NO+CO disruption, <i>a</i>	31
<b>PtZn<sub>0.1</sub>Cd<sub>0.9</sub>S/Cu<sub>2</sub>S</b> , photocatalysts, <i>a</i>	85	<b>Rh/CdS</b> , for [Ru <sup>II</sup> (H-EDTA)N <sub>2</sub> ] <sup>-</sup> , formation, <i>a</i>	216
<b>Pt-Cr/<math>\gamma</math>-Al<sub>2</sub>O<sub>3</sub></b> , n-pentane,		<b>Rh/MgO</b> , dinitrile hydrogenation, <i>a</i>	31
methylcyclopentane conversions, <i>a</i>	29	<b>Rh/NaY zeolite</b> , olefin hydrogenation, <i>a</i>	220
<b>Pt-Cr/SiO<sub>2</sub></b> , in H reactor	118	<b>Rh/SiO<sub>2</sub></b> , C <sub>2</sub> H <sub>4</sub> hydroformylation, conditions, <i>a</i>	90
<b>Pt-impregnated glass membrane</b> ,		<b>Rh/support</b> , La <sub>2</sub> O <sub>3</sub> promoted,	
cyclohexane dehydrogenation, <i>a</i>	34	CO hydrogenation, <i>a</i>	31
<b>Pt-Re-Cr/Al<sub>2</sub>O<sub>3</sub>/<math>\gamma</math>-Al<sub>2</sub>O<sub>3</sub></b> , n-heptane		<b>Rh/V<sub>2</sub>O<sub>5</sub></b> , C <sub>2</sub> -O compounds synthesis, <i>a</i>	90
dehydrocyclisation, <i>a</i>	88, 143	<b>Rh/<math>\gamma</math>-Al<sub>2</sub>O<sub>3</sub></b> , preparation, pH effect, <i>a</i>	142

Catalysts (contd.)	Page	Corrosion, Cl <sup>-</sup> adsorption, +H <sub>2</sub> , on Pt(111), a	Page
<b>Rh<sub>6</sub>(CO)<sub>16</sub>/NaY zeolite, structure, a</b>	220	hot, of Cr modified Pt aluminate coatings, a	141
<b>RuO<sub>2</sub> + La/ZrO<sub>2</sub>, preparation, stability, a</b>	31	in Pd-Ag dental alloys, a	35
<b>Ruthenium, NH<sub>3</sub> production, from N<sub>2</sub>, a</b>	27	Pt anodes in H <sub>2</sub> SO <sub>4</sub> , a	84
tunnelling, in graphite hydrogenation, a	24	Ti-Pd surfaces, a	82
<b>Ruthenium Complexes, cis-[Ru<sup>III</sup>(L)<sub>2</sub>(OH)<sub>2</sub>]<sup>+</sup>, HC oxidation, a</b>	32	(Ti <sub>90</sub> Ru <sub>10</sub> ) <sub>87</sub> Si <sub>13</sub> , in saline, a	140
K[Ru <sup>III</sup> (EDTA-H)Cl].2H <sub>2</sub> O, hydroformylation, a	90	<b>Cracking, iso-octane, a</b>	144
RuCl <sub>2</sub> ·RuCl <sub>3</sub> , norbornadiene, arenes, for vinyl carbamates, a	147	<b>Crystallisation, PdSi, PdGe. H dissolved in, a</b>	82
RuH <sub>2</sub> (PPh <sub>3</sub> ) <sub>4</sub> , aldololactone synthesis, a	222	<b>Crystals, cis-RuCl<sub>2</sub>(DMSO)<sub>4</sub>, a</b>	92
Ru(III)-EDTA, hydroformylation, a	91	Ln <sub>3</sub> Ru <sub>10</sub> P <sub>12</sub> , a	139
Ru(II) + hypochlorite, a	147	quasi, Al-Cu-Ru, a	138
Ru(OAc)Cl(PEtPh <sub>2</sub> ) <sub>2</sub> + Li, MeOH dehydrogenation, a	32	single, Pt(100), Pt(111), MeOH adsorption, a	84
Ru-Co system, EtOH production, a	32	Pt-Ni, surface characterisation, a	24
[H <sub>2</sub> RuCl <sub>2</sub> (AsPh <sub>3</sub> ) <sub>2</sub> ], oil hydrogenation, a	147	TiO <sub>2</sub> , surfaces, Pt thermal deposition on, a	213
[RuH <sub>2</sub> (N <sub>2</sub> )(PPh <sub>3</sub> ) <sub>3</sub> ], H <sub>2</sub> production, a	145	[Pt(en)], [Pt(en) <sub>2</sub> Cl <sub>2</sub> ](ClO <sub>4</sub> ) <sub>4</sub> , photo defects, a	27
[Ru <sup>IV</sup> O(bipy) <sub>2</sub> (ER <sub>3</sub> ) <sub>2</sub> ] <sup>2+</sup> , alcohol oxidation, a	26	<b>Cyclic Voltammetry, a</b>	84, 85
<b>Ru(bpy)<sub>3</sub><sup>2+</sup>/EDTA/MV<sup>2+</sup>, Pt clusters. H photoproduction, a</b>	85	<b>Cyclisation, to give pumiliotoxin, a</b>	221
<b>Ru-Co-Mn/Al<sub>2</sub>O<sub>3</sub>, composite, high calorific fuel production, from syngas, a</b>	145	<b>Cycloalkylation, vinyl epoxides, a</b>	221
<b>Ru-Cu/Al<sub>2</sub>O<sub>3</sub>, syngas conversion, a</b>	31	<b>Cyclohexane, dehydrogenation reactions, a</b>	34, 88, 143
MgO, SiO <sub>2</sub> , propane hydrogenolysis, a	145	from aromatisation of n-hexane, a	218
<b>Ru-Cu/SiO<sub>2</sub>, H<sub>2</sub> chemisorption, a</b>	31	<b>Cyclopentane, reactions over Pt, Ir/Al<sub>2</sub>O<sub>3</sub>, a</b>	143
<b>Ru-Pd/SiO<sub>2</sub>, synergism in C<sub>6</sub>H<sub>6</sub> hydrogenation, a</b>	90	<b>Decarbonylation, aldehydes, on Pd(III), a</b>	144
<b>Ru-Sn-B/Al<sub>2</sub>O<sub>3</sub>, oleyl alcohol production, a</b>	145	<b>Dehydrocyclisation, n-heptane, a</b>	88, 143
<b>Ru/pyrolysed polyacrylonitrile, CO, CO<sub>2</sub>, reduction, a</b>	31	<b>Dehydrogenation, aqueous alcohols, a</b>	140
<b>Ru/TiO<sub>2</sub> powder, H photoproduction, a</b>	141	cyclohexane, a	34, 88, 143
<b>Cerium, a</b>	143, 218	cyclopentane, a	143
<b>Cermets, Pt-Al<sub>2</sub>O<sub>3</sub> film, spectral selectivity, a</b>	87	MeOH, a	32, 85
<b>Chemisorption, H<sub>2</sub>, on Ru-Cu/SiO<sub>2</sub>, a</b>	31	n-hexane, a	30
<b>Chlorine, adsorption, on Pt electrode, a</b>	139	paraffins, irradiated, a	90
<b>Chloroplatinic Acid, a</b>	26	<b>Deoxygenation, N-O bonds, a</b>	90
<b>Cholinesterase, activity in human serum, detector, a</b>	216	<b>Detectors, boundary layer measurements, a</b>	142
<b>Chromium, dissolution rates, a</b>	26	CO <sub>2</sub> , portable, cheap	127
effect on Pt+Re+Cr/γ-Al <sub>2</sub> O <sub>3</sub> , a	88, 143	fish freshness	23
modified Pt aluminate coatings on Ni, a	141	for H, HC, CO concentrations	180
<b>Cisplatin, anti-cancer drug therapy</b>	162	glucose, a	217
<b>Coatings, Cr modified Pt aluminate, a</b>	141	glucose, saccharides, micro-enzyme, a	28, 86
Pd, of stainless steel in nuclear reactors	185	H, a	28, 87, 217
Pt, on steel, slide wear	72	heat transfer probe, for circulating fluidised bed, a	216
Pt, Pt alloys, for industry, jewellery	102	H <sub>2</sub> S, by Pd gate MOS, a	28
Pt modified aluminate, on gas turbine blades	127	H <sub>3</sub> O <sup>+</sup> , by Pt polypyrrole electrode, a	141
Rh, thin films, by plasma enhanced CVD	193	in spark ignition engines, book review	105
<b>Cobalt, dissolution rates, a</b>	26	NH <sub>3</sub> , a	28, 217
in Co/Pt magneto-optics	177, 222	N-acetyl-L-cysteine in H <sub>2</sub> O, a	217
<sup>60</sup> Co, in Pd coated steel, in reactors	185	O, fast response, a	216
<b>Coking, in Pt/Al<sub>2</sub>O<sub>3</sub>, a</b>	143	organic gases, with Rh probe, a	142
<b>Cold Fusion</b>	114	Pb, Cd, Sn in food slurries	193
<b>Colloids, Ir oxide + RuO<sub>2</sub>, a</b>	28	proton, a	87
Pd-β-cyclodextrins, HCO <sub>3</sub> <sup>-</sup> reduction, a	141	temperature, thin film Rh-Fe, cryogenic use	55
Pt, for H <sub>2</sub> photoproduction, a	27	<b>Deuterium, adsorption in Pd, a</b>	213
<b>Colombia, historical metallurgy</b>	73, 80	exchange reaction with propene, CO effect, a	143
<b>Composites, for ORINEL electrodes, a</b>	216	isotopic exchange, on PTFE/Pt/substrate, a	30
Pd thin film/porous glass,	87, 142	permeation with H, through Pd-Fe, a	25
water gas shift reaction, a	139	<b>Diacetoxylation, on Pt, Pd, Rh, a</b>	89
SPE, with Ir, Pt species, H <sub>2</sub> O electrolysis, a	140	<b>Diesel, engines, pollution control</b>	61
surface layers, Pt, CdS, photocatalytic alcohol dehydrogenation, a	140	for H production, in Hot Spot™ reactor	118
<b>Conferences, 26th Champion Ignition and Engine Performance, Munich, 25, 26 April 1989</b>	105	<b>Diffusion, barrier, Ta<sub>2</sub>N between Pd, Si/Al, a</b>	148
Chemistry of the Platinum Group Metals, 1990, announcement	116	H, D, in Pd, Pd, alloys	17, 58, 82, 137, 213
Electrochemical Society, California, May 1989	113	Si, in Pd, Si, a	214
Geo-Platinum 87, proceedings	13	see also <b>Permeability, Solubility</b>	91
Grove Fuel Cell Symp., London, 18-21 September 1989	169	<b>1, 5-Diketones, synthesis, a</b>	215, 219, 221
Int. Symp. Metal-Hydrogen Systems, 1988	17	<b>Dimerisation, a</b>	31
National Fuel Cell Seminar, 1988	10	<b>Dinitriles, hydrogenation, on Rh/MgO, a</b>	147
SAE Int. Congress, Detroit, 1989	61	<b>Diocetyl Sulphide, for Pd extraction, a</b>	217, 223
<b>Copper, electroless plating, a</b>	86	<b>Diodes, a</b>	35, 92, 148, 223
		<b>DNA, a</b>	29
		<b>D-gluconate, oxidation, a</b>	194, 212
		<b>E.E.C., exhaust emission control laws</b>	73, 80
		<b>Ecuador, historical metallurgy</b>	91
		<b>Electrical Contacts, Al/PtSi/n<sup>+</sup>-Si, resistivity, a</b>	148
		Ge/Pd, Au-Ge-Ni, to n-AlGaAs, resistivity, a	92
		Pd-n-GaAs, high temperature behaviour, a	223
		Pt/Ti/p-InGaAs, low resistance, a	see also <b>Schottky</b>

	<i>Page</i>		<i>Page</i>
<b>Electrocatalysis, CO<sub>2</sub> by thin polymeric films</b>	2	<b>Etching, Pt, <i>a</i></b>	12, 24
<b>Electrochemiluminescence, Ru(bpy)<sub>3</sub><sup>2+</sup>, dc, <i>a</i></b>	85	<b>Ethers, oxidation, by Ru(II) complexes, <i>a</i></b>	147
<b>Electrochemistry, <i>a</i> 26, 27, 83, 84, 139, 140, 215, 216</b>	216	<b>Ethyl Acetate, hydrogenation to EtOH, <i>a</i></b>	220
<b>Electrochromism, in IrO<sub>x</sub> thin films, <i>a</i></b>	34, 223	<b>Ethyl Acrylate, hydroformylation, <i>a</i></b>	221
<b>Electrodeposition, <i>a</i> 28, 86, 87, 141</b>	141	<b>Ethylene, conversion to CH<sub>3</sub>CHO, Wacker process</b>	60
Pd-Ni alloys, from sulphamates, <i>a</i>	86	reactions, <i>a</i>	29, 31, 89, 90, 146, 219, 221
Pt, Pt alloys, new baths	102	<b>Extraction, Pd, by phase-transfer catalysis, <i>a</i></b>	147
Pt films, from solution, <i>a</i>	28		
Pt microparticles, on PA/glassy C electrodes, <i>a</i>	84	<b>Films, IrO<sub>x</sub>, <i>a</i></b>	25
Pt on graphite, STM study, <i>a</i>	83	Pd/SiO <sub>2</sub> /Si, H effect, <i>a</i>	87
<b>Electrodes, anodes, Pt, in MeOH fuel cell, <i>a</i> 91, 222</b>	222	Pd/MIS, Langmuir-Blodgett, <i>a</i>	87
dissolution in H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	84	Pt on polycrystalline Pt foil, for electrodes, <i>a</i>	28
for MeOH oxidation, <i>a</i>	83	Pt-Al <sub>2</sub> O <sub>3</sub> cermet, spectral absorption, <i>a</i>	87
in fusion reactions	54	<b>Fischer Tropsch, <i>a</i></b>	31
cathodes, Al sheet, Ru(bpy) <sub>3</sub> <sup>2+</sup> ECL, <i>a</i>	85	<b>Fish, freshness detector</b>	23
IrO <sub>x</sub> , H evolution on, <i>a</i>	140	<b>Fluoro Amino Acids, synthesis, <i>a</i></b>	90
Pd, in fusion reactions	54	<b>Formaldehyde, MeOH fuelled vehicle, <i>a</i></b>	88
disc, Pt, Rh effects on dissolution rates, <i>a</i>	26	<b>Formamide, intermediate in CO, to CH<sub>4</sub>, <i>a</i></b>	222
in solid state fusion	114	<b>Formate, production</b>	2, 141
microplatinised, glucose, saccharide, <i>a</i>	28, 86	<b>Formic Acid, adsorption, oxidation, <i>a</i></b>	219
micro-, for glucose sensor, <i>a</i>	217	<b>Fuel Cells, <i>a</i></b>	33, 91, 147, 222
Pt, cylindrical, behaviour, <i>a</i>	216	alkaline, PtPc/C, Pt/Ni electrode evaluation, <i>a</i>	147
ORINELs, with Ir oxide, polyaniline, <i>a</i>	216	amorphous Ni alloy catalysts, <i>a</i>	33
Pd, Pd-Au, phase changes in hydride formation, <i>a</i>	140	formic acid, with Pt+ad atoms electrodes, <i>a</i>	33
Pd, +Cd, Tl, cyclic voltammetry, <i>a</i>	84	Grove Symp., London 18-21 September 1989	169
Pd-Ag, oxidative dimerisation of CH <sub>4</sub> , <i>a</i>	215	methanol, <i>a</i>	33, 91, 222
photoanodes, n-GaAs, stabilised with Pt grains, <i>a</i>	216	National Fuel Cell Seminar, 1988	10
Pt, allylic acetates electroreduction, <i>a</i>	139	PEM, catalyst poisoning, <i>a</i>	91
EtOH oxidation on, <i>a</i>	83	phosphoric acid, <i>a</i>	33, 222
hydrous oxide formation in acid, <i>a</i>	215	review	63, 169
in H sensor, <i>a</i>	217	SPE, electrodes, <i>a</i>	33, 222
polyaniline deposition, <i>a</i>	139	<b>Fuels, alternative, book review</b>	105
Pt-Al surface alloy formation, <i>a</i>	84	high calorific, synthesis from syngas, <i>a</i>	145
glassy C, polypyrrole, for propylene carbonate oxidation, <i>a</i>	215	in engines, conference, Munich, 1989	105
metallised thick film, for cholinesterase activity, <i>a</i>	216	<b>Furnaces, Pd coated, for As, Sb, Se detection, <i>a</i></b>	142
rotating ring disc, O <sub>2</sub> reduction on, <i>a</i>	33, 139	<b>Fusion, solid state</b>	114
Pt phthalocyanine/C, fuel cell, evaluation, <i>a</i>	147	<b>Fusion Reactors, H purification for</b>	9
Pt polypyrrole, as H <sub>2</sub> O <sup>+</sup> sensor, <i>a</i>	141		
Pt + adatoms, in formic acid fuel cell, <i>a</i>	33	<b>Gas Turbine Engines</b>	46, 127
Pt + CoTMPP/C, O reduction in fuel cell, <i>a</i>	222	<b>Gases, organic, sensor for, <i>a</i></b>	142
Pt(100) electrofaceted, stabilisation in acid, <i>a</i>	84	<b>Gasoline, Pb-free, for H production,</b>	118
Pt(100)/Pt foils, <i>a</i>	28	<b>Gauzes, catalytic</b>	12, 88, 218
Pt(111), Pt(100), MeOH adsorption on, <i>a</i>	84	<b>Generators, H, Hot Spot™ reactor</b>	118
Pt-Mo-SPE, for MeOH oxidation, <i>a</i>	33, 139	<b>Geology, Geo-Platinum 87, conference report</b>	13
Pt-SPE, H <sub>2</sub> O electrolysis, <i>a</i>	139	<b>Germanium, Si, Ge<sub>1-x</sub>, reactions with Pt, <i>a</i></b>	213
Pt-W bronze, for MeOH oxidation, <i>a</i>	26	<b>Glass, porous, Pd, plated composite, <i>a</i></b>	87
Pt/C, in SPE, H <sub>2</sub> PO <sub>4</sub> fuel cells, <i>a</i>	33	reactions with binary Rh alloys	64
Pt/Nafion, O reduction at, <i>a</i>	26	Vycor membrane, Pt impregnated, reactor, <i>a</i>	34
Pt/Ni, porous gas diffusion, evaluation, <i>a</i>	147	<b>Glucose, detectors, <i>a</i></b>	28, 86, 217
Pt/PA/glassy C, H evolution, <i>a</i>	84	<b>Gmelin, technology of the platinum group metals</b>	21
Pt/poly[RuL <sub>3</sub> ] <sup>2+</sup> -RuO <sub>2</sub> , oxidation reactions, <i>a</i>	27	<b>Graphite, hydrogenation, by tunnelling catalysts, <i>a</i></b>	24
Pt/PTFE, in CO <sub>2</sub> sensor	127	<b>Greenhouse Effect, caused by motor exhausts</b>	194
Pt/Ru, Pt(IV) species, in acid media, <i>a</i>	215	<b>Grove Fuel Cell Symposium, London</b>	169
with thin polymeric films, for CO <sub>2</sub> reduction	2		
WPt, WRh, in thermoelectric converter, <i>a</i>	140	<b>Halides, organic, photoreactions, <i>a</i></b>	141
<b>Electrolysis, H<sub>2</sub>O, by Ir, Pt in SPE, <i>a</i></b>	139	<b>Heavy Water, production, <i>a</i></b>	30
<b>Electronics, Pt, Pd powders for</b>	16	<b>1-Heptaldehyde, formation, <i>a</i></b>	91
<b>Electroplating, <i>a</i></b>	28, 86, 102	<b>Heptanal, production, <i>a</i></b>	145
<b>Emission Control, 1989 SAE Int. Congress, Detroit</b>	61	<b>n-Heptane, dehydrocyclisation, <i>a</i></b>	88, 143
1992 E.E.C. standards	212	<b>Heterojunctions, micro, for H production, <i>a</i></b>	85
catalysts, book review	105	<b>1-Hexane, hydroformylation, <i>a</i></b>	221
CeO <sub>2</sub> effects on, <i>a</i>	143	<b>n-Hexane, catalytic reactions, <i>a</i></b>	29, 30, 143, 218
gas turbines	46	<b>1-Hexene, hydroformylation, <i>a</i></b>	91
MeOH fuelled vehicles, <i>a</i>	88	<b>History, Pt metallurgy</b>	80
motor vehicles, greenhouse effects	194	S. American, Pt separation from Au	73
print industry drying gas	178	<b>Honeycat®, catalyst used in print industry</b>	178
<b>Energy, solar, converter, <i>a</i></b>	85	<b>Hot Spot™ Reactor, H generation</b>	118
<b>Engines, combustion, book review</b>	105	<b>Hydrazines, voltammetric determinations, <i>a</i></b>	86
design, conference, Munich, 1989	105	<b>Hydride, measurements, in As, Sb, Se detection, <i>a</i></b>	142
<b>Enol Triflates, reaction with alkyl vinyl ethers, <i>a</i></b>	146	<b>Hydrocarbons, aromatic, formation, <i>a</i></b>	144
<b>Environment, protection</b>	178, 194	concentration sensor	180
<b>Erythrocytes, detector, <i>a</i></b>	216	emission control from gas turbines	46
<b>Esters, <i>a</i></b>	145, 146, 147, 220	production, from syngas, <i>a</i>	31
		unsaturated, hydrogenation, <i>a</i>	32, 144
		<b>Hydrocarboxylation, polybutadiene, styrene, <i>a</i></b>	146, 221

	<i>Page</i>		<i>Page</i>
<b>Hydrocracking</b> , n-hexane, catalyst selectivity, <i>a</i>	143	<b>Iridium</b> , density, crystallographic data	14
<b>Hydroformylation</b> , 1-hexene, by Ru(III)-EDTA, <i>a</i>	91	in SPE, for H <sub>2</sub> O electrolysis, <i>a</i>	139
alkenes, by Rh, complexes, <i>a</i>	32	Ir tin oxide, in optical attenuator, <i>a</i>	35
allyl alcohol, by K[Ru <sup>III</sup> (EDTA-HCl)·2H <sub>2</sub> O], <i>a</i>	90	Ir(IV) hydroxide, thermal change to IrO <sub>2</sub> , <i>a</i>	138
by [Rh(CO) <sub>2</sub> Cl] <sub>2</sub> + phosphanorbornadienes, <i>a</i>	221	Ir-Ta buffer layer, in Y-Ba-Cu-O thin films, <i>a</i>	92
C <sub>2</sub> H <sub>4</sub> , on Rh catalysts, <i>a</i>	31, 90	<b>Iridium Alloys, Iridium-Palladium</b> , <i>a</i>	217
fluoro olefins, by Rh <sub>6</sub> (CO) <sub>16</sub> , <i>a</i>	90	<b>Iridium Complexes</b> , carbenes, book review	117
propene, during D exchange reaction, <i>a</i>	143	[IrCl(CO) <sub>2</sub> L], liquid crystals, <i>a</i>	83
<b>Hydrogen</b> , adsorption in Pd, <i>a</i>	213	<b>Iridium Oxides</b> , colloid, stabilised, <i>a</i>	28
catalytic reactions with CO, <i>a</i>	144, 219	electrochromic films, <i>a</i>	34, 223
charging in Pd, Pd-Au electrodes, <i>a</i>	140	in ORINEL electrodes, <i>a</i>	216
chemisorbed on Pd/Al <sub>2</sub> O <sub>3</sub> , for hydrogenations, <i>a</i>	89	IrO <sub>2</sub> films, for electrodes, <i>a</i>	25
chemisorption, on Ru-Cu/SiO <sub>2</sub> , <i>a</i>	31	powder, formation, <i>a</i>	138
coadsorption on Pt(111) with HCl, <i>a</i>	213	IrO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> , resistors, <i>a</i>	35
concentration detection	180	IrO <sub>x</sub> cathodes, evolution, <i>a</i>	140
detectors, <i>a</i>	28, 87, 214, 217	in an optical attenuator, <i>a</i>	35
diffusion	17, 58, 137	<b>Iron</b> , promoter, to Pd/SiO <sub>2</sub> catalyst, <i>a</i>	89
diffusion electrodes, in fuel cell, <i>a</i>	147	<b>Isomerisation</b> , <i>a</i>	32, 88, 143, 144
effect on Pd/LB film/Si MIS devices, <i>a</i>	87	<b>Isooctane</b> , cracking, catalyst intercrystalline effect, <i>a</i>	144
effects, in Pd films/SiO <sub>2</sub> /Si, optical transport, <i>a</i>	87	<b>Isopropyl Alcohol</b> , from acetone, on Pt/TiO <sub>2</sub> , <i>a</i>	30
in MeOH synthesis, on Pd/SiO <sub>2</sub> +MgO, Fe, <i>a</i>	89	<b>ITS-90</b> , new temperature measurement scale	128
in metals, Int. Symp.	17	<b>Johnson Matthey</b> , Honeycat <sup>®</sup> industrial catalyst	178
in PdGe, PdSi, properties, <i>a</i>	82	Hot Spot <sup>™</sup> Reactor H generation	118
isotopes, H, D, H-D, permeability, <i>a</i>	25	"Platinum 1989"	113
isotopic exchange, PTFE/Pt/substrate catalyst, <i>a</i>	30	<b>Jobba Oil</b> , hydrogenation, by Ru complex, <i>a</i>	147
oxidation, on sulphurised Pt, electrochemistry, <i>a</i>	139	<b>KELEX 100</b> , for Pd extraction, <i>a</i>	147
Pd-Ce-H solid solutions, properties, <i>a</i>	82	<b>Ketones</b> , production, <i>a</i>	32, 147
permeation in Pd, C, S, effects on, <i>a</i>	214	<b>β-Lactams</b> , synthesis, <i>a</i>	148
with D, through Pd/Fe	25	<b>Langmuir-Blodgett Films</b> , in Pd/MIS devices, <i>a</i>	87
photoproduction, <i>a</i>	27, 85, 140, 141	<b>Lanthanum</b> , <i>a</i>	30, 31, 218
production, by Hot Spot <sup>™</sup> reactor	118	<b>Lasers</b> , CO <sub>2</sub> , TEA, Pt/Fecralloy catalyst in	20
from aqueous solutions, over Pt/TiO <sub>2</sub> , <i>a</i>	30	for irradiating RhH(CO)(PPh <sub>3</sub> ) <sub>3</sub> catalyst, <i>a</i>	141, 221
from EtOH, by Ru, Rh, complexes, <i>a</i>	145	for measuring luminescence decay, <i>a</i>	27
from MeOH, in fuel cell, <i>a</i>	33	used in CVD of Pt, <i>a</i>	27
from Pt/PA/C electrodes, <i>a</i>	84	<b>Lead</b> , detection in food slurries	193
from waste MeOH	58	<b>Lewis Acid</b> , base titration, of Pd, Nb, <i>a</i>	84
in water gas shift reaction, <i>a</i>	90, 142	<b>Luminescence</b> , in Ru, Pt complexes, <i>a</i>	27, 28, 85
on IrO <sub>x</sub> cathodes, <i>a</i>	140	<b>Magnesium</b> , <i>a</i>	89, 214
purification, by Pd-Ag	9, 58	<b>Magnetism</b> , Dy <sub>5</sub> Ru <sub>10</sub> P <sub>12</sub> , <i>a</i>	139
reaction with CO + benzyl halide, <i>a</i>	220	in Pt/Co, Pd/Co films, for magneto-optics, <i>a</i>	222
reduction, on RuO <sub>2</sub> +La/ZrO <sub>2</sub> , <i>a</i>	31	PtMnSb films, <i>a</i>	223
removal from nuclear accidents, <i>a</i>	86	Pt-Fe-B, <i>a</i>	24
response, by microionic insertion sensor, <i>a</i>	87	Ru-Fe-Ga-Si, films, <i>a</i>	25
separation, from N <sub>2</sub> , CO, by Pd/porous glass, <i>a</i>	87	<b>Magneto-Optics</b> , Co/Pt layers for storage media	177
solubility, in Pd-Rare Earth alloys, <i>a</i>	82, 214	in PtMnSb	54, 148
uptake in Pd-Mg sandwiches, <i>a</i>	214	in Pt/Co, Pd/Co ultrathin films, <i>a</i>	222
<b>Hydrogen Chloride</b> , <i>a</i>	29, 213	<b>Medical</b> , <i>a</i>	35, 92, 148, 223
<b>Hydrogen Sulphide</b> , <i>a</i>	28, 85	anti-cancer drug therapies	162
<b>Hydrogenation</b> , 1, 3-butadiene, <i>a</i>	29	detectors, <i>a</i>	216, 217
acetone, <i>a</i>	30	<b>Membranes</b> , catalysts, <i>a</i>	142, 219
alkynes, alkenes, <i>a</i>	89	<b>Metallo-Ene</b> , reactions in organic synthesis, <i>a</i>	145
α-keto esters, <i>a</i>	218	<b>Metallurgy</b> , history	73, 80
benzene, on Ru-Pd/SiO <sub>2</sub> , synergism, <i>a</i>	90	<b>Methane</b> , <i>a</i>	31, 89, 214, 215, 222
CO, for Rh, RhFe zeolite structure, <i>a</i>	220	<b>Methanol</b> , see <b>Alcohols</b> , methyl	145
on Pt, Pd, Rh catalysts, <i>a</i>	31, 88, 142, 144,	<b>Methyl Oleate</b> , hydrogenation, <i>a</i>	145
aldehydes, unsaturated HC, on Pt/TiO <sub>2</sub> , <i>a</i>	90	<b>Methylcyclopentane</b> , conversion on Pt catalysts, <i>a</i>	29
CO <sub>2</sub> , on Pd/La <sub>2</sub> O <sub>3</sub> , /SiO <sub>2</sub> , La-Pd/SiO <sub>2</sub> , <i>a</i>	30	<b>Mineralogy</b> , Geo-Platinum 87, conference report	13
C <sub>2</sub> H <sub>2</sub> , C <sub>2</sub> H <sub>4</sub> , on H on Pd/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	89	<b>Molybdenum</b> , <i>a</i>	30, 139, 217
C <sub>2</sub> H <sub>4</sub> , by Pt(II) ethyl complexes, <i>a</i>	221	<b>MOSFET</b> , with Pd-Ir gate, for NH <sub>3</sub> detection, <i>a</i>	217
dinitriles, on Rh/MgO, <i>a</i>	31	<b>Naphtha</b> , reforming, <i>a</i>	29
ethyl acetate, to EtOH, on Rh-Sn/SiO <sub>2</sub> , <i>a</i>	220	<b>Nickel</b> , dissolving rates, <i>a</i>	26
graphite, by tunnelling catalysts, <i>a</i>	24	<b>Nickel Alloys</b> , amorphous catalysts, in fuel cells, <i>a</i>	33
jojoba, castor oils, <i>a</i>	147	<b>Nicotinamide</b> , reduction, by Rh <sup>III</sup> + Na formate, <i>a</i>	32
methyl oleate, <i>a</i>	145	<b>Nitric Acid</b> , catalyst gauze studies, <i>a</i>	88, 218
olefins, <i>a</i>	25, 141, 220, 221	<b>Nitrobenzene</b> , reduction, by Rh complexes, <i>a</i>	146
thiophene, by Pd-alizarin c/γ-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	30	<b>Nitrogen</b> , implanted in PtTi, PdTi/steel, wear, <i>a</i>	81
unsaturated hydrocarbons, <i>a</i>	32	N-O bonds, deoxygenation, <i>a</i>	90
vinylacetylene, <i>a</i>	30	photocatalytically fixed to NH <sub>3</sub> , <i>a</i>	27
<b>Hydrogenolyses</b> , <i>a</i>	143, 145	reaction with Pd, Mo/WO <sub>x</sub> /W, <i>a</i>	90
<b>Hydroisomerisation</b> , olefins, branched chain, <i>a</i>	144	to study C catalyst supports, <i>a</i>	89
<b>Hydronium</b> , ion, sensor, <i>a</i>	141	<b>Inquartation</b> , historical method of separating Pt	73
<b>Iodides</b> , organic, carbonylation, <i>a</i>	145	<b>Iodides</b> , organic, carbonylation, <i>a</i>	145
<b>Ion Beam Bombardment</b> , Pt(111) surfaces, <i>a</i>	137	<b>Ion Beam Bombardment</b> , Pt(111) surfaces, <i>a</i>	137

	<i>Page</i>		<i>Page</i>
<b>Nitrogen Oxides</b> , exhaust control, greenhouse effect	194	<b>Palladium</b> ( <i>contd.</i> )	
NO, adsorption on Rh(100), <i>a</i>	82	Pd-Fe-Zr, phase studies, <i>a</i>	25
cycled reduction on automotive Pd catalyst, <i>a</i>	144	Pd-Mg sandwiches, H uptake in, <i>a</i>	214
effect on CO disruption of Rh/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	31	Pd-n-GaAs, contacts, <i>a</i>	92
NO <sub>2</sub> , reduction by CO, on Pt foil, <i>a</i>	81, 138	Pd-Se system, superconductivity in, <i>a</i>	92
<b>Nuclear Fuel</b> , <i>a</i>	28, 86, 91	Pd/Co ultrathin films, magneto-optics, <i>a</i>	222
<b>Nuclear Fusion</b> , see <b>Solid State Fusion</b>		Pd/Fe, H-D permeation through, <i>a</i>	25
<b>Nuclear Reactors</b> , Pd coated steel	154	Pd/InP(110), Schottky barrier formation, <i>a</i>	92
<b>Nucleic Acid</b> , reactions with Ru ion complexes, <i>a</i>	26	Pd/n-InP, MOS, barrier height, <i>a</i>	223
<b>N-Acetyl-L-Cysteine</b> , determination in water, <i>a</i>	217	Pd/porous glass, for H separation, <i>a</i>	87
		Pd <sup>2+</sup> /poly(acrylic acid) film, for Cu plating, <i>a</i>	86
<b>Olefins</b> , hydrogenations, <i>a</i>	25, 90, 141, 144, 220, 221	Pd <sub>2</sub> Si/Ta <sub>2</sub> N/Al, diffusion barrier, <i>a</i>	148
for aldehyde synthesis, <i>a</i>	221	Pd <sub>50</sub> Ti <sub>50</sub> films, implanted in stainless steel, <i>a</i>	81
<b>Organic Synthesis</b> , using Pd complex catalysts	145, 186	powder production, for electronics	16
<b>Organostannanes</b> , coupling with vinyl epoxides, <i>a</i>	146	selective deposition on polyimide, by Ar laser, <i>a</i>	86
<b>Osmium</b> , density, crystallographic data	14	thin films, on Al surfaces, reactions, <i>a</i>	81
<b>Osmium Complexes</b> , [Os <sup>II</sup> (N-N)(L) <sub>4</sub> ] <sup>n+</sup> , [Os <sup>II</sup> (N-N) <sub>2</sub> (L)(L')] <sup>n+</sup> , preparation, properties, <i>a</i>	83	thin film/glass, water gas shift reaction, <i>a</i>	87, 142
<b>Osmium Tetroxide</b>	138, 181	used in solid state fusion	115
<b>Oxidation</b> , alcohols, by Ru(IV)-oxo phosphine, <i>a</i>	26	+hydroxylamine hydrochloride, for Mo, <i>a</i>	217
alkanes, by alkylhydroperoxides + Ru, <i>a</i>	32	<b>Palladium Alloys</b> , <b>Palladium-Cerium-Hydrogen</b> , <i>a</i>	82
ethers, by Ru(II) complexes, <i>a</i>	147	<b>Palladium-Gold</b> , electrodes, <i>a</i>	140
benzyl alcohol, by Pt/poly[RuL <sub>3</sub> ] <sup>2+</sup> -RuO <sub>2</sub> , <i>a</i>	27	<b>-Rhodium</b> , short-range order in, <i>a</i>	24
butane, by Pt black-MO <sub>x</sub> , <i>a</i>	87	<b>Palladium-Iridium</b> , for NH <sub>3</sub> sensor, <i>a</i>	217
CO, <i>a</i>	137, 219, 220	<b>Palladium-Nickel</b> , electrodeposited, <i>a</i>	86
C <sub>1</sub> <sup>-</sup> , in fuel cell, <i>a</i>	33	<b>Palladium-Silver</b> , dental alloys, <i>a</i>	35
ethylene, in PdCl <sub>2</sub> -CuCl <sub>2</sub> systems, <i>a</i>	146	electrodes, <i>a</i>	215
Pt/SiO sintering during, <i>a</i>	29	membranes, for H <sub>2</sub> purification	9, 58
EtOH, on Pt electrodes, <i>a</i>	83	<b>Palladium-Titanium</b> , <i>a</i>	82, 84
formaldehyde, for exhaust catalyst, <i>a</i>	88	<b>Palladium-Yttrium</b> , H solubility in, <i>a</i>	82
H, on sulphurised Pt, electrochemistry, <i>a</i>	139	<b>Pd-Rare Earth</b> , H solubility, thermodynamics, <i>a</i>	214
MeOH, at Mo-Pt-SPE electrodes, <i>a</i>	33, 139	Pd-(B,P), thin films, olefin hydrogenation, <i>a</i>	25
at Pt electrodes, <i>a</i>	26, 83, 84	Pd <sub>10</sub> Ge <sub>20</sub> , Pd <sub>10</sub> Si <sub>20</sub> , H in, properties, <i>a</i>	82
on Pt bimetallic/C in fuel cell, <i>a</i>	91	<b>Palladium Chloride</b> , PdCl <sub>2</sub> , MgCl <sub>2</sub> , complexes, <i>a</i>	26
methane, deep, on Pd/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	89	to measure N-acetyl-L-cysteine in water, <i>a</i>	217
products of gas turbine engines	46	<b>Palladium Complexes</b> , in PdCl <sub>2</sub> -MgCl <sub>2</sub> solution, <i>a</i>	26
propane, propylene, on Pt, Pd, Rh/α-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	142	organo-Pd, cationic, <i>a</i>	83
propylene, in phosphoric acid fuel cell, <i>a</i>	222	Pd(II) carbenes, book review	117
propylene carbonate, on electrodes, <i>a</i>	215	<b>Palladium Hydride</b> , formation, <i>a</i>	213
Pt in catalysts, passivation, <i>a</i>	88	<b>Palladium Silicides</b> , <i>a</i>	214, 219
Rh, Ir on SiO <sub>2</sub> , Al <sub>2</sub> O <sub>3</sub> , microstructure, <i>a</i>	145	<b>Paraffins</b> , <i>a</i>	90
styrene, on Pd-Mn, <i>a</i>	30	<b>n-Pentane</b> , reactions on Pt-X/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	29, 88
thiophene, by Pd(II) complexes, <i>a</i>	146	<b>Permeability</b> , H, D, through Pd, <i>a</i>	9, 25, 87, 142
<b>Oxidations</b> , using OsO <sub>4</sub> , Ru oxides	181	see also <b>Diffusion, Solubility</b>	
<b>Oxygen</b> , adsorption, on Pt(110), <i>a</i>	137	<b>Petroleum</b> , for H production, Hot Spot™ reactor	118
deactivation of Pt/C, <i>a</i>	29	<b>Phase Changes</b> , Pt-Si <sub>x</sub> Ge <sub>2-x</sub> thermal reactions, <i>a</i>	213
reduction, on fuel cell electrodes, <i>a</i>	33, 147	D <sub>2</sub> on Pd(110), <i>a</i>	213
on Pt electrodes, <i>a</i>	26, 83, 139	in HCl, H, H <sub>2</sub> O + Pt, <i>a</i>	213
sensor, with SPE+Pt black electrode, <i>a</i>	216	in Pd, Pd-Au electrodes, <i>a</i>	140
		<b>Phase Diagrams</b> , IrO <sub>2</sub> , <i>a</i>	25
<b>Palladium</b> , additives, effects on Ni-Cr catalysts, <i>a</i>	144	Pd-Er, <i>a</i>	214
black, reactions with Pt chloro complexes, <i>a</i>	27	Pd-Nb-O, <i>a</i>	84
coating in furnace, for As, Sb, Se detection, <i>a</i>	142	Pd-Zr-Fe, <i>a</i>	25
coatings, of steel in nuclear reactors	185	Pt-Al, <i>a</i>	25
complexes, compounds, for organic syntheses	186	Rh-Nb-O, <i>a</i>	84
compounds, Pd-Er, H solubility, <i>a</i>	214	Ru-Al, <i>a</i>	25
electrode, catalytic behaviour, +Cd, Ti, <i>a</i>	84	Ru-Al-Ti, isothermal sections	106
electroplating bath, <i>a</i>	86	<b>Photocatalysis</b> , <i>a</i>	27, 28, 85, 86, 140, 216
extraction, by phase-transfer catalysis, <i>a</i>	147	<b>Photocurrent</b> , in [Ru(bpy) <sub>3</sub> ] <sup>2+</sup> /C <sub>7</sub> V <sub>2</sub> <sup>2+</sup> , <i>a</i>	86
from spent nuclear fuel, <i>a</i>	91	<b>Plating</b> , electroless, Cu, <i>a</i>	86
films, in SiO <sub>2</sub> /Si, H effect, properties, <i>a</i>	87	Pd on porous glass, for H separation, <i>a</i>	87
gate layers, in microionic H insertion sensor, <i>a</i>	87	Pt electrolytes, <i>a</i>	28
gate MOS transistor, <i>a</i>	28	Pt, Pt alloys, new baths	102
Ge/Pd electrical contacts to n-AlGaAs, <i>a</i>	148	selective of Pd on polyimide by Ar laser, <i>a</i>	113
H permeation through, C, S effects on, <i>a</i>	214	<b>"Platinum 1989"</b>	86
hydride formation, from H, D adsorption, <i>a</i>	213	<b>Platinum</b> , additives, effects on Ni-Cr catalysts, <i>a</i>	144
in electrodes, <i>a</i>	140	amorphous phases with Al, <i>a</i>	24
in PH 13-8 Mo stainless steel, structure, <i>a</i>	82	anodes, corrosion in H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	84
in sensors, <i>a</i>	87, 214, 217	for MeOH oxidation, <i>a</i>	83
modifier, to detect Pb, Sn, Cd in food slurries	193	anti-cancer drugs	162
Pd gates/LB film/Si MIS devices, <i>a</i>	87	Bi <sub>2-x</sub> Pb <sub>x</sub> Pt <sub>2-x</sub> Ru <sub>x</sub> O <sub>7-x</sub> , conductivity, <i>a</i>	223
Pd(110), D adsorption, phases, <i>a</i>	213	black, electrode, in SPE O sensor, <i>a</i>	216
Pd(111), H diffusion, <i>a</i>	137	compounds, PtMnSb films, bulk, for magneto-optics	54, 148
MeOH decomposition on, <i>a</i>	214	Pt-Rh clusters, NMR study, <i>a</i>	81
Pd(II), complexation with macrocyclic ligand, <i>a</i>	215	[NEt <sub>4</sub> ] <sub>2</sub> [Pt <sub>12</sub> (CO) <sub>24</sub> ], on graphite, <i>a</i>	215

<b>Platinum (contd.)</b>	<i>Page</i>	<b>Platinum Complexes (contd.)</b>	<i>Page</i>
Co/Pt layers, for magneto-optics	177, 222	cis-dichloroethylene-diamine-Pt(II), <i>a</i>	148
crystallites, for O reduction, <i>a</i>	83	K <sub>2</sub> PtCl <sub>4</sub> , binding to metallothioneins, <i>a</i>	35
CVD, thin films, <i>a</i>	27	K <sub>2</sub> PtCl <sub>4</sub> , reactions with Pd black, <i>a</i>	27
deposition of polyaniline, electrochemically, <i>a</i>	139	Pt ethylenediamine single crystals, defect states, <i>a</i>	27
electrodeposited, on graphite, STM studies, <i>a</i>	83	Pt(II), reaction with PtCl <sub>4</sub> , H <sub>2</sub> PtCl <sub>6</sub> , <i>a</i>	26
electrodes, as hydronium sensor, <i>a</i>	141	sorption on ZrO <sub>2</sub> , <i>a</i>	83
for cholinesterase, erythrocyte activity, <i>a</i>	216	trans-[Pt(PMe <sub>3</sub> )Cl <sub>2</sub> (NH <sub>3</sub> )], in β-cyclodextrin, <i>a</i>	25
for EtOH oxidation, <i>a</i>	83	<b>Platinum Metals</b> , conference announcement	116
for O reduction in saline, <i>a</i>	139	use in spark ignition engines, book review	105
for propylene carbonate oxidation, <i>a</i>	215	with H, Int. Symp.	17
in fuel cells, <i>a</i>	33, 147, 222	<b>Platinum Silicides</b> , <i>a</i>	34, 91, 213, 223
in sensors, <i>a</i>	141, 217	<b>Plutonium</b> , analysis in nuclear fuel, <i>a</i>	28
Pt(111), Pt(100) single crystals, <i>a</i>	84	<b>Poisoning</b> , Pt catalyst, in fuel cell, <i>a</i>	91
Pt-Al surface alloy formation, <i>a</i>	84	self, in catalysts, by O, HC, <i>a</i>	142, 144
Pt/PA/C, H evolution, MeOH oxidation, <i>a</i>	84	<b>Pollution Control</b> , E.E.C. laws	194, 212
WPt, WRh in thermoelectric converter	140	catalysts in MeOH fuelled vehicles, <i>a</i>	88
(100)-type, stabilisation in acid, <i>a</i>	84	from gas turbine engines	46
foils, films, catalytic etching, <i>a</i>	24	H burning after reactor accident, <i>a</i>	86
gates in MOS gas detectors, <i>a</i>	28	motor vehicle exhausts, greenhouse effects	143, 194
grains, to stabilise n-GaAs photoanodes, <i>a</i>	216	print industry drying gas	178
HCHO-Pt-H <sub>2</sub> SO <sub>4</sub> , for hydrazine		SAE Int. Congress, Detroit, 1989	61
determinations, <i>a</i>	86	<b>Polyaniline</b> , deposition, on Pt, <i>a</i>	139
heat probe, for circulating fluidised bed, <i>a</i>	216	<b>Polybutadiene</b> , hydrocarboxylation, <i>a</i>	221
in cermets, optical absorption, <i>a</i>	87	<b>Polymerisation</b> , aldehydes, on Pd(III), <i>a</i>	144
in electrodes, SPE, for H <sub>2</sub> O electrolysis, <i>a</i>	139	<b>Potassium</b> , adsorption on Rh(100), <i>a</i>	82
in low resistance electrical contacts, <i>a</i>	223	<b>Powders</b> , IrO <sub>2</sub> , Ir(IV) hydroxide thermolysis, <i>a</i>	138
in spark plugs	105	Pt, Pd production	16
microelectrodes, cylindrical, behaviour, <i>a</i>	216	Ru/TiO <sub>2</sub> , for H photoproduction, <i>a</i>	141
on electrodes, in CO <sub>2</sub> sensor	127	<b>Pricing Industry</b> , catalytic cleanup of gases	178
particles deposition, on TiO <sub>2</sub> crystal surfaces, <i>a</i>	213	<b>Promoters</b> , CeO <sub>2</sub> , in three-way catalysts, <i>a</i>	143
photodeposition, from hexachloroplatinate ion, <i>a</i>	27	Cr, in Pt-Re/γ-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	88
plating	28, 102	Fe, MgO, La, in Pd/SiO <sub>2</sub> catalysts, <i>a</i>	30, 89
powder production, for electronics	16	La <sub>2</sub> O <sub>3</sub> , in Rh catalysts, <i>a</i>	31
PtMnSb thin films, magnetic properties, <i>a</i>	223	Mo, Re, W, in Pt/X-zeolite catalysts, <i>a</i>	30
Pt(110), CO, O adsorption, CO oxidation, <i>a</i>	137	Se, in Rh/ZrO <sub>2</sub> catalysts, <i>a</i>	31
Pt(111), deposition, characterisation, <i>a</i>	137	VOCl <sub>2</sub> ·5H <sub>2</sub> O, in Rh/SiO <sub>2</sub> catalyst, <i>a</i>	90
HCl, adsorption on, +H, +H <sub>2</sub> O, <i>a</i>	213	<b>Propane</b> , catalytic reactions, <i>a</i>	142, 145
hydrogenation of 1,3-butadiene on, <i>a</i>	29	<b>Propene</b> , exchange reaction with D, CO effect, <i>a</i>	143
S/Pt(111), CO adsorption on, <i>a</i>	81	<b>Propylene</b> , <i>a</i>	142, 222
Pt(II), complexation with macrocyclic ligand, <i>a</i>	215	<b>Propylene Carbonate</b> , <i>a</i>	215
Pt(IV) species, on Pt/Ru electrodes, <i>a</i>	215	<b>Proton</b> , detector, by Pd gate MIS Schottky diodes, <i>a</i>	87
Pt-C stretch mode in Pt{111}-CO spectra, <i>a</i>	24	<b>Pumiliotoxin</b> , synthesis, <i>a</i>	221
Pt/Co ultrathin films, magneto-optics, <i>a</i>	177, 222		
Pt/GaAs, interfacial reactions, <i>a</i>	147	<b>Redox</b> , cycling, for catalyst characterisation, <i>a</i>	88
Pt/(111)Si, thickness effect on silicide, <i>a</i>	213	<b>Reduction</b> , bicarbonate, photocatalytically, <i>a</i>	141
S adsorbed, H response, <i>a</i>	139	Carbon oxides, on Ru/pyrolysed polyacrylonitrile, <i>a</i>	31
Schottky contacts, production, properties, <i>a</i>	223	CO <sub>2</sub> , electrocatalytically	2
sponge, reaction with alkali hydrides, <i>a</i>	26	H <sub>2</sub> , on RuO <sub>2</sub> +La/ZrO <sub>2</sub> , <i>a</i>	31
substrates for ErBaCuO superconductors, <i>a</i>	34	Ir, Rh on Al <sub>2</sub> O <sub>3</sub> , microstructure, <i>a</i>	145
Tennant, Wollaston, partnership, history	129	nitrobenzene, by Rh	
thermal reactions with Si <sub>3</sub> Ge <sub>1-x</sub> , <i>a</i>	213	complexes/SiO <sub>2</sub> , <i>a</i>	146
thin coating on steel, slide wear	72	NO, cycled on Pd+La <sub>2</sub> O <sub>3</sub> /α-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	144
thin film deposition, for electrodes, <i>a</i>	28	O, on Pt, <i>a</i>	26, 33, 83, 139, 147
used in solid state fusion	115	<b>Refining</b> , platinum metals, in Gmelin	21
wire wedge bonding, <i>a</i>	34	<b>Reforming</b> , <i>a</i>	29, 143
+SnO <sub>2</sub> /Si wafers, H sensing properties, <i>a</i>	217	<b>Resistance Thermometers</b> , Pt, use in new ITS-90	
<b>Platinum Alloys</b> , plating baths	102	temperature scale	55, 128
<b>Platinum-Aluminium</b> , surface alloy on Pt		<b>Resistors</b> , thick film, <i>a</i>	35, 92
electrode in Al <sub>2</sub> Br <sub>6</sub> solution, <i>a</i>	84	<b>Rhenium</b> , promoter, in Pt/X-zeolite catalyst, <i>a</i>	30
<b>Platinum-Boron-Iron</b> , magnetic properties, <i>a</i>	24	<b>Rhodium</b> , compounds, Pt-Rh clusters, NMR, <i>a</i>	81
<b>Platinum-Iron</b> , martensitic transformation, in, <i>a</i>	81	Rh <sub>4</sub> (CO) <sub>12</sub> , on graphite, structure, <i>a</i>	215
<b>Platinum-Nickel</b> , single crystals, <i>a</i>	24	in electrode, in AMTEC, <i>a</i>	140
<b>Platinum-Rhodium</b> , <i>a</i>	137, 142	in organic gas sensor, <i>a</i>	142
<b>Platinum-Rhodium/SiO<sub>2</sub></b> , heat treated, <i>a</i>	137	Rh(100), adsorption of K and NO, <i>a</i>	82
Pt <sub>10</sub> Ti <sub>10</sub> films, implanted in stainless steel, <i>a</i>	81	Rh/TiO <sub>2</sub> system, for H sensor, <i>a</i>	217
UPT <sub>2</sub> -B, superconductor T <sub>c</sub> enhancement, <i>a</i>	91	thin film coatings, by plasma enhanced CVD	193
<b>Platinum Aluminide</b> , coatings for gas turbine blades	127	<b>Rhodium Alloys</b> , binary, mechanical properties	64
Cr modified, coatings on superalloys, <i>a</i>	141	<b>Rhodium-Gold-Palladium</b> , short-range order, <i>a</i>	24
<b>Platinum Chloride</b> , PtCl <sub>4</sub> , <i>a</i>	26	<b>Rhodium-Niobium</b> , thermodynamic stability, <i>a</i>	84
<b>Platinum Complexes</b> , antitumour tests, <i>a</i>	35	<b>Rhodium-Platinum</b> , (410) interactions, <i>a</i>	137
A <sub>2</sub> PtH <sub>4</sub> , structure, <i>a</i>	26	<b>Rhodium-Platinum/SiO<sub>2</sub></b> , microstructure, <i>a</i>	137
bis(Pt) with diammines, affinity for DNA, <i>a</i>	35	<b>Rhodium-Titanium</b> , thermodynamic stability, <i>a</i>	84
carbenes, book review	117	<b>Rhodium Arsenide</b> , <i>a</i>	34
cis-diammine Pt greens, one-pot synthesis, <i>a</i>	148	<b>Rhodium Complexes</b> , carbenes, book review	117
cis-diamminedichloro-Pt(II), <i>a</i>	148	Rh(phen) <sub>2</sub> phi <sup>3+</sup> , DNA shape targeting, <i>a</i>	223

	<i>Page</i>		<i>Page</i>
<b>Ruthenium</b> , Bi <sub>2-x</sub> Pb <sub>1-x</sub> Pt <sub>1-x</sub> Ru <sub>2-x</sub> O <sub>7-x</sub> , <i>a</i>	223	<b>Superalloys</b> , coated	127, 141
compounds, Bi <sub>2</sub> Ru <sub>2</sub> O <sub>7</sub> , resistors, <i>a</i>	35	<b>Superconductivity</b> , <i>a</i>	34, 91, 92
Dy <sub>3</sub> Ru <sub>13</sub> P <sub>12</sub> , preparation, structure, <i>a</i>	139	<b>Surface Science</b> , Pt(111) single crystals, <i>a</i>	137
Pb <sub>2</sub> Ru <sub>2</sub> O <sub>6</sub> + Ti oxide, in resistors, <i>a</i>	35	Pt-Ni, <i>a</i>	24
URu <sub>2</sub> Si <sub>3</sub> , compression, <i>a</i>	25	Fe-Rh/graphite catalyst particles, <i>a</i>	137
in fish freshness detector	23	IrO <sub>2</sub> formation, structure, <i>a</i>	138
isotopes, for spent nuclear fuel analysis, <i>a</i>	28	Pt-Rh(410) single crystals, interactions, <i>a</i>	137
<b>Ruthenium Alloys</b> , Ruthenium-Aluminium, <i>a</i>	25	<b>Synergism</b> , in Ru-Pd/SiO <sub>2</sub> catalysts, <i>a</i>	90
<b>Ruthenium-Aluminium-Copper</b> , <i>a</i>	138	<b>Synthesis Gas</b> , conversions, <i>a</i>	31, 32, 90, 91, 145
<b>Ruthenium-Gallium-Iron-Silicon</b> , <i>a</i>	25		
with Ti aluminides, structure, properties	106	<b>Tellurium</b> , <i>a</i>	84, 143
(Ti <sub>90</sub> Ru <sub>10</sub> ) <sub>87</sub> Si <sub>13</sub> , amorphous, corrosion, <i>a</i>	140	<b>Temperature Measurement</b> , 0.01-800K, by	
<b>Ruthenium Complexes</b> , bathophenanthroline-Ru(II),		Rh-Fe sensor	55
non-radioactive labels, for oligonucleotides, <i>a</i>	92	ITS-90	128
binding to DNA, <i>a</i>	92, 148	<b>Tennant</b> , Smithson, history	129
K <sub>2</sub> [Ru(H <sub>2</sub> O)Cl <sub>5</sub> ], spectroscopic properties, <i>a</i>	35	<b>Thermodynamics</b> , Pd-Rare Earth-H systems, <i>a</i>	214
oxo, for oxidations	181	RuO <sub>2</sub> , <i>a</i>	215
ruthenocenoyl-ester, organ distribution, <i>a</i>	148	<b>Thermomagneto-Optics</b> , Co/Pt, for storage media	177
RuX <sub>2</sub> (DMSO) <sub>4</sub> , synthesis, cancer activity, <i>a</i>	92	<b>Thick Films</b> , cholinesterase activity, <i>a</i>	216
Ru(bpy) <sub>3</sub> <sup>2+</sup> , luminescence, <i>a</i>	27, 85	resistors, <i>a</i>	35, 92
Ru(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (bpy) <sub>2</sub> , redox potentials, <i>a</i>	85	<b>Thin Films</b> , αRh <sub>2</sub> As on GaAs(001), growth, <i>a</i>	34
Ru <sup>3+</sup> reactions with nucleic bases, <i>a</i>	26	Ir oxide, electrochromism, <i>a</i>	223
[Ru(bpy) <sub>3</sub> ](BF <sub>4</sub> ) <sub>2</sub> /CH <sub>3</sub> CN, <i>a</i>	91	Pd, H, D adsorption in, <i>a</i>	213
[Ru(bpy) <sub>3</sub> ] <sup>2+</sup> /C <sub>7</sub> V <sub>2</sub> <sup>2+</sup> , photocurrents, <i>a</i>	86	on Al(111), Al(110), reactions, <i>a</i>	81
[Ru <sup>II</sup> (H-EDTA)N <sub>3</sub> ] <sup>-</sup> , <i>a</i>	216	Pd-(B,P) heat treated, olefin, hydrogenation, <i>a</i>	25
[(bpy) <sub>2</sub> Ru(b-b)Ru(biq)] <sup>4+</sup> , luminescence, <i>a</i>	28	Pd/Co, Pt/Co, magneto-optics, <i>a</i>	177, 222
<b>Ruthenium Oxides</b> , RuO <sub>2</sub> , thermodynamics, <i>a</i>	215	Pd/glass composite, water gas shift reaction, <i>a</i>	142
thick film resistors, <i>a</i>	35, 92	Pt, catalytic etching, <i>a</i>	24
colloids, stabilised in polyelectrolyte, <i>a</i>	28	in heat probe, <i>a</i>	216
RuO <sub>4</sub> , Ru(VII) ions, Ru(VI) ions, oxidants	181	produced by CVD, <i>a</i>	27
		thermal reactions with Si <sub>x</sub> Ge <sub>1-x</sub> , <i>a</i>	213
<b>Saccharides</b> , detection, <i>a</i>	28	PtMnSb	54, 223
<b>Schottky Barrier Devices</b> , n-Si/Pd, Si/Ta, N/Al, <i>a</i>	148	PtSi, incoherent light annealed, <i>a</i>	91
<b>Schottky Barrier Transistors</b> , PMOS, with PtSi, <i>a</i>	223	PtTi, PdTi, on steel, wear, <i>a</i>	81
<b>Schottky Barriers</b> , formation, <i>a</i>	92	Pt-Al, amorphous phases, <i>a</i>	24
<b>Schottky Contacts</b> , Pt, PtSi <sub>2</sub> , production, <i>a</i>	223	Pt-TiO <sub>2</sub> /glass, photocatalysts, <i>a</i>	85
<b>Schottky Diodes</b> , proton detection, <i>a</i>	34, 87, 91	Pt/(111)Si, silicide formation, <i>a</i>	213
<b>Selenium</b> , <i>a</i>	31, 142	Rh, deposition by plasma enhanced CVD	193
<b>Semiconductors</b> , MOS Pd gate, <i>a</i>	28	Rh-Fe temperature sensor	55
MOS Pt gate, as H <sub>2</sub> , NH <sub>3</sub> detectors, <i>a</i>	28	SnO <sub>2</sub> , +Pt/Si wafers, for H sensor, <i>a</i>	217
Pd films/SiO <sub>2</sub> /Si, <i>a</i>	87	Y-Ba-Cu-O, with Ta-Ir sandwich, <i>a</i>	92
Pd-MIS Schottky diodes, for proton detection, <i>a</i>	87	<b>Thiophane</b> , production, <i>a</i>	30
Pd/n-InP, barrier height, <i>a</i>	223	<b>Thiophene</b> , reactions, <i>a</i>	30, 146
PMOS, with PtSi, <i>a</i>	223	<b>Tin</b> , detection in food slurries	193
Si MIS/LB films/Pd, <i>a</i>	87	<b>Tin Oxide</b> , <i>a</i>	214, 217
Si/SiO <sub>2</sub> , in H microionic insertion sensor, <i>a</i>	87	<b>Titanium</b> , TiO <sub>2</sub> crystal surfaces, Pt deposition, <i>a</i>	213
+microheterojunctions, photocatalyst, <i>a</i>	85	<b>Titanium Alloys</b> , Pd plated, <i>a</i>	82
<b>Sensors</b> , see <b>Detectors</b>		<b>Titanium Aluminides</b> , alloy with Ru	106
<b>Silicon</b> , <i>a</i>	213, 214	<b>Toluene</b> , irradiated carbonylation, <i>a</i>	90
<b>Sintering</b> , Pt/SiO <sub>2</sub> , during C <sub>2</sub> H <sub>4</sub> oxidation, <i>a</i>	29	<b>Tungsten</b> , <i>a</i>	30, 140
<b>SMSI</b> , <i>a</i>	30, 218	<b>Tunnelling</b> , of Pt, Ru, Ni, <i>a</i>	24
<b>Sodium</b> , effect on Pd, Rh, Ru/SiO <sub>2</sub> , <i>a</i>	143		
<b>Solid State Fusion</b>	114	<b>Uranium</b> , URu <sub>2</sub> Si <sub>2</sub> , compression, <i>a</i>	25
<b>Solubility</b> , H, in metals	17, 82, 214		
see also <b>Diffusion</b> , <b>Permeability</b>		<b>Vinyl Carbamates</b> , synthesis, <i>a</i>	147
<b>Solvent Extraction</b> , reprocessing of Pd, <i>a</i>	91	<b>Vinyl Epoxides</b> , alkylations, <i>a</i>	146, 221
<b>Spark Plugs</b>	105	<b>Vinylacetylene</b> , hydrogenation, <i>a</i>	30
<b>Standard</b> , frequency, using OsO <sub>4</sub> beam, <i>a</i>	138	<b>Vinylation</b> , alkyl vinyl ethers, <i>a</i>	146
<b>Steam</b> , effect on coking on Pt/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	143	<b>Vinylketones</b> , dimerisation, by RhCl(PMe <sub>3</sub> ) <sub>3</sub> , <i>a</i>	221
<b>Steels</b> , <i>a</i>	72, 81, 82, 185	<b>Voltammetry</b> , of hydrazines, <i>a</i>	86
<b>Structure</b> , 1,3-bridged β-lactams, <i>a</i>	148		
Al-Cu-Ru alloys, <i>a</i>	138	<b>Wacker Process</b> , catalyst for	60
Dy <sub>3</sub> Ru <sub>13</sub> P <sub>12</sub> , <i>a</i>	139	<b>Water</b> , coadsorption on Pt(111) with HCl, <i>a</i>	213
Ir oxide films, <i>a</i>	25	determination of N-acetyl-L-cysteine in, <i>a</i>	217
micro, Rh, Ir particles on SiO <sub>2</sub> , Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	145	electrolysis, by Ir, Pt SPE, <i>a</i>	139
Pt-Rh particles on SiO <sub>2</sub> , heat treated, <i>a</i>	137	Mc determination in, <i>a</i>	217
Pt-Fe alloys, martensite transformations, <i>a</i>	81	photolysis, with Pt-TiO <sub>2</sub> powders, <i>a</i>	140
Pt/GaAs, during interfacial reactions, <i>a</i>	147	<b>Water Gas Shift Reaction</b> , <i>a</i>	90, 142, 145
Ru-Ti aluminides	106	<b>Wear</b> , behaviour of Pt on steel	72
surface, Fe-Rh/graphite catalyst particles, <i>a</i>	137	Pt, Pd alloy films on stainless steels, <i>a</i>	81
<b>Styrene</b> , <i>a</i>	30, 146, 221	<b>Wires</b> , Pt, <i>a</i>	34, 142
<b>Sulphides</b> , ions, for H photoproduction, <i>a</i>	85	<b>Wollaston</b> , William Hyde, history	129
<b>Sulphur</b> , effect on H-Pd permeation, <i>a</i>	214		
effects on Pt, <i>a</i>	81, 139, 143	<b>m-Xylene</b> , o-Xylene, isomerisation, <i>a</i>	144
<b>Sulphuric Acid</b> , corrosion of Pt anodes, <i>a</i>	84		