

	<i>Page</i>		<i>Page</i>		<i>Page</i>		<i>Page</i>
Werner, H.	232	Wolf, R. M.	155	Yamaguchi, H.	112	Zamashchikov, V. V.	161
Wertz, D. W.	233	Wolfson, S. K.	35	Yamaka, E.	240	Zanicchi, G.	154
Wessel, T. J.	235	Woodhouse, J. B.	101	Yamamichi, S.	112	Zassinovich, G.	44
Wey, J. P.	155	Woollam, J. A.	152	Yamauchi, S.	165	Zeijlemaker, H.	46
Whang, C. N.	153	Worley, S. D.		Yamazoe, N.	38	Zeltser, A. M.	155
White, A. H.	102		40, 108, 155	Yang, S.-Z.	234	Zeper, W. B.	31, 112
White, C. W.	36	Wu, J. C. S.	42	Yao, S. J.	35	Zhang, L.	153
White, H. S.	234	Wu, S. C.	230	Yaoita, M.	165	Zhang, S. L.	33
White, J. M.	235	Wu, W.	156	Yasuda, K.-I.	165	Zhang, S.-W.	163
White, P.	140, 200			Yates, J. T.	109, 140	Zhang, W.-R.	234
Whitesides, G. M.	236	Xiao, Q. F.	32	Ye, S.	102	Zhang, Z.	160
Wiemhöfer, H. D.	158	Xing, X.	232	Yeager, E.	232	Zhorov, E. Yu.	44, 239
Wilczok, U.	229	Xu, C.-L.	42	Ye, J. K.	238	Zhou, X. C.	152
Wilde, M.	107	Xu, D.	38	Yermakov, A.	23, 196	Zhou, Y.-S.	42
Wilkinson, G.	34	Xu, Y.	102	Yoshida, Y.	165	Zhu, J. G.	112
Williams, D. J.	45	Xue, Z.	38, 112	Young, P. A.	152	Zhukova, T. B.	103
Williams, R. S.	38			Yum, E. K.	43	Zhvanetsky, I. M.	40
Winterbottom, J. M.	160	Yahikozawa, K.	157	Zaki, M. I.	140	Zimmerman, T.	42
Wittmer, M.	164	Yakimenko, L. M.	35	Zaks, I. A.	102	Zink, J. I.	38
Wokaun, A.	107	Yamada, M.	111			Zubkowsky, J. D.	37

## SUBJECT INDEX TO VOLUME 35

	<i>Page</i>		<i>Page</i>		<i>Page</i>
<i>a</i> = abstract				Alkyl-Boron Compounds, polymerisation, <i>a</i>	43
Absorption, H, by Pd, <i>a</i>	154, 157			Alkynes, 1-Alkynes, reactions, <i>a</i>	44, 111, 161, 162
Acetalisation, by Rh(III)triphos complexes, <i>a</i>	44			Alkenes, carbopalladation, <i>a</i>	44
Acetals, activation, <i>a</i>	111			Allyl Benzene, hydroformylation, <i>a</i>	110
Acetone Oxime, carbonylation, <i>a</i>	163			Allylation, primary alcohols, <i>a</i>	111
Acetonine, synthesis, <i>a</i>	163			Allylic Acetates, for $\alpha,\beta$ -unsaturated ketones, <i>a</i>	111
Acetophenone, <i>a</i>	44, 239			Allylsilanes, synthesis, <i>a</i>	162
Acetylene, reactions, <i>a</i>	40, 159, 163, 236			Aluminium, grain boundary reaction with Pd-Ag-Cu, <i>a</i>	153
Adsorption, by IrO <sub>x</sub> /Ti electrodes, <i>a</i>	157			Amines, carbonylation	70
CO, on Ir/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	42			Ammonia, carbonylation	70
on Pt electrode, effects, <i>a</i>	102			for HCN synthesis, <i>a</i>	160
on Pt-Rh/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	159			in nitric acid production, <i>a</i>	236
on Pt{100}, reaction monitoring	188			oxidation, on knitted gauze	58
on Rh catalysts, <i>a</i>	41			photoproduction, from N <sub>2</sub> , by Pt/CdS system, <i>a</i>	104
H, by Pd/glassy C electrodes, <i>a</i>	157			reaction with CO, <i>a</i>	108
AIROF, <i>a</i>	113			sensor	200
Alcohols, allyl, cyclopentannulation, <i>a</i>	110			Amorphisation, on milling Pd-Si, <i>a</i>	154
allylic, for enol production, <i>a</i>	111			platinum metals, solid state	83
cinnamyl, hydrogenation, <i>a</i>	40			Aniline, for diphenylurea, <i>a</i>	238
C <sub>7</sub> , from syngas reaction, <i>a</i>	159			Anion, tandem capture-cyclisation, by Pd(0), <i>a</i>	161
ethyl, chemisorption on Pt, Pd, Rh, Ru,				Annulation, by Pd catalyst, <i>a</i>	110
bonding study, <i>a</i>	38			Aromatisation, <i>n</i> -heptane, <i>n</i> -hexane, <i>a</i>	39, 40, 107
flow rate sensor, <i>a</i>	106			Aryl Halides, carbonylation	70
from $\alpha$ -alkene hydroformylation, <i>a</i>	43			Aryl Iodides, coupling, <i>a</i>	237
methyl, chemisorption on Pt, Pd, Rh, Ru,				reaction with vinyl-, cyclopropane/butane, <i>a</i>	43
bonding study, <i>a</i>	38			Aryldithiocarbamates, <i>a</i>	237
electrooxidation, on Pt, <i>a</i>	35, 108, 157, 232			Aryl-Aryl, exchange, <i>a</i>	238
on RuO/C, <i>a</i>	36			Ascorbic Acid, oxidation, by Ru complexes, <i>a</i>	233
extensive use in fuel cells, Grove Symp.	209				
formation, from CO hydrogenation, <i>a</i>	237			Barrier Layers, <i>a</i>	45, 46, 112, 113, 164, 240
synthesis from syngas, <i>a</i>	41			Benzene, formation, <i>a</i>	160, 236
phthalic, electrooxidation, <i>a</i>	111			Benzonitrile, electrocatalytic hydrogenation, <i>a</i>	103
primary, aerobic oxidation, <i>a</i>	163			Bismuth, effect on lactose oxidation, <i>a</i>	40
allylation, <i>a</i>	111			Bonding, fusion, <i>a</i>	235
synthesis from CO+H <sub>2</sub> , <i>a</i>	42, 109			Book Reviews, Precious Metals Science and Technology	93
Aldehydes, activation, <i>a</i>	111			The Platinum Yearbook 1991	137
formation by hydroformylation, <i>a</i>	43, 239			"Platinum 1991"	132
Alkanes, bridged polycyclic, by RuO <sub>4</sub> , <i>a</i>	45			Bushveld Igneous Complex	132
dehydrogenation, <i>a</i>	159, 239			Butane, <i>n</i> -, hydrogenolysis, isomerisation, on Pt, <i>a</i>	235
production	152, 161, 195			Butanediols, electrooxidation, <i>a</i>	111
Alkenes, hydrogenation, homogeneous, <i>a</i>	161, 162				
reactions, <i>a</i>	161, 163, 238, 239			Cameras, IR	45, 64
hydroformylation, <i>a</i>	43, 239			Cancer, anti-tumour Pt complex, <i>a</i>	46
Alkenyl Iodonium Salt, coupling with olefins, <i>a</i>	238			metal complex anti-cancer drugs, review, <i>a</i>	46
Alkylation, asymmetric Pd allylic, <i>a</i>	161				
Alkylation-Alder Ene, cyclisation, <i>a</i>	110				
Alkylthiols, formation, <i>a</i>	152				

	Page	<b>Catalysts (contd.)</b>	Page
<b>Capacitors</b> , with Pt/Ta barrier layers. <i>a</i>	112	Pd(OAc) <sub>2</sub> , H <sub>2</sub> + CCl <sub>4</sub> reaction. <i>a</i>	43
<b>Carboannulation</b> , vinylic cyclopropanes, cyclobutanes. <i>a</i>	43	Pd(OAc) <sub>2</sub> , Pd(PPh <sub>3</sub> ) <sub>4</sub> , PdCl <sub>2</sub> , coupling reactions. <i>a</i>	237
<b>Carbon Oxides</b> , CO, adsorption, on Ir/Al <sub>2</sub> O <sub>3</sub> . <i>a</i>	42	Pd(OAc) <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> + Cu iodide. vinyl triflate reactions. <i>a</i>	238
on Pt, Rh, Pt-Rh catalysts. <i>a</i>	159	Pd(OAc) <sub>2</sub> + (+)DIOP. asymmetric alkylations. <i>a</i>	161
on Rh(I), Rh(I)/TiO <sub>2</sub> . <i>a</i>	41	Pd(O,CC,H <sub>3</sub> ) <sub>2</sub> . mild CH <sub>2</sub> oxidation	126
chemisorption, on Pt-Sn/Al <sub>2</sub> O <sub>3</sub> . <i>a</i>	107	Pd(PF <sub>6</sub> ) <sub>2</sub> Cl <sub>2</sub> . cyclohexenone annulation. <i>a</i>	238
on Pt/Al <sub>2</sub> O <sub>3</sub> , TiO <sub>2</sub> . <i>a</i>	235	Pd(PPh <sub>3</sub> ) <sub>2</sub> (C <sub>6</sub> H <sub>4</sub> - <i>p</i> -CH <sub>3</sub> ) <sub>2</sub> . aryl-aryl exchange. <i>a</i>	238
CO-NO, Ce, K effects on Rh/Al <sub>2</sub> O <sub>3</sub> . <i>a</i>	41	Pd <sub>2</sub> (dba) <sub>3</sub> .CHCl <sub>3</sub> . coupling reactions. <i>a</i>	161
cycling, for Pd/Al <sub>2</sub> O <sub>3</sub> restructuring. <i>a</i>	40	(DIAN)Pd(olefin). hydrogenations. <i>a</i>	161
detection in presence of NO, SO <sub>2</sub> . <i>a</i>	235	[Pd(pyridine, phosphine)](BF <sub>4</sub> ) <sub>2</sub> . dimerisations. <i>a</i>	110
effect on ethene hydrogenation. <i>a</i>	107	[(dppp)Pd(solvent) <sub>2</sub> ][X] <sub>2</sub> . carbonylations. <i>a</i>	161
on H permeation through Pd. <i>a</i>	32	<b>Palladium</b> , industrial uses, review. <i>a</i>	44
electrooxidation, see <b>Electrodes</b>		poisoning by metal ions. <i>a</i>	108
for aromatic nitro compound reduction. <i>a</i>	162	<b>Pd, Pd-Pt, Pd-Rh/C, SiO<sub>2</sub>, TiO<sub>2</sub></b> , propylene oxidation. <i>a</i>	160
for diphenylurea. <i>a</i>	238	<b>PdCl<sub>2</sub>, PdCl<sub>2</sub>-CuCl<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub></b> , CO oxidation. <i>a</i>	109
hydrogenation, on Rh catalysts. <i>a</i> 109, 160,	237	<b>PdCl<sub>2</sub> + Keggin-type heteropoly anions</b> , reductive carbonylation. <i>a</i>	43
on Ru clusters/inorganic oxides. <i>a</i>	42	<b>PdCl<sub>2</sub>/CuCl<sub>2</sub>/HOAc</b> , propylene oxidation. <i>a</i>	43
interaction with O, on Ir/Al <sub>2</sub> O <sub>3</sub> . <i>a</i>	42	<b>PdS/Al<sub>2</sub>O<sub>3</sub></b> , hexene-1 hydrogenation. <i>a</i>	159
on Rh/Al <sub>2</sub> O <sub>3</sub> , displacement by PH <sub>3</sub> . <i>a</i>	109	<b>Pd(111)</b> , sulphided, C <sub>2</sub> H <sub>2</sub> cyclisation. <i>a</i>	236
oxidation, on Pt/SnO <sub>2</sub> . <i>a</i>	107	<b>Pd(Pt)/Al<sub>2</sub>O<sub>3</sub></b> , S poisoning. <i>a</i>	108
on PdCl <sub>2</sub> -CuCl <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> .C. <i>a</i>	109	<b>Pd-Bi/C</b> , lactose oxidation. <i>a</i>	40
poisoning on Pd/SiO <sub>2</sub> . characterisation. <i>a</i>	41	<b>Pd/AlPO<sub>4</sub></b> , styrene hydrogenation. <i>a</i>	159
reaction with NH <sub>3</sub> . <i>a</i>	108	<b>Pd/Al<sub>2</sub>O<sub>3</sub></b> , CH <sub>4</sub> oxidation/combustion. <i>a</i>	108
see also <b>Synthesis Gas</b>		CO-NH <sub>3</sub> reaction. <i>a</i>	108
self poisoning on Pt{100} surfaces	188	surface restructuring on CO cycling. <i>a</i>	40
sensors. <i>a</i>	38, 106, 158	<b>Pd/Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> + Na, Fe, Mn oxides</b> , preparation, structure, properties. <i>a</i>	108
CO, CO <sub>2</sub> , hydrogenation, high pressure. <i>a</i>	40	<b>Pd/α-Al<sub>2</sub>O<sub>3</sub></b> , C <sub>2</sub> H <sub>2</sub> hydrogenation. <i>a</i>	236
low fuel cell emissions, Grove Symp.	209	<b>Pd/C</b> , reaction of pyrimidine nucleosides + vinyl/allylic triflates. <i>a</i>	160
CO <sub>2</sub> , effects on H permeation through Pd. <i>a</i>	32	<b>Pd/F-polymer Nafion</b> , olefin conversion. <i>a</i>	106
hydrogenation, on Rh/TiO <sub>2</sub> , Rh/Nb <sub>2</sub> O <sub>5</sub> . <i>a</i>	41	<b>Pd/HY</b> , pretreatment, Cr promoter effects. <i>a</i>	109
<b>Carbon Tetrachloride</b> , hydrodechlorination. <i>a</i>	43	<b>Pd/HY, /NaHY, /NaY</b> , methylcyclopentane conversions. <i>a</i>	160
<b>Carbonitriles</b> , α-methoxy, formation. <i>a</i>	111	<b>Pd/La<sub>2</sub>O<sub>3</sub></b> , in high pressure IR cell, hydrogenation. <i>a</i>	40
<b>Carbonylation</b> , reactions. <i>a</i>	43, 161, 163	<b>Pd/MgO</b> , phenol hydrogenation. <i>a</i>	236
by Ru carbonyl complexes	70	<b>Pd/NaY, /CaY zeolites</b> , HC conversions. <i>a</i>	160
<b>Carbopalladation</b> , alenes. <i>a</i>	44	<b>Pd/PTFE/Nafion</b> , cyclohexene hydrogenation. <i>a</i>	106
<b>Carboxylic Acids</b> , reactions. <i>a</i>	43, 111	<b>Pd/rare earth oxide</b> , support effects. <i>a</i>	109
<b>Carboxylic α-Amino Acids</b> , synthesis. <i>a</i>	161	<b>Pd/SAPO-11</b> , 1-hexene conversion. <i>a</i>	40
<b>Catalysis</b> , biphasic. <i>a</i>	162	<b>Pd/SiO<sub>2</sub></b> , characterisation, MCP hydrogenolysis. <i>a</i>	41
by cluster compounds	10	promoted, MeOH synthesis. <i>a</i>	41
by Ru carbonyls	70	<b>Pd/support</b> , H combustion. <i>a</i>	160
heterogeneous. <i>a</i> 39-42, 106-110, 159-160, 235-237		<b>Pd/γ-Al<sub>2</sub>O<sub>3</sub></b> , C <sub>2</sub> H <sub>2</sub> -C <sub>2</sub> H <sub>4</sub> hydrogenation. <i>a</i>	40
homogeneous. <i>a</i> 42-45, 110-112, 161-163, 237-239		<b>Platinum Complexes</b> , bis(divinyltetramethyl-disiloxane)Pt, colloid formation. <i>a</i>	110
three-way, SAE conference	94	Pt blues, H <sub>2</sub> evolution. <i>a</i>	43
<b>Catalysts</b> , EUROPT-1, for CH <sub>4</sub> conversion	195	PtX <sub>2</sub> (CO)(C <sub>6</sub> H <sub>10</sub> ) <sub>2</sub> , synthesis. <i>a</i>	237
for diesel engines	178, 187	[Pt(C <sub>2</sub> H <sub>4</sub> ) <sub>2</sub> ](+)-DIOP + PtCl <sub>2</sub> [(+)-DIOP]. hydroformylation. <i>a</i>	42
<b>Iridium</b> , wire, for HCN synthesis. <i>a</i>	160	Pt(II)-NaI-HClO <sub>4</sub> -H <sub>2</sub> O. vinyl halogenide reduction. <i>a</i>	161
<b>Iridium Complex</b> , stabilised by O donor ligand, hydrosilylation. <i>a</i>	44	Pt-H, + Ph <sub>2</sub> Si(C=CCMe <sub>2</sub> ) <sub>2</sub> . ring systems, alkenyl silanes. <i>a</i>	42
<b>Ir/Al<sub>2</sub>O<sub>3</sub></b> , CO + O <sub>2</sub> adsorption, interactions. <i>a</i>	42	with phosphinito ligands, hydroformylation. <i>a</i> 43	
<b>Ir/support</b> , precursor stoichiometry. <i>a</i>	107	<i>cis</i> -[PtCl <sub>2</sub> (PPh <sub>3</sub> O <sub>2</sub> )/SnCl <sub>2</sub> ], olefin hydroformylation. <i>a</i>	110
<b>Osmium Complex</b> , OsHCl(CO)(P <sup>1</sup> Pr <sub>3</sub> ) <sub>2</sub> , hydrosilylations. <i>a</i>	162	<b>Platinum</b> , diolefin(dialkyl)Pt(II) hydrogenation. <i>a</i> 236	
[H <sub>2</sub> O <sub>s</sub> (CO) <sub>s</sub> ]/poly-naphthalene, olefin isomerisation. <i>a</i>	111	in nitric acid production. <i>a</i>	236
<b>Palladium Complexes</b> , Pd acetate + di-imine ligands, vinylations. <i>a</i>	43	<b>Pt, Pd, Rh, Ir</b> , acetylene hydrogenation, C effects. <i>a</i>	159
PdCl <sub>2</sub> (dppf). polymerisations. <i>a</i>	43	<b>Pt black</b> , for Pt complex hydrogenation	236
PdCl <sub>2</sub> (PhCN) <sub>2</sub> , aryldithiocarbonimidate rearrangement. <i>a</i>	237	<b>Pt clusters/chelate resin-Na, Mg, Al complexes</b> , preparation. <i>a</i>	40
PdCl <sub>2</sub> (Ph <sub>3</sub> P) <sub>2</sub> , styrene hydrocarboxylation. <i>a</i>	161	<b>Pt oxides/TiO<sub>2</sub></b> , CdS, aqueous photocatalytic cyclisation. <i>a</i>	36
PdCl <sub>2</sub> /Ph <sub>2</sub> PC <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> Na. heptene hydrocarboxylation. <i>a</i>	238		
Pd(O), tandem cyclisation-anion capture. <i>a</i>	161		
alkylation of allyl substrate. <i>a</i>	110		
Pd(O) <sub>n</sub> + vinylic/aryl halides, carbopalladations. <i>a</i>	44		
Pd(II), Alder ene reaction. <i>a</i>	110		
Pd(II) acetate, carbo-, heteroannulation. <i>a</i>	43		
Pd(II), alkyne-cyclopalladations. <i>a</i>	111		
Pd(II) + onium salts + triphenylphosphine, for diphenylurea. <i>a</i>	238		
Pd(OAc) <sub>2</sub> , β-vinylation. <i>a</i>	161		
C-C coupling. <i>a</i>	238		

Catalysts ( <i>contd.</i> )	Page	Catalysts ( <i>contd.</i> )	Page
Pt planes, olefin hydrogenation, <i>a</i>	159	[Rh(COD)Cl] <sub>2</sub> (S)-phepos, asymmetric hydrosilylation, <i>a</i>	44
Pt(111), CH <sub>3</sub> I, CO coadsorption, <i>a</i>	235	[Rh(COD)Cl] <sub>2</sub> + TMS-CN, acetyl reaction, <i>a</i>	111
Pt-Au colloids, H <sub>2</sub> photoevolution	22	[Rh(CO) <sub>2</sub> Cl] <sub>2</sub> + phosphanorbornadiene, hydroformylations, <i>a</i>	162
Pt-Ce/SiO <sub>2</sub> , microstructure, reactivity, <i>a</i>	108	[Rh(diphosphine)(solvent) <sub>2</sub> ] <sup>+</sup> , enol production, <i>a</i>	111
Pt-Co/C, O electroreduction, <i>a</i>	103	<b>Rh(0) colloidal particles</b> , hydrogenation, <i>a</i>	162
Pt-Ga/Al <sub>2</sub> O <sub>3</sub> , <i>n</i> -hexane conversion, <i>a</i>	39	<b>Rh(I), Rh(II)/TiO<sub>2</sub></b> , CO adsorption, 1-hexene hydrogenation, <i>a</i>	41
Pt-Ir/Al <sub>2</sub> O <sub>3</sub> , <i>n</i> -heptane aromatisation, <i>a</i>	107	<b>Rh-Ag/TiO<sub>2</sub></b> , MCP hydrogenolysis, <i>a</i>	41
Pt-Ir/Al <sub>2</sub> O <sub>3</sub> , -TiO <sub>2</sub> , /TiO <sub>2</sub> , support effects, <i>a</i>	236	<b>Rh-Ce/SiO<sub>2</sub></b> , microstructure, reactivity, <i>a</i>	108
Pt-Ir/support, precursor stoichiometry, <i>a</i>	107	<b>Rh-Co-Cu/TiO<sub>2</sub></b> , H <sub>2</sub> + CO reaction, <i>a</i>	42
Pt-Ni-Nb-Sn-Pt, HCHO electrooxidation, <i>a</i>	157	<b>Rh-Co/Al<sub>2</sub>O<sub>3</sub>, MgO, SiO<sub>2</sub></b> , propylene hydroformylation, <i>a</i>	237
Pt-Re-S/Al <sub>2</sub> O <sub>3</sub> -Cl, reforming reactions, <i>a</i>	39	<b>Rh-Mn/SiO<sub>2</sub></b> , CO hydrogenation, <i>a</i>	109
Pt-Re/Al <sub>2</sub> O <sub>3</sub> , dehydrogenation, preparation, <i>a</i>	107	<b>Rh/Al<sub>2</sub>O<sub>3</sub></b> , CO adsorption, <i>a</i>	159
Pt-Sn/Al <sub>2</sub> O <sub>3</sub> , chemisorption, XPS, <i>a</i>	107	CO displacement by PH <sub>3</sub> , <i>a</i>	109
<i>n</i> -heptane aromatisation, <i>a</i>	107	ethene hydrogenation, CO effects, <i>a</i>	107
[PtCl <sub>2</sub> (SnCl <sub>4</sub> ) <sub>2</sub> ] <sup>2-</sup> /γ-Al <sub>2</sub> O <sub>3</sub> , alkane dehydrogenation, <i>a</i>	159	in solar reactor, <i>a</i>	37
Pt/, Pt-Rh/Al <sub>2</sub> O <sub>3</sub> , CO adsorption, <i>a</i>	159	interaction with N <sub>2</sub> , <i>a</i>	155
Pt/Al <sub>2</sub> O <sub>3</sub> , cinchona-modified, ligand-accelerated catalysis, <i>a</i>	39	protection from oxidative degradation, <i>a</i>	109
ethene hydrogenation, CO effects, <i>a</i>	107	<b>Rh/Al<sub>2</sub>O<sub>3</sub> + Ce, K, NO-CO</b> reaction, <i>a</i>	41
S poisoning, SMSI, <i>a</i>	235	<b>Rh/Al<sub>2</sub>O<sub>3</sub>-K<sub>2</sub>CO<sub>3</sub></b> , exchange functionalisation	140
<b>Pt/Al<sub>2</sub>O<sub>3</sub> pillared clay</b> , hydrocracking, isomerisations, <i>a</i>	159	<b>Rh/γ-Al<sub>2</sub>O<sub>3</sub>, ZrO<sub>2</sub>, ZnO, MgO</b> , characterisation, <i>a</i>	237
<b>Pt/Al<sub>2</sub>O<sub>3</sub>-Cl</b> , deactivation on coking, <i>a</i>	235	<b>Rh/MgO</b> , for H/CO reaction, <i>a</i>	237
<b>Pt/C</b> , H oxidation, <i>a</i>	232	<b>Rh/Nb<sub>2</sub>O<sub>5</sub></b> , CO <sub>2</sub> hydrogenation, <i>a</i>	41
<b>Pt/F-polymer Nafion</b> , olefin conversion, <i>a</i>	106	<b>Rh/SiO<sub>2</sub></b> , NCO formation, <i>a</i>	41
<b>Pt/H-mordenite</b> , <i>n</i> -heptane hydroconversion, <i>a</i>	107	<b>Rh/TiO<sub>2</sub></b> , CO <sub>2</sub> hydrogenation, <i>a</i>	41
<b>Pt/KL</b> , <i>n</i> -hexane aromatisation, <i>a</i>	40	<b>[HRh(CO)(PPh<sub>3</sub>)<sub>3</sub>]/membrane</b> , hydroformylations, <i>a</i>	109
<b>Pt/nylon, Sn-Pt/nylon</b> , liquid-phase hydrogenation, <i>a</i>	40	<b>Rh<sub>4</sub>(CO)<sub>12</sub>/TiO<sub>2</sub></b> , CO hydrogenation, <i>a</i>	160
<b>Pt/Pr<sub>2</sub>O<sub>3</sub></b> , alcohol production, from syngas, <i>a</i>	159	<b>Ruthenium</b> , chiral, synthesis, <i>a</i>	111
<b>Pt/PtFE/Nafion</b> , cyclohexene hydrogenation, <i>a</i>	106	<b>Ru clusters/inorganic oxides</b> , preparation from Ru <sub>3</sub> (CO) <sub>12</sub> , <i>a</i>	42
<b>Pt/Rh</b> , low-level moisture generation, <i>a</i>	106	<b>RuO<sub>4</sub></b> , C-H bond activation in alkanes, <i>a</i>	45
<b>Pt/SnO<sub>2</sub>/SiO<sub>2</sub></b> , CO low temperature oxidation, <i>a</i>	107	<b>Ruthenium Complexes</b> , K[Ru(EDTA-H)Cl]2H <sub>2</sub> O, NH <sub>3</sub> photoproduction, <i>a</i>	104
<b>Pt/support</b> , precursor stoichiometry, <i>a</i>	107	RuCl(OAc)(PPh <sub>3</sub> ) <sub>3</sub> , triple system, aerobic oxidation, <i>a</i>	163
<b>Pt/TiO<sub>2</sub></b> , H photoevolution from H <sub>2</sub> O-MeOH, <i>a</i>	233	RuCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>3</sub> + NaOH, ketone hydrogenation, <i>a</i>	239
resistance to H <sub>2</sub> S, <i>a</i>	39	RuCl <sub>2</sub> ·3H <sub>2</sub> O, naphthalene electrooxidation, <i>a</i>	233
S poisoning, SMSI, <i>a</i>	235	RuHI(tpts) <sub>3</sub> , propionaldehyde hydrogenation, <i>a</i>	112
<b>Pt/TiO<sub>2</sub>-ZrO<sub>2</sub></b> , <i>n</i> -hexane reforming, <i>a</i>	236	RuX <sub>2</sub> L <sub>4</sub> , ether oxygenation, <i>a</i>	45
<b>Pt/ZrO<sub>2</sub></b> , polycrystalline, MeOH oxidation, <i>a</i>	108	Ru(acac) <sub>3</sub> , for naphthalene electrooxidation, <i>a</i>	233
<b>Rhodium</b> , chiral cationic water soluble complexes/cation exchange resins, <i>a</i>	42	Ru(cod)(cot), codimerisation, <i>a</i>	163
Rh colloids, hydrosilylation, <i>a</i>	238	Ru(NH <sub>3</sub> ) <sub>2</sub> Cl <sub>2</sub> , for naphthalene electrooxidation, <i>a</i>	233
Rh/RC( <i>p</i> -C <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> Na) <sub>3</sub> , alkene hydrogenation, <i>a</i>	239	Ru <sub>2</sub> (CO) <sub>4</sub> , carboxylates, hydrogenation, <i>a</i>	163
wire, HCN synthesis, <i>a</i>	160	Ru <sub>3</sub> (CO) <sub>12</sub> + tricyclohexylphosphine, alkene hydroformylation, <i>a</i>	239
<b>Rhodium Complexes</b> , asymmetric hydrosilylation, <i>a</i>	239	decarbonylation, <i>a</i>	163
BINAP-Rh(I), photocatalytic asymmetric reduction, <i>a</i>	37	[RuBr <sub>2</sub> (Me <sub>2</sub> SO) <sub>2</sub> ], PPh <sub>3</sub> oxidation, <i>a</i>	163
Cp*(P(OMe) <sub>3</sub> ) <sub>3</sub> Rh(C <sub>2</sub> H <sub>5</sub> )(H) <sup>+</sup> , dimerisations, <i>a</i>	162	[Ru <sub>2</sub> (CO) <sub>4</sub> (Me <sub>2</sub> CNO) <sub>2</sub> (Me <sub>2</sub> CNOH) <sub>2</sub> ], carbonylation, <i>a</i>	163
Rh chiral phosphine ligands, asymmetric hydrogenolysis, <i>a</i>	162	[(bpy)(trpy)RuO] <sup>2+</sup> , diol oxidations, <i>a</i>	111
Rh chiral/3-alkyl phenanthroline, hydrogenation, <i>a</i>	44	[(Ph <sub>3</sub> P) <sub>2</sub> N][H <sub>3</sub> Ru <sub>4</sub> (CO) <sub>12</sub> ], for cyclohex-2-en-1-one, <i>a</i>	45
Rh phosphine chelate complexes, reductions, <i>a</i>	162	<b>Ru-Co/CeO<sub>2</sub></b> , H-CO reaction, <i>a</i>	160
RhCl(CO)(PR <sub>3</sub> ) <sub>2</sub> , pentane dehydrogenation, <i>a</i>	158	<b>Ru-Ge, Pb, Sb, Si, Sn/Al<sub>2</sub>O<sub>3</sub></b> , dispersed, properties, <i>a</i>	110
RhPh <sub>2</sub> PPy, styrene hydroformylation, <i>a</i>	239	<b>Ru/C</b> , quinoline hydrogenation, <i>a</i>	110
Rh(II) carboxamides, preparation, cyclopropanation, <i>a</i>	111	<b>Ru/SiO<sub>2</sub></b> , C <sub>3</sub> H <sub>6</sub> hydroformylation, <i>a</i>	237
Rh(II)perfluorobutyrate, hydrosilylation, <i>a</i>	162	<b>Ru/zeolite-A</b> , preparation, size effect, <i>a</i>	42
Rh(PMe <sub>3</sub> ) <sub>2</sub> Cl(CO), alkane dehydrogenation, <i>a</i>	239	<b>Ru<sub>3</sub>(CO)<sub>12</sub> + bpy/Mg silicate</b> , water gas shift reaction, <i>a</i>	110
Rh(+)/DIOP, alkene hydroboration, <i>a</i>	238	<b>π-Allylruthenium</b> , for ketone synthesis, <i>a</i>	111
Rh-phosphine, hydroformylation, <i>a</i>	44	<b>Catecholborane</b> , for alkene hydroboration, <i>a</i>	238
Rh-tris( <i>o</i> - <i>tert</i> -butyl- <i>p</i> -methylphenyl)phosphite, hydroformylation, <i>a</i>	239	<b>Ceramics</b> , support for Pd-Ag membrane, for H permeation, <i>a</i>	154
Rh <sub>4</sub> (CO) <sub>16</sub> + amine, nitroanisole, nitrotoluene reduction, <i>a</i>	239		
tricyclohexylphosphine Rh(H)Cl <sub>2</sub> , chloroarene hydrogenolysis, <i>a</i>	162		
[RhCl <sub>3</sub> (triphos)], acetalisations, <i>a</i>	44		

	<i>Page</i>		<i>Page</i>
<b>Cerium</b> , additions to Rh/Al <sub>2</sub> O <sub>3</sub> , NO-CO reaction, <i>a</i>	41	<b>Decarbonylation</b> , [Ir <sub>6</sub> (CO) <sub>16</sub> ] isomers, <i>a</i>	237
<b>Chemical Reaction Fronts</b> on Pt{100}	188	<b>Decomposition</b> , formamide, <i>a</i>	108
<b>Chemical Vapour Deposition</b> , <i>a</i>	38, 152	hydrazine, <i>a</i>	155
<b>Chemisorption</b> , CO, H, O	107, 235	NO, on Pt{100}	188
CO, MeOH, EtOH, on electrodes, <i>a</i>	38	<b>Dehydroaminoacid</b> , derivatives, hydrogenation,	
<b>Chenevix, Richard</b> , palladium discovery	141	asymmetric, <i>a</i>	42
<b>Chloroarenes</b> , hydrogenolysis, <i>a</i>	162	<b>Dehydrogenation</b> , alkanes, <i>a</i>	159, 239
<b>Chloroform</b> , formation, <i>a</i>	43	cyclic C <sub>3</sub> , C <sub>6</sub> hydrocarbons, <i>a</i>	107
<b>Chloronitrobenzenes</b> , reduction, <i>a</i>	162	pentane, <i>a</i>	158
<b>Chloroperbenzoic Acid</b> , reaction with		<b>Dental</b> , alloys, tarnishing tests, <i>a</i>	46
[Ru(PPh <sub>3</sub> ) <sub>3</sub> Cl <sub>2</sub> ], <i>a</i>	45	<b>Detectors</b> , alcohol, with RuO <sub>2</sub> /C electrode, <i>a</i>	106
<b>Cholesterol</b> , sensor, <i>a</i>	165	ammonia	200
<b>CHP Systems</b> , Grove Symp.	209	cholesterol, <i>a</i>	165
<b>Chromium</b> , catalyst promoter, <i>a</i>	109	CO, in presence of NO, SO <sub>2</sub> , <i>a</i>	235
for corrosion protection, <i>a</i>	163	CO, <i>a</i>	38, 106
grain boundary reaction with Pd-Ag-Cu, <i>a</i>	153	H	85, 106, 234, 235, 240
<b>Cinnamaldehyde</b> , hydrogenation, <i>a</i>	40	H, O, Pd/SnO <sub>2</sub> model sensor, <i>a</i>	106
<b>Cisplatin</b> , <i>a</i>	46	IR, visible, UV, by Schottky diodes, <i>a</i>	164
<b>Clusters</b> , complexes, <i>a</i>	156	IR, <i>a</i>	45, 64, 208
polymetallic activation	10	laser power, <i>a</i>	158
<b>Coal</b> , conversion, <i>a</i>	112	luminescent, using Ru complexes, <i>a</i>	105
<b>Coatings</b> , IrO <sub>2</sub> -Ta <sub>2</sub> O <sub>5</sub> /base metal electrodes, <i>a</i>	157	O, CH <sub>4</sub> , H <sub>2</sub> , O <sub>2</sub> , by Pd/SnO <sub>2</sub> , Pt/TiO <sub>2</sub> , <i>a</i>	158
Pd, by electroless deposition, <i>a</i>	105	O <sub>2</sub> , <i>a</i>	38, 106, 158
on Mo-W-Cr alloys	133	strain gauges	65
Pd modified aluminate	82	titration monitor, by Ir oxide device	137
Pt, by electroless deposition, <i>a</i>	105	<b>Deuterium</b> , enriched by T in giant Pd cluster, <i>a</i>	230
Pt thin films, ion beam deposited, <i>a</i>	112	in self assembly of catalysts, <i>a</i>	236
Rh, in reed switches, <i>a</i>	165	<b>Deuterium Exchange</b> , in styrene, <i>a</i>	161
<b>Cobalt</b> , <i>a</i>	153	<b>Dienes</b> , reactions, <i>a</i>	40, 44, 107, 159, 237
<b>Codimerisation</b> , acetylenes + alkenes, <i>a</i>	163	synthesis, <i>a</i>	161, 163
<b>Coking</b> , in catalysts, <i>a</i>	235	<b>Diesel Engines</b> , emission control	94, 178, 187
<b>Colloids</b> , Pt, Pt-Au, Rh, Ru, Ag, <i>a</i>	22, 34, 36, 110, 238, 239	Royal Commission on exhaust control	187
<b>Composites</b> , superconducting	2	<b>Diffusion</b> , H, in Pd-Ag, α-Pd, PdSiH alloys, <i>a</i>	103, 153, 230
<b>Conductors</b> , molecular, [Pd(tmp)] <sub>2</sub> [ReO <sub>4</sub> ], <i>a</i>	156	Ir dimers, Ir adatoms, on Ir(110), <i>a</i>	155
<b>Conferences</b> , 12th Natl. Fuel Cell Seminar, 1990	17	membranes	33, 138
2nd Grove Fuel Cell Symp., London, 1991	209	see also <b>Permeability</b>	
2nd Intl. Symp. Metal-H Systems, Banff, Sept. 1990	24, 195	<b>Diffusion Couples</b> , Pd-Al, kinetics, <i>a</i>	32
Intl. Symp. Polymetallic Activation, Palma, Sept. 1990	10	<b>Dihydrobenzofurans</b> , production, <i>a</i>	43
Magneto-Optic Recording International Symposium, Tokyo, 1991	134	<b>Dimerisation</b> , reactions, <i>a</i>	110, 162
SAE Intl. Congress and Exposition, Detroit, Feb.-Mar. 1991	94	<b>Dimethyl Oxalate</b> , selective reduction, <i>a</i>	163
<b>Corrosion</b> , in contracts, <i>a</i>	165	<b>Diodes</b> , Pt-Ti/ <i>p</i> -InGaAs/ <i>n</i> -InP, hole trap levels, <i>a</i>	46
photo-, CdS in Pt/CdS dispersions, <i>a</i>	104	<b>Diols</b> , electrooxidation, <i>a</i>	111
protection, in Mo-W-Cr-Pd alloys	133	<b>Dioxetane</b> , 1,2-, decomposition,	
resistance, Cr+PGM additives in acids, <i>a</i>	163	chemiluminescence, <i>a</i>	233
F ion on IrO/TiO ceramic electrode, <i>a</i>	35	<b>Diphenylsilane</b> , for hydrosilylations, <i>a</i>	239
Fe <sub>4</sub> Cr <sub>3</sub> Ru steel, <i>a</i>	34	<b>Diphenylurea</b> , N,N'-, synthesis, <i>a</i>	238
of Ir-Ni electrodes, for OER, <i>a</i>	106	<b>Disproportionation</b> , cyclohex-2-en-1-one, <i>a</i>	45
platinised porous Ti electrodes, <i>a</i>	35	<b>Dissociation</b> , NO, <i>a</i>	155
<b>Crucibles</b> , Ir, Pt	2, 23, 156	<b>DNA</b> , photo chemical cleavage, <i>a</i>	105
<b>Crystallisation</b> , heavy metal fluoride glass, <i>a</i>	164	<b>Electrical Contacts</b> , Al-Pd-Si interconnects, <i>a</i>	113
<b>Crystals</b> , Pd-Ni-P, <i>a</i>	102	Au flashed Pd, <i>a</i>	165
Pt basal single electrodes, <i>a</i>	34	corrosion, resistance characteristics, <i>a</i>	165
Pt complex oxides, formed in crucibles, <i>a</i>	156	electroplated Ni/PdNi/Au, <i>a</i>	234
Rh-Cu single, solidification, <i>a</i>	155	in reed switches, <i>a</i>	165
RuSe <sub>2</sub> , <i>a</i>	155	in ULSI, <i>a</i>	240
single, Ir, plastic deformation	196	ohmic, Pd-In/ <i>n</i> -GaAs, Pd/Sb(Mn) <i>p</i> -GaAs, <i>a</i>	165
single, Pt, Rh, Pd, surfaces, in H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	228	Pt/Ti/ <i>p</i> -InAs, <i>a</i>	46
Y <sub>4</sub> Ru <sub>25</sub> , Er <sub>3</sub> Ru <sub>2</sub> , <i>a</i>	34	PtSi/Ge-Si/Si, <i>a</i>	112
<i>n</i> -Si, Pt doped, <i>a</i>	228	Pt-Ti/ <i>p</i> -InGaAs/ <i>n</i> -InP, diodes, <i>a</i>	46
<b>Cyclic Voltammetry</b> , for Ru-Ti alloys, <i>a</i>	103	Schottky, <i>a</i>	234
<b>Cyclisation</b> , reactions, <i>a</i>	36, 161, 238	<b>Electrical Resistivity</b> , in Fe-C/Al <sub>2</sub> O <sub>3</sub> /Fe-Ru, <i>a</i>	231
<b>Cyclohexane</b> , reactions	27, 39, 160	Pd solid solution alloys, +H, <i>a</i>	33
<b>Cyclohexanone</b> , <i>a</i>	36, 236	U-Pt/Pd/Rh-In alloys, <i>a</i>	32
<b>Cyclohexene</b> , reactions	74, 106, 110	<b>Electricity</b> , efficient generation by fuel cells	209
<b>Cyclohexenone</b> , annulation, <i>a</i>	238	photoproduction from light, <i>a</i>	37
<b>Cyclohexylamine</b> , carbonylation	70	<b>Electrochemical Cells</b> , Pt/CaF <sub>2</sub> /Pt, in O <sub>2</sub> , <i>a</i>	102
<b>Cyclopentene</b> , hydroformylation, <i>a</i>	110	<b>Electrochemistry</b> , <i>a</i> 34-36, 102-104, 157-158, 232-233	
<b>Cyclopropanation</b> , catalysts for, <i>a</i>	111	<b>Electrochromism</b> , AIROFs, <i>a</i>	113
<b>Cyclopropane</b> , reaction, on RuNaA[ZS], <i>a</i>	42	<b>Electrodeposition</b> , Pd-Ni films	208
<b>Cyclo-2-en-1-one</b> , reactions, <i>a</i>	45	<b>Electrodeposition</b> , <i>a</i>	38, 105, 106, 234
		<b>Electrodes</b> , anodes, DSA, <i>a</i>	95, 105
		Pt, urea oxidation, <i>a</i>	35
		Pt/porous SiC + H <sub>3</sub> PO <sub>4</sub> , coal conversion, <i>a</i>	112

<b>Electrodes</b> ( <i>contd.</i> )	<i>Page</i>		<i>Page</i>
cathodes, high temperature,		<b>Ethylene Glycol</b> , reactions, <i>a</i>	103, 163
Pt+(Bi <sub>2</sub> O <sub>3</sub> ) <sub>0.1</sub> -(Er <sub>2</sub> O <sub>3</sub> ) <sub>0.3</sub> , <i>a</i>	233	<b>Ethyne</b> , effect on ethene hydrogenation, <i>a</i>	107
Pd thin film disc, H insertion, <i>a</i>	157	<b>E.E.C.</b> , diesel exhaust control	178, 187
Pt, Pt/Nafion/PE, in O sensor, <i>a</i>	38, 158	research support	10
F ion-IrO <sub>2</sub> /TiO ceramic, effluent treatment, <i>a</i>	35	<b>Faraday, Michael</b> , history	222
for OER, preparation, <i>a</i>	106	<b>Films</b> , anodic Ir oxide films, charge storage, <i>a</i>	113
gas diffusion, Pt, uranous nitrate production, <i>a</i>	164	Pt, focused ion beam deposition, <i>a</i>	112
Ir oxide, in titration monitor	137	<b>Fischer-Tropsch</b> , catalysts, <i>a</i>	160
IrO <sub>2</sub> -Ta <sub>2</sub> O <sub>5</sub> /Ta, /Ti, <i>a</i>	157	<b>Fission</b> , PGM waste reprocessing, <i>a</i>	202
IrO <sub>2</sub> /Ti, adsorption properties, <i>a</i>	157	<b>Formaldehyde</b> , <i>a</i>	157, 163
Ir-Pt/Nafion, 117/Pt-Ir, in HCl electrolysis, <i>a</i>	35	<b>Formamide</b> , decomposition, <i>a</i>	108
Ir <sub>x</sub> Ti <sub>1-x</sub> O <sub>2</sub> /Ti, preparation, activity, stability, <i>a</i>	36	<b>Formic Acid</b> , electrooxidation, <i>a</i>	157
Pd, implanted by K, Li, <i>a</i>	103	<b>Fuel Cells</b> , <i>a</i>	45, 240
Pd, Pt-Pd, for ethylene glycol oxidation, <i>a</i>	103	12th Natl. Fuel Cell Seminar	17
photo, Pt-InP, etched, <i>a</i>	104	2nd Grove Fuel Cell Symp., London,	
TiO <sub>2</sub> /SiO <sub>2</sub> /Pt, response to gases, <i>a</i>	36	Sept. 1991	21, 209
ultramicro, TiO <sub>2</sub> /SiO <sub>2</sub> /Pt, gas response, <i>a</i>	36	history	201
platinised porous Ti, corrosion resistance, <i>a</i>	35	MeOH, <i>a</i>	163
platinised Pt, in cholesterol oxidase sensor, <i>a</i>	165	phosphoric acid, <i>a</i>	45
polymer/polymer/Pt, preparation, <i>a</i>	35	<b>Fuel Oil</b> , for syngas production, temperature	
Pt, adsorbed CO effect, <i>a</i>	102	measurement, <i>a</i>	113
basal single crystal, <i>a</i>	34	<b>Functionalisation</b> , of Rh catalysts, by K	140
CO electrooxidation, <i>a</i>	232	<b>Gadolinium Oxide</b> , reaction with Pd+H, <i>a</i>	154
for glucose oxidation, <i>a</i>	232	<b>Gauzes</b> , knitted, for NH <sub>3</sub> oxidation	58
in cell with Ru naphthalene oxidation, <i>a</i>	233	<b>Geology</b> , British Columbia	16
in O sensor, <i>a</i>	158	Pt deposits in USSR	96
in phenol oxidation, waste water control, <i>a</i>	232	<b>Glass</b> , formation, Pd-Ni-P, <i>a</i>	102
porous in Pt/CaF <sub>2</sub> /Pt cell, <i>a</i>	102	Zr-Ba-La-Al-Na fluorides, Pt nucleation, <i>a</i>	164
Pt, Pd, Rh, Ru, chemisorption of CO,		<b>Glasses</b> , Pd <sub>0.83</sub> Si <sub>0.165</sub> , structure changes, <i>a</i>	33
MeOH, EtOH, bonding study, <i>a</i>	38	Pd <sub>40</sub> Ni <sub>40</sub> P <sub>20</sub> , internal friction, <i>a</i>	229
Pt, Pt/C + metal oxides, MeOH oxidation, <i>a</i>	35, 232	Pt-Al, thin films	83
Pt black, Pt/WO <sub>3</sub> , for H detection, <i>a</i>	38	<b>Glucose</b> , oxidation, on Pt electrode, <i>a</i>	232
Pt disk fabrication, <i>a</i>	234	<b>Graphite</b> , oxidation, on Pt{100}	188
Pt gauze, <i>trans</i> -[PtHCl(PEt <sub>3</sub> ) <sub>2</sub> ] oxidation, <i>a</i>	35	<b>Heptane, n-</b> , reactions, <i>a</i>	39, 107
Pt, Pd, Rh, Ru/poly(pyrrole-viologen)/glassy		<b>Heptene, -1</b> , hydrocarboxylation, <i>a</i>	238
C felt, for hydrogenations, <i>a</i>	103	<b>Heteroannulation</b> , vinylic cyclopropanes,	
Pt rotating disc, for O <sub>2</sub> reduction, <i>a</i>	232	cyclobutanes, <i>a</i>	43
Pt(bpy)(CN) <sub>2</sub> /Pt, spectrochemical properties, <i>a</i>	233	<b>Heterocyclisation</b> , C <sub>2</sub> H <sub>2</sub> , <i>a</i>	236
Pt-SPE membrane, in fuel cell, <i>a</i>	163	<b>Hexane</b> , isomers, <i>a</i>	160
Pt/C, for H oxidation, support porosity, <i>a</i>	232	<b>Hexane, n-</b> , reactions, <i>a</i>	39, 40, 41, 236
in PEM, <i>a</i>	240	<b>Hexene, 1-</b> , reactions, <i>a</i>	40, 41, 42, 70, 111, 159
Pt/SnO <sub>2</sub> , Pt/WO <sub>3</sub> , in CO sensor, <i>a</i>	38	<b>Hexene, n-</b> , Et <sub>3</sub> SiH addition, <i>a</i>	110
RuO/C, MeOH oxidation, O evolution, <i>a</i>	36	<b>History</b> , Michael Faraday	222
RuO <sub>2</sub> + TiO <sub>2</sub> , SnO <sub>2</sub> activated, <i>a</i>	104	"Palladium; or, New Silver"	141
RuO <sub>2</sub> /C, for alcohol detection, <i>a</i>	106	<b>Hydrazine</b> , decomposition, <i>a</i>	155
Ru <sub>x</sub> Ti <sub>1-x</sub> O <sub>2</sub> /Ti, catalytic activity, <i>a</i>	36	<b>Hydroboration</b> , of alkenes, <i>a</i>	238
[Rh <sup>III</sup> (L) <sub>2</sub> Cl <sub>2</sub> ]+BF <sub>4</sub> <sup>-</sup> , hydrogenations, H <sub>2</sub>		<b>Hydrocarbons</b> , adsorption with H <sub>2</sub> S, H <sub>2</sub> , on Pt, <i>a</i>	152
evolution, <i>a</i>	36	conversions, <i>a</i>	160
<b>Electroless Deposition</b> , Pt, Pd, Ni, <i>a</i>	105	diesel engine emissions, catalysts for	178, 187
<b>Electroless Plating</b> , for Pd thin films, <i>a</i>	38	low MW, production from coal, <i>a</i>	112
<b>Electrolysis</b> , HCl, by SPE electrodes, <i>a</i>	35	synthesis from CO+H <sub>2</sub> , <i>a</i>	42
<b>Emission Control</b> , 1991 SAE conference reports	94	<b>Hydrocarboxylation</b> , reactions, <i>a</i>	161, 238
diesel exhaust	178, 187	<b>Hydrochloric Acid</b> , electrolysis, <i>a</i>	35
fuel cell benefits, Grove Symp.	209	<b>Hydrochlorination</b> , olefins, <i>a</i>	237
<b>Energy</b> , more efficient sources, Grove Symp.	209	<b>Hydroconversion</b> , <i>n</i> -heptane, <i>n</i> -nonane, <i>a</i>	107, 109
<b>Enols</b> , catalytic production, <i>a</i>	111	<b>Hydrocracking</b> , <i>a</i>	39, 159
<b>Enones</b> , conjugated, electrocatalytic hydrogenation, <i>a</i>	103	<b>Hydrocyanic Acid</b> , synthesis, <i>a</i>	160
<b>Enthalpy</b> , of formation, RuGe, RhGe, PdGe, <i>a</i>	154	<b>Hydrodechlorination</b> , CCl <sub>4</sub> , <i>a</i>	43
<b>Environment</b> , fuel cell benefits to	17, 209	<b>Hydroformylation</b> , alkenes, <i>a</i>	43, 239
<b>Enynes</b> , 1,6-, cycloisomerisation, <i>a</i>	110	ethyl acrylate, <i>a</i>	162
<b>Esters</b> , <i>a</i>	45, 161	ethylene, C <sub>2</sub> H <sub>4</sub> , on Rh catalyst, <i>a</i>	109
<b>Etching</b> , Pt foils, in O plasma, <i>a</i>	38	oct-1-ene, <i>a</i>	239
Pt-InP photoelectrodes, <i>a</i>	104	olefins, <i>a</i>	110, 162
<b>Ethane</b> , hydrogenolysis, catalyst activity <i>a</i>	236	polybutadiene, <i>a</i>	44
<b>Ethene</b> , hydrogenation, <i>a</i>	107	propylene, <i>a</i>	237
<b>Ethers</b> , luminescence, oxygenation, <i>a</i>	45, 104	styrene, 1-hexene, <i>a</i>	42, 239
<b>Ethyl 2-Formylpropanoate</b> , synthesis, <i>a</i>	162	<b>Hydrogen</b> , absorption, by Pd-Al-La-Ni alloy, <i>a</i>	154
<b>Ethyl Acrylate</b> , hydroformylation, <i>a</i>	162	adsorption states on Pt electrodes, <i>a</i>	34
<b>Ethyl Chloride</b> , formation, <i>a</i>	43	catalytic recombination with O, for	
<b>Ethyl Pyruvate</b> , hydrogenation, <i>a</i>	39	moisture generator, <i>a</i>	106
<b>Ethylanthraquinone, 2-</b> , hydrogenation, for Pd		chemisorption, <i>a</i>	107, 157, 235
catalyst studies, <i>a</i>	108	coadsorption with H <sub>2</sub> S, HC, on Pt, <i>a</i>	152
<b>Ethylbenzene</b> , from styrene, <i>a</i>	236		
<b>Ethylene</b> , from vinylhalogenides, <i>a</i>	161		
reactions, <i>a</i>	40, 109, 162, 236		

<b>Hydrogen (cont.)</b>	<b>Page</b>	<b>Indium</b>	<b>Page</b>
codeposited with Pd plating, <i>a</i>	106	grain boundary reaction with Pd-Ag-Cu, <i>a</i>	153
detection with CO sensor, <i>a</i>	38	<b>Indolines</b> , production, <i>a</i>	43
diffusion, in Pd, Pd alloys, <i>a</i>	33, 103, 153, 230	<b>Integrated Circuits</b> , <i>a</i>	112, 113
electrooxidation, on Pt/C, <i>a</i>	232	<b>Interconnects</b> , Al-Pd-Si metallisation, <i>a</i>	113
embrittlement of steel, Pt implanted, <i>a</i>	228	<b>Ion Beam Mixing</b> , Pd-Ni, low temperature, <i>a</i>	33
evolution, by Rh <sup>III</sup> complex polymers, <i>a</i>	36	<b>Ion Plating</b> , for Pt-GaAs Schottky contacts, <i>a</i>	234
from H <sub>2</sub> O-MeOH, <i>a</i>	233	<b>IR</b> , imaging, sensors, <i>a</i>	45, 164, 208
on silicides, <i>a</i>	35	<b>IR cell</b> , for high pressure spectroscopy, <i>a</i>	155
from H <sub>2</sub> O photoreduction, by Pt blues, <i>a</i>	43	<b>Iridium</b> , crystal cleavage	23
in Pd	24, 33	diffusion on Ir(110) surfaces, <i>a</i>	155
in uranous nitrate production, <i>a</i>	164	plastic deformation	196
insertion into Pd disc cathodes, <i>a</i>	157	radioactive, reprocessing	202
metal systems	195	thin films, <i>a</i>	38
oxidation, on Pd/support, <i>a</i>	160	<b>Iridium Alloys</b> , Ir-Al quasicrystals	21
permeation, through Pd, Pd-Ag membrane	32, 138, 154	Ir-Ni, for OER electrodes, <i>a</i>	106
photoevolution	22, 104	Ir-Ta, amorphous, diffusion barriers, <i>a</i>	46
photospillover, in ZnO/Pd system, <i>a</i>	105	<b>Iridium Complexes</b> , polymetallic activation	10
reaction with NO, on Rh, <i>a</i>	155	[Ir <sub>4</sub> (CO) <sub>16</sub> ], isomer synthesis in NaY zeolite, <i>a</i>	237
Schottky device response to, <i>a</i>	240	<b>Iridium Oxide</b> , AIROFs, <i>a</i>	113
see also <b>Synthesis Gas</b>		coatings for DSA electrodes	95, 105
sensors	85, 106, 158, 234, 235	in titration monitor	137
use in fuel cells, Grove Symp.	209	IrO <sub>x</sub> .nH <sub>2</sub> O clusters, redox states in H <sub>2</sub> O	105
<b>Hydrogen Peroxide</b> , photoproduction, <i>a</i>	233	photoreactions, <i>a</i>	64
<b>Hydrogen Sulphide</b> , effects with Pt, <i>a</i>	39, 152	<b>Iridium Silicide</b> , in IR imagers	64
<b>Hydrogenation</b> , acetophenone, <i>a</i>	44	<b>Isocyanate</b> , formation, <i>a</i>	41, 108
acetylene, <i>a</i>	159	<b>Isomerisation</b> , direction of	28
alkenes, <i>a</i>	161, 162, 239	reactions, <i>a</i>	39, 110, 111, 159, 235
asymmetric, dehydroaminoacid		<b>Isomers</b> , in Pt, Pd complexes	28
derivatives, <i>a</i>	42	<b>Isoprene</b> , hydrogenation, <i>a</i>	159
unsaturated carboxylic acid, <i>a</i>	111	<b>Johnson, Percival Norton</b> , palladium discovery	141
buta-1,3-diene, isoprene, <i>a</i>	159	<b>Johnson Matthey</b> , Prince of Wales Award	
cinnamyl alcohol, cinnamaldehyde, <i>a</i>	40	for Innovation	201
CO, in a continuous flow microreactor, <i>a</i>	160	"Platinum 1991"	132
on basic oxides, <i>a</i>	237	<b>Joining</b> , PtSi fusion bonding, <i>a</i>	235
on Rh-Mn/SiO <sub>2</sub> , <i>a</i>	109	<b>Ketones</b> , <i>a</i>	111, 161, 239
on Ru clusters/inorganic oxides, <i>a</i>	42	<b>Lactose</b> , oxidation, <i>a</i>	40
CO, CO <sub>2</sub> , on Pd/La <sub>2</sub> O <sub>3</sub> , <i>a</i>	40	<b>Langmuir-Blodgett Films</b> , <i>a</i>	102, 233, 234
conjugated enones, styrene, benzonitrile, <i>a</i>	103	<b>Lasers</b> , <i>a</i>	107, 158
CO <sub>2</sub> , on Rh catalysts, <i>a</i>	41	<b>Lead Alloys</b> , Pb-Cu-Sn-Se-Pd, microstructural	
cyclohexanone, <i>a</i>	36	stability, <i>a</i>	33
cyclohexene, <i>a</i>	106	<b>Luminescence</b> , in Pt(bpy)(NH <sub>3</sub> ) <sub>2</sub> <sup>2+</sup> -anthraceno-	
C <sub>2</sub> H <sub>2</sub> , C <sub>2</sub> H <sub>4</sub> , C <sub>3</sub> H <sub>6</sub> , <i>a</i>	236	crown ether, <i>a</i>	104
C <sub>2</sub> H <sub>2</sub> -C <sub>2</sub> H <sub>4</sub> , <i>a</i>	40	in Ru(II)polypyridine complexes, <i>a</i>	105
diene, olefin, <i>a</i>	40	quenching, Ru(bpy) <sub>3</sub> <sup>2+</sup> , <i>a</i>	37, 158
dimethyl oxalate, <i>a</i>	163	Ru(bpy) <sub>3</sub> Cl <sub>2</sub> , <i>a</i>	233
diolenfin(dialkyl)Pt(II) complexes, <i>a</i>	236	<b>Magnetism</b> , Ce-Ru-Si-Ge, <i>a</i>	102
ethene, <i>a</i>	107	diamagnetic transition in Pt 1D complex, <i>a</i>	153
ethyl pyruvate, <i>a</i>	39	effect on Ru multilayer films, <i>a</i>	231
ethylanthraquinone, 2-, for Pd catalyst studies, <i>a</i>	108	FeRuGaSi thin films, <i>a</i>	155
hexene-1, <i>a</i>	41, 159	Fe(Pd,Pt <sub>1-x</sub> ) <sub>3</sub> , <i>a</i>	101
phenol, <i>a</i>	236	in Fe-Pd alloys, <i>a</i>	33
propionaldehyde, <i>a</i>	112	in Pd/Co multilayers, <i>a</i>	31, 101, 234
quinolines, on Ru/C, Raney Ni, <i>a</i>	110	in Pt complex oxides formed in crucibles, <i>a</i>	156
styrenes, <i>a</i>	159	in Pt/Co, <i>a</i>	31, 112, 152
transfer, ketones, aliphatic, aromatic, <i>a</i>	239	in U-Pt/Pd/Rh-In alloys, <i>a</i>	32
of cyclohex-2-en-1-one, <i>a</i>	45	in [Pd(tmp)] <sub>2</sub> [ReO <sub>4</sub> ], <i>a</i>	156
<b>Hydrogenolysis</b> , asymmetric, Na epoxysuccinate, <i>a</i>	162	of Pt resistance thermometer, <i>a</i>	113
biphasic, <i>a</i>	162	Pt-Fe-Nb system, <i>a</i>	152
chloroarenes, <i>a</i>	162	Pt/Fe multilayers, <i>a</i>	152
ethane, for catalyst activity, <i>a</i>	236	Pt, Mn-Pt-Fe, paramagnetic susceptibility, <i>a</i>	228
methylcyclopentane, on Rh-Ag/TiO <sub>2</sub> , <i>a</i>	41	Pt <sub>3</sub> Mn <sub>0.9</sub> Fe <sub>0.1</sub> , <i>a</i>	229
methylcyclopropane, <i>a</i>	41	<b>Magneto-Optics</b> , conference report	134
<i>n</i> -butane, <i>a</i>	235	in Co/Pt, Co/Pd multilayers	31, 112
<b>Hydrolysis</b> , <i>cis</i> -PtCl <sub>2</sub> (NH <sub>3</sub> ) <sub>2</sub> , <i>a</i>	38	thin, ultrathin Pt/Co, <i>a</i>	152
<b>Hydrosilylation</b> , alkyne, <i>a</i>	44, 162	<b>Manganese</b> , catalyst promoter, <i>a</i>	109
asymmetric, acetophenone, <i>a</i>	44, 239	<b>Medical</b> , <i>a</i>	46, 165
phenylacetylene, <i>a</i>	162	anti-tumour complexes, <i>a</i>	46
Pt colloid formation, <i>a</i>	110	dental alloys, <i>a</i>	46
Rh colloid catalysis, <i>a</i>	238	<b>Membrane Reactors</b>	27, 164
<b>Imines</b> , <i>a</i>	111, 161	<b>Membranes</b> , for H diffusion, <i>a</i>	33
<b>Imino Acids</b> , photocatalytic cyclisation, <i>a</i>	36	F-polymer Nafion, PTFE/Nafion, supports, <i>a</i>	106
<b>Impedance</b> , Pt/SiO <sub>2</sub> , ultrathin films, <i>a</i>	32		
<b>Indans</b> , production, <i>a</i>	43		

	<i>Page</i>		<i>Page</i>
<b>Membranes (contd.)</b>			
Pd, H permeation through, CO, CO <sub>2</sub> effects, <i>a</i>	32	<b>Oxidation, 2-methylnaphthalene, naphthalene, <i>a</i></b>	233
Pd-Ag, for H permeation	138, 153, 154	alcohols, primary, aerobic, <i>a</i>	163
Pd/ZnO, H photospillover, <i>a</i>	105	alkanes, bridged polycyclic, <i>a</i>	45
see also <b>Thin Films</b>		ammonia, on knitted gauze	58
<b>Mercaptans, formation, <i>a</i></b>	152	CO, on Pt{100} crystals, reaction monitoring	188
<b>Merensky Reef</b>	132	CO, <i>a</i>	107, 109
<b>Metallisation, systems, <i>a</i></b>	165, 240	electro-, CO, on Pt electrode, <i>a</i>	232
<b>Metallisations, Au-Sn/Pt, Al-Pd-Si, <i>a</i></b>	112, 113	diols by Ru complex, <i>a</i>	111
<b>Methane, formation, <i>a</i></b>	237	ethylene glycol, <i>a</i>	103
gas detector, <i>a</i>	158	glucose, <i>a</i>	232
reactions, <i>a</i>	108, 126, 160, 195	H, <i>a</i>	232
<b>Methanol, fuel cells</b>	163, 209	HCHO, <i>a</i>	157
see <b>Alcohols, methyl</b>		HCOOH, MeOH, <i>a</i>	157
<b>Methyl Acrylate, dimerisation, <i>a</i></b>	162	MeOH, on Pt, <i>a</i>	35, 36, 108, 232
<b>Methyl Formates, decomposition into syngas, <i>a</i></b>	163	Pd, electrodisolution, <i>a</i>	157
<b>Methyl Trifluoroacetate, from CH<sub>4</sub></b>	126	phenol, water pollution control, <i>a</i>	232
<b>Methylcyclohexane, selective dehydrogenation, <i>a</i></b>	107	Fe <sub>40</sub> Cr <sub>2</sub> Ru steel, corrosion resistance, <i>a</i>	34
<b>Methylcyclopentane, reactions, <i>a</i></b>	41, 107, 160, 235	graphite, on Pt{100}	188
<b>Methylcyclopropane, hydrogenolysis, <i>a</i></b>	41	H, <i>a</i>	160
<b>Methylnaphthalene, 2-, oxidation, <i>a</i></b>	233	internal, in Pd-40Ag-1RE alloys, <i>a</i>	33
<b>Methylstyrene, <math>\alpha</math>-, hydrogenation, <i>a</i></b>	236	lactose, on Bi-Pd/C, <i>a</i>	40
<b>Methyl-2-Oxobutanoic Acid, 3-, photocatalytic asymmetric reduction, <i>a</i></b>	37	methane, by Pd	108, 126
<b>Microscopy, scanning electron, with RuO<sub>4</sub> in imaging, <i>a</i></b>	39	photo, H <sub>2</sub> O, ascorbic acid, <i>a</i>	105, 233
<b>Mineralogy, in Canada</b>	16	propylene, propylene glycol, <i>a</i>	43, 160
<b>Mirrors, Rh/C multilayer X-ray, <i>a</i></b>	39	Pt/Ni crystals, <i>a</i>	101
<b>Moisture, generator, <i>a</i></b>	106	resistance, in Pd coated Mo-W-Cr-Pd alloys	133
<b>Molybdenum, Pd catalyst promoter, <i>a</i></b>	43	Rh, high temperature, <i>a</i>	34
<b>Morphology, back scattering electron detector, <i>a</i></b>	39	triphenylphosphine, <i>a</i>	163
Pt/graphite thin film, <i>a</i>	152	urea, <i>a</i>	35
Pt/SiO <sub>2</sub> , 25Å, <i>a</i>	32	[Ru(PPh <sub>3</sub> ) <sub>3</sub> Cl <sub>2</sub> ], <i>a</i>	45
		<i>trans</i> -[PtHCl(PEt <sub>2</sub> ) <sub>2</sub> ], <i>a</i>	35
<b>Naphtha, reforming, <i>a</i></b>	39	<b>Oxygen, catalytic evolution, from MeOH, <i>a</i></b>	36
<b>Naphthalenes, oxidation, <i>a</i></b>	233	catalytic recombination with H, for	
<b>NEMCA, for MeOH oxidation, <i>a</i></b>	108	moisture generator, <i>a</i>	106
<b>Neohexene, Et, SiH addition, <i>a</i></b>	110	chemisorption, on Pt-Sn/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	107
<b>Nicholson, William, palladium discovery</b>	141	evolution, by IrO <sub>x</sub> -Ta <sub>2</sub> O <sub>5</sub> /Ta electrodes, <i>a</i>	157
<b>Nickel, high temperature reactions with SiC, <i>a</i></b>	153	electrodes for, <i>a</i>	106
<b>Nitric Acid, process gas filtration, <i>a</i></b>	236	from HClO <sub>4</sub> , <i>a</i>	104
production, on knitted gauze	58	from H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	95
<b>Nitroanilines, reduction, <i>a</i></b>	162	interaction with CO, on Ir/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	42
<b>Nitroanisole, <i>p</i>-, reduction, <i>a</i></b>	239	interaction with Pt/CeO <sub>2</sub> sensors, <i>a</i>	158
<b>Nitroanthraquinone, 1-, reactions, <i>a</i></b>	162	reduction electrocatalysts, <i>a</i>	103
<b>Nitrobenzene, reactions</b>	43, 70, 162, 238	reduction in H <sub>2</sub> SO <sub>4</sub> + phenanthroline, on	
<b>Nitrogen, reactions, <i>a</i></b>	104, 155	Pt rotating disc, <i>a</i>	232
<b>Nitrogen Oxides, NO, dissociation, reaction with H on Rh, <i>a</i></b>	155	sensor, <i>a</i>	38, 158
NO-CO, Ce, K effects on Rh/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	41	<b>Oxygenation, aliphatic ethers, <i>a</i></b>	45
self poisoning on Pt{100}	188	<b>Oxyhexatriene, cyclisation, <i>a</i></b>	238
<b>Nitrotoluene, reduction, <i>a</i></b>	239		
<b>Nonane, <i>n</i>-, hydroconversion, <i>a</i></b>	109	<b>Palladium, addition, to stainless steel, <i>a</i></b>	163
<b>Noril'sk-Talnakh, Pt deposits</b>	96	to Au-Cu dental alloys, <i>a</i>	46
<b>Nuclear Fuel, PGM reprocessing</b>	202	$\alpha$ -Pd, H permeation in, <i>a</i>	103
<b>Nucleosides, C-5 alkyl, production, <i>a</i></b>	160	amorphous interphase with InP, <i>a</i>	153
		cluster, Pd <sub>561</sub> Phen <sub>60</sub> (OAc) <sub>160</sub> , <i>a</i>	230
<b>Octane, <i>n</i>-, hydrocracking, isomerisation, <i>a</i></b>	159	clusters, on mica, scanning force microscopy	
<b>Oct-1-ene, hydroformylation, <i>a</i></b>	239	study, <i>a</i>	229
<b>Olefins, couplings, <i>a</i></b>	161, 238	compounds, cyclopalladated, reaction with	
reactions, <i>a</i>	40, 110, 111, 159, 162, 237	alkynes, <i>a</i>	111
<b>Optical Switch, in Langmuir-Blodgett film, <i>a</i></b>	234	EuPd <sub>2</sub> Si <sub>2</sub> , valence change under pressure, <i>a</i>	229
<b>Organofluorophosphines, complexes, preparation, properties</b>	86	Fe(Pd <sub>x</sub> Pt <sub>1-x</sub> ) <sub>3</sub> , magnetism, <i>a</i>	101
<b>Osmium, polycrystalline, thermionic emission, <i>a</i></b>	230	PdGe, enthalpy of formation, <i>a</i>	154
<b>Osmium Alloys, Al-Os quasicrystals</b>	21	[Pd(tmp)] <sub>2</sub> [ReO <sub>4</sub> ], <i>a</i>	156
<b>Osmium Complexes, Os organofluorophosphines</b>	86	electrodes, see <b>Electrodes</b>	
Os polyhydrides, paramagnetic, <i>a</i>	37	electrodisolution, <i>a</i>	157
OsH <sub>4</sub> (PMe <sub>2</sub> Ph) <sub>3</sub> , concurrent photodissociation, <i>a</i>	37	electroless deposition, <i>a</i>	105
OsO <sub>4</sub> , oxidant	31	glasses, Pd <sub>40</sub> Ni <sub>40</sub> P <sub>20</sub> , internal friction, <i>a</i>	229
Os-ammines, <i>a</i>	231	history, discovery, <i>a</i>	141
Os <sub>2</sub> Pt(CO) <sub>11</sub> (PPh <sub>3</sub> ) <sub>2</sub> , <i>a</i>	156	in contacts, <i>a</i>	113, 165
polymetallic activation	10	in detectors, sensors, see <b>Detectors</b>	
Pt <sub>4</sub> Os <sub>6</sub> (CO) <sub>22</sub> (COD), Pt <sub>5</sub> Os <sub>6</sub> (CO) <sub>21</sub> (COD) <sub>2</sub> , <i>a</i>	156	in membrane reactor, <i>a</i>	164
[OsCl(NO)(PiPr <sub>2</sub> ) <sub>3</sub> ], synthesis, <i>a</i>	232	in Schottky contacts, <i>a</i>	240
<b>Oxidants, (Ph<sub>4</sub>)<sub>2</sub>[RuO<sub>2</sub>(OAc)Cl]<sub>2</sub>, <i>a</i></b>	45	ion beam mixing in Ni, <i>a</i>	33
		membrane reactors	27
		membranes, <i>a</i>	32, 105
		modified aluminate coatings	82
		nanocrystalline, mechanical behaviour, <i>a</i>	154

	<i>Page</i>		<i>Page</i>
<b>Palladium</b> ( <i>contd.</i> )		<b>Phosphonic <math>\alpha</math>-Amino Acids</b> , synthesis, <i>a</i>	161
Ni/PdNi/Au, composite for contacts, <i>a</i>	234	<b>Photocatalysis</b> , <i>a</i>	36-37, 43, 104-105, 158, 233-234
Pd(111), crystal surface in H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	228	<b>Photodissociation</b> , OsH <sub>x</sub> (PMe <sub>2</sub> Ph) <sub>3</sub> , <i>a</i>	37
Pd(111), sulphided, for C <sub>2</sub> H <sub>2</sub> cyclisation, <i>a</i>	236	<b>Photolysis</b> , Ru(II) diimine, <i>a</i>	105
Pd-Al thin film, phase formation, <i>a</i>	153	<b>Plating</b> , electroless, Pt, Pd, Ni, <i>a</i>	105
Pd-H systems, Intl. Symp.	24, 195	Pd, with H codeposition, <i>a</i>	106
Pd/Al diffusion couple, <i>a</i>	32	<b>Platinum</b> , addition to YBaCuO superconductor, <i>a</i>	229
Pd/Co	31, 101, 134, 234	compounds, Fe(Pd <sub>x</sub> Pt <sub>1-x</sub> ) <sub>3</sub> , magnetism, <i>a</i>	101
Pd/SnO <sub>2</sub> , for gas sensor, <i>a</i>	106, 158	Pt <sub>3</sub> Mn-Pt <sub>3</sub> Fe, paramagnetic, <i>a</i>	228
Pd <sub>x</sub> C <sub>1-x</sub> , thin films, electrical properties, <i>a</i>	101	Pt <sub>3</sub> Mn <sub>0.4</sub> Fe <sub>0.1</sub> , magnetism in, <i>a</i>	229
plating, with H codeposition, <i>a</i>	106	CVD, <i>a</i>	152
radioactive, reprocessing	202	deposits, in USSR	96
rod, electrochemical charging, <i>a</i>	233	doped heavy metal fluoride glass, <i>a</i>	164
thin films, <i>a</i>	38, 154, 229	<i>n</i> -Si crystals, <i>a</i>	228
ultrafine particles, for H absorption, adsorption, <i>a</i>	157	<b>electrodes</b> , see <b>Electrodes</b>	
<b>Palladium Alloys</b> , assessed for contact characteristics, <i>a</i>	165	electroless deposition, <i>a</i>	105
Pd solid solution, electrical resistivity, <i>a</i>	33	equilibrium shape, surface energy, <i>a</i>	101
Pd-Ag, H permeation	138, 153, 154, 230	etching foils, <i>a</i>	38
Pd-Ag-Cu, grain boundary reactions, <i>a</i>	153	high temperature reactions with SiC, <i>a</i>	153
Pd-40Ag-1RE, internal oxidation, <i>a</i>	33	hydrous oxide films, <i>a</i>	102
Pd-Ag-Y(Gd), diffusion characteristics, <i>a</i>	33	implanted in steel, reduced embrittlement, <i>a</i>	228
Pd-Al-La-Ni, H absorption, <i>a</i>	154	in electrical contacts, <i>a</i>	46
Pd-Au, lattice expansion, <i>a</i>	154	in high temperature superconductivity	2
Pd-Au-Cu, dental, tarnishing tests, <i>a</i>	46	in Schottky NH <sub>3</sub> sensor	200
Pd-Cr, in strain gauges	65	ion beam deposition, <i>a</i>	112
Pd-C-Mg, <i>a</i>	229	multilayered thin films, preparation, structure, <i>a</i>	228
Pd-Er, preparation, metallography, <i>a</i>	154	Pt(100), Pt(111), for adsorption, <i>a</i>	152
Pd-Fe, sputter deposited, <i>a</i>	33	Pt(111), reactions, <i>a</i>	228, 235
Pd-H systems, Intl. Symp.	24	Pt-GaAs, in Schottky contacts, <i>a</i>	234
Pd-Ho, preparation, metallography, <i>a</i>	154	Pt-H bond cleavage, <i>a</i>	35
Pd-Mo-W-Cr, oxidation resistance	133	Pt/CdS dispersions, photocorrosion, <i>a</i>	104
Pd-Ni, H insertion into thin films, <i>a</i>	157	Pt/CdS, Ag <sub>2</sub> S/RuO <sub>2</sub> , for NH <sub>3</sub> production, <i>a</i>	104
plating bath	208	Pt/Co, in magneto-optic devices	31, 112, 134, 152, 228
Pd-Ni-P, crystal nucleation, glass formation, <i>a</i>	102	Pt/Fe thin film multilayers, anisotropy, <i>a</i>	152
Pd-Pb-Cu-Sn-Se, microstructural stability, <i>a</i>	33	Pt/GaAs, Si/Pt/GaAs, intermixed phase, <i>a</i>	153
Pd-Pt-U, magnetic transport properties, <i>a</i>	32	Pt/mica disks, fabrication, <i>a</i>	234
Pd-rare earth oxides, coupled reduction, <i>a</i>	154	Pt/Ni, oxidation prevention, <i>a</i>	101
Pd-Si, <i>a</i>	154, 229, 230	Pt/pyrolytic graphite, thin film morphology, <i>a</i>	152
Pd-Si-H, H diffusion, electromigration, <i>a</i>	230	Pt-Ta, Pt-Ti, barriers, <i>a</i>	112
Pd-Te, system constitution, <i>a</i>	33	Pt/TiO <sub>2</sub> , gas sensor, <i>a</i>	158
Pd-Zr, amorphisation	83	Pt{100}, chemical reaction fronts	188
<b>Palladium Complexes</b> , H <sub>2</sub> PdCl <sub>4</sub> , effect on Ag imaging colloids, <i>a</i>	36	radioactive, reprocessing	202
isomers	28	thick films, laser power detection, <i>a</i>	158
ortho-palladated imines, mesogens, <i>a</i>	231	thin films, <i>a</i>	38, 101
Pd organofluorophosphines	86	ultrafine particles, for electrooxidations, <i>a</i>	157
PdLCl <sub>2</sub> , Pd(L-H) <sub>2</sub> , Pd(L-2H), <i>a</i>	231	ultrathin films, /SiO <sub>2</sub> , properties, <i>a</i>	32
Pd(II)-Sn, <i>a</i>	103	underlayers, in YBaCuO superconductors, <i>a</i>	240
polymetallic activation	10	<b>"Platinum 1991"</b>	132
[Pd(3,3'-bipyridazine) <sub>2</sub> ][ClO <sub>4</sub> ] <sub>2</sub> , <i>a</i>	102	<b>Platinum Alloys</b> , in PAFC fuel cells, <i>a</i>	45
[Pd <sub>2</sub> X <sub>4</sub> (PPr <sup>n</sup> ) <sub>2</sub> ]+1,4-benzodiazepines, <i>a</i>	231	Pt-Al, amorphisation	83
[Pd <sub>9</sub> As <sub>8</sub> (PPh <sub>3</sub> ) <sub>8</sub> ], [Pd <sub>5</sub> Sb <sub>8</sub> (PPh <sub>3</sub> ) <sub>8</sub> ], <i>a</i>	156	quasicrystals	21
<b>Palladium Silicides</b> , alloy glasses, structure changes, <i>a</i>	433	Pt-Co/C, for O electroreduction, <i>a</i>	103
for H evolution, <i>a</i>	35	Pt-Fe-Nb, magnetic, thermal properties, <i>a</i>	152
mechanical alloying, <i>a</i>	154	Pt-Pd, solid solution, for ethylene glycol oxidation, <i>a</i>	103
Pd <sub>2</sub> Si, in ULSI, <i>a</i>	240	Pt-Rh, gauze, for NH <sub>3</sub> oxidation	58
see also <b>Palladium Alloys</b> , Pd-Si		Pt-Rh, Pt-Rh-Au, volatilisation, <i>a</i>	32
<b>Patents</b>	47-56, 114-124, 166-176, 241-249	Pt-U-In, magnetic, transport properties, <i>a</i>	32
<b>Pentane</b> , dehydrogenation, <i>a</i>	158	Pt-Y-B, properties, <i>a</i>	32
<b>Pentene</b> , 1-, hydroformylation, <i>a</i>	110	<b>Platinum Complexes</b> , anti-cancer, <i>a</i>	46
<b>Permeability</b> , see also <b>Diffusion</b>		CODPt(CD <sub>3</sub> ) <sub>2</sub> , Pt surface alkyls, <i>a</i>	236
<b>Permeation</b> , H, through Pd	32, 138, 154	isomers	28
<b>Phase Changes</b> , at Pd/InP interface, <i>a</i>	153	Os <sub>3</sub> Pt(CO) <sub>3</sub> (PPh <sub>3</sub> ) <sub>2</sub> , <i>a</i>	156
at Pt/GaAs, Si/Pt/GaAs interfaces, <i>a</i>	153	<i>o</i> -vinyl Pt(IV), <i>a</i>	161
in Al-Pd thin films, <i>a</i>	153	polymetallic activation	10
<b>Phase Diagrams</b> , CeRu <sub>2</sub> (Ge-Si) <sub>2</sub> , <i>a</i>	102	Pt blues, for H <sub>2</sub> photoevolution, <i>a</i>	43
Fe(Pd <sub>x</sub> Pt <sub>1-x</sub> ) <sub>3</sub> , <i>a</i>	101	Pt organofluorophosphines	86
Pd-Te, <i>a</i>	33	PtCl <sub>2</sub> [bis(aminomethyl)dimethylsilane], anticancer, <i>a</i>	46
RuO <sub>2</sub> -Bi <sub>2</sub> O <sub>3</sub> -CuO, <i>a</i>	155	Pt(bpy)(CN) <sub>2</sub> /Pt electrodes, spectroscopic properties, <i>a</i>	233
<b>Phenol</b> , <i>a</i>	232, 236	Pt(bpy)(NH <sub>3</sub> ) <sub>2</sub> <sup>2+</sup> , luminescence, <i>a</i>	104
<b>Phenylacetylene</b> , hydrosilylation, <i>a</i>	162	Pt(II)-diaminobiotin, synthesis, characterisation, <i>a</i>	231
<b>Phenylcarbamate</b> , N-, formation, <i>a</i>	43		
<b>Phenylpropanal</b> , 2-, from styrene, <i>a</i>	42		
<b>Phosphine</b> , displacing Co on Rh catalyst, <i>a</i>	109		



<b>Platinum Complexes (contd.)</b>	<b>Page</b>	<b>Rhodium (contd.)</b>	<b>Page</b>
Pt-Sn bimetallic, <i>a</i>	34	foil, hydrazine decomposition, <i>a</i>	155
Pt <sub>4</sub> Os <sub>6</sub> (CO) <sub>2</sub> (COD), Pt <sub>4</sub> Os <sub>6</sub> (CO) <sub>2</sub> (COD) <sub>2</sub> , <i>a</i>	156	oxidation, high temperature, <i>a</i>	34
R <sub>2</sub> Ba <sub>2</sub> CuPtO <sub>8</sub> , R <sub>2</sub> Ba <sub>3</sub> Cu <sub>2</sub> PtO <sub>10</sub> , Ba <sub>4</sub> CuPt <sub>7</sub> O <sub>9</sub> , <i>a</i>	156	radioactive, reprocessing	202
[Pt(L <sup>1</sup> )] <sub>2</sub> [BF <sub>4</sub> ], <i>a</i>	231	Rh(111), reactions, <i>a</i>	155, 228
[Pt(3,3'-bipyridazine) <sub>2</sub> ][ClO <sub>4</sub> ], <i>a</i>	102	Rh/C multilayers, for soft X-ray use, <i>a</i>	39
[Pt(en) <sub>2</sub> ][Pt(en) <sub>2</sub> I <sub>2</sub> ](ClO <sub>4</sub> ) <sub>4</sub> , magnetism in, <i>a</i>	153	thin films, <i>a</i>	38
[Pt(L <sup>1</sup> )] <sub>2</sub> [BF <sub>4</sub> ], <i>a</i>	231	on Ag{001}, Au{001}, <i>a</i>	230
[Pt <sub>2</sub> (μ-C=CHPh)(C≡CPh)(PEt <sub>3</sub> ) <sub>2</sub> ], BF <sub>4</sub> <sup>-</sup> , photochemical atom-transfer, <i>a</i>	104	<b>Rhodium Alloys, Rh-Al quasicrystals</b>	21
<i>cis</i> -PtCl <sub>2</sub> (NH <sub>3</sub> ) <sub>2</sub> , hydrolysis products, <i>a</i>	38	Rh-Cu, single crystal solidification, <i>a</i>	155
<i>cis</i> -[PtCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> ], <i>a</i>	231	Rh-Pt, Rh-Pt-Au, volatilisation, <i>a</i>	32
<i>trans</i> -[PtHCl(PEt <sub>3</sub> ) <sub>2</sub> ], electrochemical oxidation, <i>a</i>	35	Rh-U-In, magnetic, transport properties, <i>a</i>	32
<i>trans</i> -[Pt(H)X(PPh <sub>3</sub> ) <sub>2</sub> ], <i>a</i>	231	<b>Rhodium Complexes, Cp*Rh, electrochemical reduction, <i>a</i></b>	36
<b>Platinum Silicides, for H evolution, <i>a</i></b>	35	polymetallic activation	10
from SiC/Pt high temperature reactions, <i>a</i>	153	Rh(2,4,6-Me <sub>3</sub> C <sub>6</sub> H <sub>3</sub> ) <sub>3</sub> , <i>a</i>	34
fusion bonding, <i>a</i>	235	Rh[P(OPh) <sub>3</sub> ] <sub>3</sub> [P(OC <sub>6</sub> H <sub>4</sub> )(OPh) <sub>2</sub> ], <i>a</i>	156
in IR imagers	45, 64, 208	[Cp*RhCl] <sub>2</sub> , electrochemical production, <i>a</i>	36
PtSi, columnar grains, <i>a</i>	32	[Rh <sup>III</sup> (L) <sub>2</sub> Cl <sub>2</sub> ] <sup>+</sup> BF <sub>4</sub> <sup>-</sup> , films, electrochemical properties, <i>a</i>	36
contact to Ge-Si/Si, <i>a</i>	112	<b>Royal Commission on Environmental Pollution, report on diesel exhaust</b>	187
in Schottky diodes, <i>a</i>	164, 228	<b>Ruthenium, colloids, of Ru double salt, <i>a</i></b>	34
in ULSI, <i>a</i>	240	compounds, anti-cancer properties, <i>a</i>	46
PtSi/Si(100), formation, <i>a</i>	240	RuGe, enthalpy of formation, <i>a</i>	154
<b>Poisoning, by metal ions, of Pd catalysts, <i>a</i></b>	108	RuSe <sub>2</sub> , crystal growth, <i>a</i>	155
catalysts by S, <i>a</i>	39, 108, 235	RuTiSnO, O evolution, <i>a</i>	104
CO, on Pd/SiO <sub>2</sub> , <i>a</i>	41	LiRuO <sub>2</sub> , <i>a</i>	36
self, CO, NO on Pt{100}	188	effect on Fe40Cr steel, <i>a</i>	34
<b>Pollution Control, 1991 SAE conference reports</b>	94	in thick film resistors, <i>a</i>	240
diesel exhaust	178, 187	radioactive, reprocessing	202
electrolyte effluent treatment, <i>a</i>	35	Ru(0001), thin Cu films on, <i>a</i>	230
phenol in waste water, <i>a</i>	232	Ru-rare earth systems, <i>a</i>	34
radioactive PGM waste	202	<b>Ruthenium Alloys, FeRuGaSi thin films, magnetism, structure, <i>a</i></b>	155
<b>Polyaldehydes, from polybutadiene, <i>a</i></b>	44	Ru-Al quasicrystals	21
<b>Polymerisation, <i>a</i></b>	43, 110	Ru-Al-Mn-Si, icosahedral, <i>a</i>	231
<b>Polymers, co-, Ru complex + DDA, in L-B films, <i>a</i></b>	233	Ru-Ni, for OER electrodes, <i>a</i>	106
layered conducting/Pt, <i>a</i>	35	Ru-Ti, electrochemistry, <i>a</i>	103
+ RuO <sub>4</sub> , in electron detector, <i>a</i>	39	<b>Ruthenium Complexes, oxidants</b>	31, 45
<b>Potassium</b>	41, 140	polymetallic activation	10
<b>Prince of Wales Award for Innovation</b>	201	Ru organofluorophosphines	86
<b>Promoters, 10,11-dihydrocinchonidine, <i>a</i></b>	39	Ru(bpy) <sub>2</sub> <sup>2+</sup> , for H <sub>2</sub> evolution, using Pt blues, <i>a</i>	43
Bi, on Pd/C, <i>a</i>	40	luminescence quenching, <i>a</i>	37, 158
Ca, K, La, on Pd/SiO <sub>2</sub> catalysts, <i>a</i>	41	Ru(bpy) <sub>3</sub> <sup>2+</sup> on Vycor glass, photo properties, <i>a</i>	37
Cr, to Pd/HY catalysts, <i>a</i>	109	Ru(II) bipyridine, optical switching, in L-B film, <i>a</i>	23
Mn, V, <i>a</i>	109, 160	Ru(II) polypyridines, photo properties, <i>a</i>	105
Mo, V, in PdCl <sub>2</sub> + Keggin-type anions, <i>a</i>	43	[Ru(η-C <sub>5</sub> H <sub>5</sub> )(CS <sub>2</sub> )(PPh <sub>3</sub> ) <sub>2</sub> ] <sup>+</sup> , <i>a</i>	156
<b>Propadiene, effect on ethene hydrogenation, <i>a</i></b>	107	(Ph <sub>4</sub> ) <sub>2</sub> [RuO <sub>2</sub> (OAc)Cl <sub>2</sub> ], <i>a</i>	45
<b>Propan-2-ol, for ketone hydrogenation, <i>a</i></b>	239	[RuL <sub>2</sub> (μ-CN)Ru(CN)L <sub>2</sub> ] <sub>2</sub> , light to electricity conversion, <i>a</i>	37
<b>Propene, hydroformylation, <i>a</i></b>	109	[Ru(bipy) <sub>2</sub> (L-L')](PF <sub>6</sub> ) <sub>2</sub> , photolysis, <i>a</i>	105
<b>Propionaldehyde, hydrogenation, by RuHI(tppts), <i>a</i></b>	112	[Ru(bpy) <sub>2</sub> (CN) <sub>2</sub> ] <sub>2</sub> Ru(bpy)(COO) <sub>2</sub> <sup>2-</sup> , antenna sensitised, <i>a</i>	37
<b>Propylene, reactions, <i>a</i></b>	43, 160, 236, 237	[Ru(bpy) <sub>2</sub> (Vbpy)] <sup>2+</sup> , copolymers, in L-B films, <i>a</i>	233
<b>Propylene Glycol, oxidation, <i>a</i></b>	160	[Ru(bpy) <sub>3</sub> ] <sup>2+</sup> .Hg <sub>2</sub> Cl <sub>2</sub> <sup>-</sup> , preparation, characterisation, <i>a</i>	158
<b>Propylene Glycol Monoacetate, formation, <i>a</i></b>	43	[Ru(bpy) <sub>2</sub> (bpz) <sub>3-x</sub> ] <sup>2+</sup> , H <sub>2</sub> O <sub>2</sub> photoproduction, <i>a</i>	233
<b>Pyrimidine Nucleosides, reaction with triflates</b>	160	[Ru(MeL)(CO)(PPh <sub>3</sub> ) <sub>2</sub> (Cl)], <i>a</i>	34
<b>Quasicrystals, in Al-Rh, -Pd, -Ir, -Os, -Pt, -Ru</b>	21	[Ru(PPh <sub>3</sub> ) <sub>2</sub> ( <i>m</i> -ClC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> )Cl <sub>2</sub> ], formation, <i>a</i>	45
<b>Quinolines, <i>a</i></b>	110	[Ru(saloph)Cl] <sub>2</sub> <sup>-</sup> , carbonylations	70
<b>Radioactivity, reprocessing PGM waste</b>	202	[Ru(SH <sub>2</sub> )(PPh <sub>3</sub> )('S, ')] <sub>2</sub> .THF, structure, <i>a</i>	232
<b>Rapid Thermal Processing, for electrical contacts, <i>a</i></b>	46	[Ru <sup>III</sup> /EDTA-H)(CO)] <sup>-</sup> , carbonylations	70
<b>Rare Earths, new compounds with Ru, <i>a</i></b>	34	[(η <sup>3</sup> -C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> L <sub>2</sub> RuNC-aryl] <sup>+</sup> , <i>a</i>	102
<b>Reed Switches, <i>a</i></b>	165	[(TPP)Ru(CO)] <sup>-</sup> , reaction with MeI, <i>a</i>	158
<b>Reforming, reactions, <i>a</i></b>	39, 236	<b>Ruthenium Oxides, Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub>, reaction with CuO in resistors, <i>a</i></b>	155
<b>Resistance Thermometers, Pt, stability, <i>a</i></b>	113	RuO <sub>2</sub> , coatings for DSA, <i>a</i>	105
<b>Resistors, Pt, in thermal conductivity meter, in mine pit, <i>a</i></b>	234	in resistors, <i>a</i>	113, 155, 240
RuO <sub>2</sub> , thick film, thin film, <i>a</i>	113, 235	reduction to LiRuO <sub>2</sub> , <i>a</i>	36
thick film, <i>a</i>	155, 240	RuO <sub>2</sub> /Al, interface properties, <i>a</i>	113
<b>Reviews, electrocatalysts for PAFC, <i>a</i></b>	45	RuO <sub>2</sub> /C, electrode in alcohol detector, <i>a</i>	106
metal complex anti-cancer drugs, <i>a</i>	46	RuO <sub>4</sub> , + polymer blends, for back scattering electron detector, <i>a</i>	39
Pd catalysts in industry, <i>a</i>	44		
see also <b>Conferences</b>			
<b>Rhodium, coatings in reed switches, <i>a</i></b>	165		
compounds, RhGe, enthalpy of formation, <i>a</i>	154		
Rh <sub>2</sub> O <sub>3</sub> , <i>a</i>	34		
(C <sub>5</sub> Me <sub>5</sub> )Rh(PMe <sub>3</sub> )H <sub>2</sub> , <i>a</i>	156		

	<i>Page</i>		<i>Page</i>
<b>Schottky Barrier Detectors</b> , in IR imaging	45, 208	Pd-Ag alloys, conductivity, <i>a</i>	230
<b>Schottky Barriers</b> , sensors, <i>a</i>	158, 200	Pd-Al, phase formation, <i>a</i>	153
<b>Schottky Contacts</b> , preparation, <i>a</i>	234, 240	Pd-Co. multilayers, <i>a</i>	234
<b>Schottky Diodes</b> , <i>a</i>	106, 164, 228	Pd-Cr strain gauges	65
<b>Semiconductors</b> , technology, compared to superconductors	2	Pd/InP, amorphous phase formation, <i>a</i>	153
<b>Sensors</b> , see <b>Detectors</b>		Pd <sub>x</sub> C <sub>1-x</sub> , preparation, electrical properties, <i>a</i>	101
<b>Silacyclobutene</b> , formation, <i>a</i>	42	Pt, ion beam deposited, <i>a</i>	112
<b>Silicon</b> , crystals, Pt doped, <i>a</i>	228	Pt, Ir, Rh, Ni, Re, grown by OMCVD, <i>a</i>	38
reaction with Pd, <i>a</i>	229	Pt, Rh, Pd, in metallisation systems, <i>a</i>	240
<b>Single Crystals</b> , Pt, for adsorptions, <i>a</i>	152	Pt oxides, growth, characterisation, <i>a</i>	101
Pt{100}, for chemical reaction monitoring	188	PtSi/Si(100), by codeposition, MBE system, <i>a</i>	240
<b>SMSI</b> , in CO <sub>2</sub> hydrogenation on Rh, <i>a</i>	41	Pt/Co multilayered, magneto-optics, <i>a</i>	112, 152, 228
in Pt/Al <sub>2</sub> O <sub>3</sub> , Pt/TiO <sub>2</sub> , <i>a</i>	235	Pt/Fe multilayers, magnetism, <i>a</i>	152
<b>Sodium Epoxysuccinate</b> , asymmetric hydrogenolysis, <i>a</i>	162	Pt/GaAs, amorphous phase formation, <i>a</i>	153
<b>Solar Energy</b> , adsorption using Rh/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	37	Pt/highly oriented pyrolytic graphite, annealing, morphology, <i>a</i>	152
<b>Solar Reactor</b> , <i>a</i>	37	Pt/Mn/Sb, multilayered, preparation, structure, <i>a</i>	228
<b>Solder</b> , Sn/Pb temperature cycling with Pd/Ag, <i>a</i>	165	Pt/SiO <sub>2</sub> , ultrathin, impedance, morphology, <i>a</i>	32
<b>Solidification</b> , RhCu single crystals, <i>a</i>	155	Rh on Au{001}, Ag{001}, growth, <i>a</i>	230
<b>Sputtering</b> , gas effect, on Pt/Co multilayers, <i>a</i>	228	RuO <sub>2</sub> resistors, <i>a</i>	113
<b>SQUIDS</b> , magnetometry, <i>a</i>	101	see also <b>Membranes</b>	
<b>Stainless Steel</b> , improved properties, <i>a</i>	34, 163, 228	YBaCuO/Pt/YSZ/Hastelloy, superconducting, <i>a</i>	240
<b>Strain Gauges</b> for high temperatures	65	<b>Thiophene</b> , formation from C <sub>2</sub> H <sub>2</sub> , <i>a</i>	236
<b>Styrene</b> reactions, <i>a</i>	42, 103, 110, 111, 159, 161, 239	<b>Tin</b> , <i>a</i>	34, 153
<b>Sulphur</b> , catalyst poison, <i>a</i>	108, 235	<b>Triflates</b> , reactions, <i>a</i>	160, 161, 238
role in catalytic reforming, <i>a</i>	39	<b>Trifluoroacetimidoyl Iodides</b> , <i>a</i>	161
<b>Sulphuric Acid</b> , O evolution from	95	<b>Trimethylpentane</b> , 2,2,4-, hydrocracking, isomerisation, <i>a</i>	159
<b>Superconductors</b> , high temperature	2	<b>Triphenylphosphine</b> , oxidation, <i>a</i>	163
YBaCuO, Pt additions to, <i>a</i>	229, 240	<b>Tritium</b> , enrichment of D in giant Pd cluster, <i>a</i>	230
<b>Surfactants</b> , to stabilise Rh(0) colloidal particles, <i>a</i>	162	<b>ULSI</b> , barrier metals for, <i>a</i>	240
<b>Symposia</b> , see <b>Conferences</b>		<b>Uranous Nitrate</b> , production, <i>a</i>	164
<b>Synthesis Gas</b> , alcohol, hydrocarbon synthesis, <i>a</i>	41, 42, 109, 159	<b>Urea</b> , oxidation, on Pt anodes, <i>a</i>	35
for hydroformylations, <i>a</i>	239	<b>USSR</b> , Pt deposits	96
production, <i>a</i>	113, 163	<b>UV</b> , Schottky barrier detector, <i>a</i>	164
reaction on Fischer-Tropsch catalyst, <i>a</i>	160	<b>Vanadium</b> , Pd catalyst promoter, <i>a</i>	43
<b>Temperature Measurement</b> , <i>a</i>	113, 208	<b>Vehicles</b> , fuel cell propelled, Grove Symp.	209
<b>Thermal Conductivity Meter</b> , for coal mines, <i>a</i>	234	<b>Vinyl-4-Pentynoic Acid</b> , 5-, <i>a</i>	238
<b>Thermocouples</b> , PtRh30/PtRh6, for extreme conditions, <i>a</i>	113	<b>Vinyl Acetate</b> , β-vinylation, <i>a</i>	161
<b>Thick Films</b> , Pd, in contacts, <i>a</i>	165	<b>Vinylation</b> , reactions, <i>a</i>	43, 161
Pd/Ag, conductor metallisation, <i>a</i>	165	<b>Vinylbromides</b> , B substitution, <i>a</i>	161
Pt, for laser power detector, <i>a</i>	158	<b>Vinylhalogenides</b> , reduction, <i>a</i>	161
resistors, <i>a</i>	235, 240	<b>Vinylcyclopropane</b> , heteroannulation, carboannulation, <i>a</i>	43
<b>Thin Films</b> , amorphous metals	83	<b>Volatilisation</b> , Pt-Rh alloys, <i>a</i>	32
a-IrTa, diffusion barrier, <i>a</i>	46	<b>Voltammograms</b> , Pt(111), Pt(110), Pt(100) surfaces, <i>a</i>	34
capacitors, <i>a</i>	112	<b>Water</b> , low-level moisture generator, <i>a</i>	106
Cu on Ru(0001), <i>a</i>	230	photoreactions, <i>a</i>	43, 105
FeRuGaSi multilayers, structure, magnetic properties, <i>a</i>	155	treatment, pollution control, <i>a</i>	232
Fe-C/Al <sub>2</sub> O <sub>3</sub> /Fe-Ru multilayers, electrical resistivity, <i>a</i>	231	<b>Water Gas Shift Reaction</b>	70, 110, 163, 164
hydrous oxide/Pt, <i>a</i>	102	<b>Wear</b> , characteristics of contacts, <i>a</i>	165
Langmuir-Blodgett, <i>a</i>	102, 233, 234	<b>Wires</b> , Ir, plastic deformation	196
Pd, disc electrodes, H insertion, <i>a</i>	157	Ir, Rh, for HCN synthesis, <i>a</i>	160
grown by electroless plating, <i>a</i>	38	superconducting	2
in sensors, see <b>Detectors</b>		<b>Wollaston, William Hyde</b> , palladium discovery	143
interaction with SiGe/Si(100), <i>a</i>	229	<b>X-Rays</b> , mirror construction, <i>a</i>	39
		<b>Zinc Oxide</b> , dielectric, in Pt/Co magneto-optics, <i>a</i>	112