

	<i>Page</i>		<i>Page</i>		<i>Page</i>		<i>Page</i>
Timofeev, N. I.	117	Usui, S.	50	Wen, T.-C.	167	Yasuhara, A.	48
Tishin, A. M.	37	Uylings, P. H. M.	108	Werner, H.	174	Ye, P.	170
Todd, M. D.	174	Valieva, S. V.	47	Westcott, S. A.	48	Ye, S.	110
Togami, Y.	118	Valli, V. L. K.	173	Westrum, L. J.	115	Yeager, E.	167
Tomilov, Yu. V.	173	van Ommen, J. G.	228	Whangbo, M.-H.	41	Yokota, K.	47, 170
Tomsia, A. P.	143	van Ruitenbeck, J.	171	Wheat, T. A.	110	Yokota, T.	112
Tong, X. Q.	108	van der Putten, A. M. T.	111	White, J. M.	225	Yokoyama, K.	113
Torazawa, K.	118	Vanderspurt, T. H.	114	White, P.	37, 39, 70, 143, 158, 219	Yoneyama, T.	45
Torigoe, K.	225	Vanicky, D.	39	Whitten, D. G.	118	Yonezawa, T.	229
Torii, S.	173	Vartanyan, M. M.	230	Whitton, J. L.	165	Yoon, D. I.	174
Toshima, N.	229	Vasina, T. V.	46	Wilde, C. P.	110	Yu, H.	170
Tóth, I.	166, 172	Vaughan, O. J.	212	Wilson, G. S.	175	Zagal, J. H.	43
Tournigant, D.	229	Vayenas, C. G.	113, 228	Windawi, H.	186	Zahir, A.	226
Trasatti, S.	43, 111	Vereshchagin, Yu. A.	165	Winterbottom, J. M.	114	Zaitsev, A. V.	46
Traverse, A.	45	Vielstich, W.	42, 110	Wolf, E. E.	46	Zajac, G. W.	44
Treacy, M. M. J.	114	Villa, M.	48	Wolf, R. M.	169	Zakharkin, L. I.	47
Tret'yakov, V. P.	172	Vinokurova, L.	109	Wolthuis, W. N. E.	115	Zakharov, A. B.	117
Troshina, O. N.	227	Visser, D.	41	Wong, K.-Y.	43	Zamalloa, A.	113
Trost, B. M.	48, 116	Vivaldi, M.	49, 175	Wright, M. E.	174	Zanderbergen, H. W.	171
Trushova, N. V.	173	Volkova, L. K.	172	Wu, J.	50, 111	Zargarian, D.	173
Tsai, J.-C.	49	von Gruenevaldt, G.	223	Wu, S.-H.	72	Zayer, N. K.	41
Tsiakaras, P.	113	Vook, R. W.	165	Wu, W.	109	Zelenin, L. P.	165
Tsuji, J.	173	Vorlop, K.-D.	211	Wu, W.-F.	118	Zelinka, J.	175
Tsunashima, S.	118	Vos, J. G.	43	Wyart, J.-F.	108	Zeper, W. B.	169
Tsuruya, S.	228	Vrinat, M.	229	Wyatt, M.	186	Zhai, H.	108
Tsuzukiya, K.	118	Wada, S.	167	Xue, E.	228	Zhang, B.	225
Tsvetkov, E. N.	48	Walker, I. R.	166	Yahikozawa, K.	167	Zhang, F.	50
Turberville, W.	44	Wall, R. N.	166	Yahiro, H.	113	Zhang, H.	108
Turner, M. R.	45	Wandt, M. A. E.	40	Yahisa, Y.	231	Zhang, H.-C.	230
Turner, N. H.	101	Wang, H.	40	Yam, V. W.-W.	43	Zhang, J.	116
Tuzikov, F. V.	226	Wang, J.	158, 227	Yamada, K.	112	Zhang, L.	40
Tyurin, A. L.	37	Wang, L.	41, 50, 167	Yamamoto, J.	109	Zhang, M.	110
Uchida, T.	168	Wang, Q.	111	Yamamoto, O.	225	Zhang, X.	229
Uchida, Y.	116	Wang, Z.	111	Yamamoto, S.	112	Zhang, Y.	175
Uchiyama, D.	48	Warren, J. P.	229	Yamanaka, H.	48	Zhou, S.	108
Uchiyama, S.	113, 118	Wasmus, S.	110	Yamane, H.	108	Zhou, X.-L.	225
Ueda, T.	174	Watanabe, J.	118	Yamashita, H.	46, 48	Zhou, Y.	42
Uematsu, S.	40	Watanabe, N.	49	Yan, X.	108	Zhu, D.-G.	171
Ueno, Y.	112	Waterstrat, R. M.	194	Yang, S.-J.	72	Ziebeck, K. R.	41
Uhm, H. S.	108	Watson, S. W.	42	Yang, Y.	42	Ziemiak, J. J.	114
Ulmann, M.	42	Webster, D. E.	210	Yang, Z.	50	Zou, W.	46
Uozumi, Y.	115	Weller, D.	13	Yao, G.-J.	169	Zsoldos, Z.	45
Urbaniak, W.	49					Zygmunt, A.	109
Ureta-Zafiartu, M. S.	43						

## SUBJECT INDEX TO VOLUME 37

	<i>Page</i>		<i>Page</i>
<i>a</i> =abstract		<b>Alcohols (contd.)</b>	
Acetic Anhydride, synthesis, <i>a</i>	116	oxidation, <i>a</i>	117
Acetoxylation, hexane-1, cyclohexane, in PdCl <sub>2</sub> , <i>a</i>	173	sensor, <i>a</i>	227
Acetylene, reactions, <i>a</i>	117, 229	unsaturated, synthesis from citral hydrogenation, <i>a</i>	47
Acrolein, asymmetric Michael addition, <i>a</i>	49	Aldehydes, reactions, <i>a</i>	114, 115, 117, 173
Advanced Coating Technology, A.C.T. <sup>TM</sup>	62	Alkanes, trichlorosilyl, synthesis, <i>a</i>	115
Air, pollution control	210	Alkenes, reactions, <i>a</i>	49, 113, 115, 116, 173
Alcohols, allyl, for addition of steroidal acetylenes, <i>a</i>	117	Alkyl Halides, oxidation to carboxylic acids, <i>a</i>	117
benzyl, electro-oxidation on [Ru <sup>3</sup> (L)(O)] <sup>2+</sup> /Nafion, <i>a</i>	43	Alkylation, of allylic carbonates, <i>a</i>	48
electro-oxidation, on [Ru(trpy)(bpy)O] <sup>2+</sup> , <i>a</i>	44	Alkynes, reactions, <i>a</i>	48, 115, 173, 175
methyl, adsorbed species on Pt electrodes, <i>a</i>	42	Allylic Carbonates, O-alkylation, <i>a</i>	48
electro-oxidation, at modified Pt/Nafion electrode, <i>a</i>	117	Alphacalcidol, synthesis, <i>a</i>	48
at Pt, Pt-Ru/C electrodes, <i>a</i>	110	Ammonia, reactions, for NO reduction with Pt electrode	8
on Ir, <i>a</i>	43	oxidation, Russian catalysis	136
on Pt/Au, <i>a</i>	42	Anilines, reactions, <i>a</i>	47, 230
to HCHO and CO <sub>2</sub> , <i>a</i>	228	Arenes, mono-, dinitro-, carbonylation, <i>a</i>	173
optically active, synthesis, <i>a</i>	115	Aromatisation, ethane, hexanes, <i>a</i>	46, 114, 171
oxidation with <i>tert</i> -butyl hydroperoxide + Rh catalyst, <i>a</i>	175	Aryl Triflates, for biaryl synthesis, <i>a</i>	48

	<i>Page</i>		<i>Page</i>
<b>Benzene</b> , reactions, <i>a</i>	171, 228	<b>Catalysts</b> ( <i>contd.</i> )	
<b>Benzylideneacetone</b> , reduction, by Ir complex, <i>a</i>	174	<b>Palladium Complexes</b> , chiral monophosphine-Pd, <i>a</i>	115
<b>Biaryls</b> , electrosynthesis, <i>a</i>	48	colloidal, for hydrogenation, dehydrohalogenations, <i>a</i>	230
<b>Biology</b> , Pt in, book review	85	for cross-coupling reactions, <i>a</i>	48
<b>Bonding</b> , Pt, Pd in	45, 143	Pd(0) highly active from Pd(OAc) <sub>2</sub> + Bu <sub>3</sub> P, <i>a</i>	173
<b>Book Reviews</b> , "Availability of Platinum and Platinum-Group Metals", U.S. Bureau of Mines	71	for O-alkylation of allylic carbonates by phenols, <i>a</i>	48
"Catalytic Activation of Dioxigen by Metal Complexes"	23	Pd <sub>2</sub> (dba) <sub>3</sub> ·PBU <sub>3</sub> , for alkynes hydrogenation, <i>a</i>	173
"Catalytic Control of Air Pollution: Mobile and Stationary Sources, ACS Symp. Series 495"	210	Pd <sub>2</sub> (dba) <sub>3</sub> ·CHCl <sub>3</sub> +PPh <sub>3</sub> , for vitamin D synthesis, <i>a</i>	42
"Homogeneous Transition Metal Catalysed Reactions"	151	Pd- <i>R</i> -, <i>S</i> -1-(4-vinylphenyl)ethylamine+styrene+ divinylbenzene, for hydrolysis, <i>a</i>	172
membrane catalysis	153	Pd(acac) <sub>2</sub> ·Ph <sub>3</sub> P·CF <sub>3</sub> COOH, aniline-isoprene reaction, <i>a</i>	47
"Noble Metals and Biological Systems: Their Role in Medicine, Mineral Exploration and the Environment"	85	PdCl <sub>2</sub> , with phosphine, for olefin hydrocarboxylation, <i>a</i>	48
"Transition Metal Organometallics for Organic Synthesis"	71	PdCl <sub>2</sub> (PhCN) <sub>2</sub> ·SnCl <sub>4</sub> , for butyrolactones & furanones, <i>a</i>	114
<b>Brazil</b> , Pt potential, geology, research	223	PdCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , for aryl vinyl ketones, <i>a</i>	115
<b>n-Butane</b> , reactions, <i>a</i>	47, 114, 228	for biaryl synthesis from aryl triflates, <i>a</i>	48
<b>Butenes</b> , production from neohexane, <i>a</i>	116	for ethyl arylpropiolates, <i>a</i>	48
<b>γ-Butyrolactones</b> , substituted, production, <i>a</i>	114	PdCl <sub>2</sub> <sup>+</sup> nitrate-iodate, for hexanes, cyclohexane, <i>a</i>	173
		Pd(dba) <sub>3</sub> ·2P(OCH <sub>2</sub> ) <sub>3</sub> CEt, for alkyne insertion into Ge-Ge bonds, <i>a</i>	48
<b>Cadmium</b> , determination in water, <i>a</i>	170	Pd(II) montmorillonitebipyridinyl acetate + Ru <sub>3</sub> (CO) <sub>12</sub> , for arene carbonylation, <i>a</i>	173
<b>Calcitriol</b> , synthesis, <i>a</i>	48	Pd(II)tetraammine chloride, metallising lipid tubules, <i>a</i>	174
<b>Cancer</b> , antitumour complexes, <i>a</i>	50, 175, 231	Pd(OAc) <sub>2</sub> , diamines carbonylation polymer synthesis, <i>a</i>	174
<b>Capacitors</b> , multilayer, ceramic, with Pd inks, <i>a</i>	166	for coupling reactions <i>a</i>	48, 230
<b>Carbon</b> , determination in seawater, <i>a</i>	170	for ene-yne synthesis, <i>a</i>	173
fibres, oxidation in Pt holder, <i>a</i>	113	for hydrocarboxylation, <i>a</i>	173
structural, Ir coatings on	219	for isomerically pure cyclopentanes, <i>a</i>	173
<b>Carbon Oxides</b> , CO <sub>2</sub> , reduced, adsorbed species on Pt, <i>a</i>	42	for polymer, polyurea synthesis, <i>a</i>	174
sensor, <i>a</i>	45	Pd(OAc) <sub>2</sub> , Pd(acac) <sub>2</sub> , PdCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , diazomethane cyclopropanation with olefins, <i>a</i>	173
CO, adsorption in 3 forms on Pt, <i>a</i>	42	Pd(OAc) <sub>2</sub> , PdCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , for phthalides synthesis, <i>a</i>	115
carbonylation of pentane by RhCl(PMe <sub>3</sub> ) <sub>3</sub> (CO), <i>a</i>	168	Pd(PPh <sub>3</sub> ) <sub>4</sub> , for 1,3-diene synthesis, <i>a</i>	48
for cyclooctadiene hydrogenation, <i>a</i>	114	cross coupling reactions, for ketone enol acetates, <i>a</i>	115
interaction with Pt(NH <sub>3</sub> ) <sub>4</sub> <sup>2+</sup> /zeolite NaX, <i>a</i>	171	<b>Platinum</b> , amine precursor anchoring to SiO <sub>2</sub> , <i>a</i>	46
oligomerisation with norbornene, <i>a</i>	46	C content of seawater, <i>a</i>	170
oxidation, on Pd, <i>a</i>	46, 114	colloidal, for H <sub>2</sub> photogeneration, <i>a</i>	168
removal with NO over Pt/V <sub>2</sub> O <sub>5</sub> /TiO <sub>2</sub> , <i>a</i>	43	EUROPT-1, diesel exhaust control, alkane reactions, <i>a</i>	228
sensors, <i>a</i>	227	for H <sub>2</sub> photogeneration from H <sub>2</sub> O, <i>a</i>	168
<b>Carbonylation</b> , α,Ω-diamines, polyurea synthesis, <i>a</i>	174	holder for C fibre oxidation, <i>a</i>	113
arenes, by Pd clay + Ru <sub>3</sub> (CO) <sub>12</sub> , <i>a</i>	173	Pt film/YSZ disc in reactor, for MeOH oxidation, <i>a</i>	228
book review	151	Pt polycrystalline films/Y <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> , NEMCA, <i>a</i>	113
pentane, by Rh complex, <i>a</i>	168	Pt-Co/Al <sub>2</sub> O <sub>3</sub> , interface studies, <i>a</i>	45
<b>Carboxylic Acids</b> , reactions, <i>a</i>	48, 117, 173, 175	Pt-Cr/SiO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> /Na <sub>2</sub> O, Pt effect on, <i>a</i>	46
<b>Catalysis</b> , heterogeneous, <i>a</i>	45-47, 113-114, 171-172, 228-229	Pt-Rh/γ-Al <sub>2</sub> O <sub>3</sub> , for engine NOx reduction	101
homogeneous, <i>a</i>	47-49, 114-117, 172-175, 229-230	Pt-Sn/Al <sub>2</sub> O <sub>3</sub> , Nb <sub>2</sub> O <sub>5</sub> , characterisation, <i>a</i>	228
book review	151	Pt-WO <sub>3</sub> /Al <sub>2</sub> O <sub>3</sub> , for hexane reactions, <i>a</i>	113
membrane, review of journals	153	Pt/Al <sub>2</sub> O <sub>3</sub> , benzene hydrogenation, <i>a</i>	228
<b>Iridium</b> , Ir/Al <sub>2</sub> O <sub>3</sub> , sol gel preparation, <i>a</i>	47	for halogenated VOCs destruction for NO reduction by methane, <i>a</i>	186 171
Ir/γ-Al <sub>2</sub> O <sub>3</sub> , for selective reduction of NOx by HC, <i>a</i>	171	surface area effects, in 2-methylimidazole synthesis, <i>a</i>	46
<b>Iridium Complexes</b> , IrCl <sub>2</sub> H(PPr <sub>3</sub> ) <sub>3</sub> , for reduction of unsaturated organic substrates, <i>a</i>	174	Pt/Bi <sub>2</sub> O <sub>3</sub> /RuO <sub>2</sub> , for H <sub>2</sub> photoproduction, <i>a</i>	112
<b>Osmium Complexes</b> , OsO <sub>4</sub> , for crotylsilane, olefin dihydroxylation, <i>a</i>	116, 174	Pt/γ-Al <sub>2</sub> O <sub>3</sub> , NOx selective reduction by HC, <i>a</i>	171
for oxidation of fluorinated olefins, <i>a</i>	116	Pt/KL+KCl, for hexane aromatisation, <i>a</i>	117
<b>Palladium</b> , amine precursor anchoring to SiO <sub>2</sub> , <i>a</i>	46	Pt/KL, for hexane aromatisation, S poisoning, <i>a</i>	114
black, for cyclooctadiene hydrogenation, <i>a</i>	114	Pt/SiO <sub>2</sub> , EUROPT-1, diesel emission control, <i>a</i>	228
giant ligand stabilised clusters, <i>a</i>	171	sol gel prepared, <i>a</i>	113
for norbornene-CO oligomerisation, <i>a</i>	46	Pt/SiO <sub>2</sub> gel, silicalite, H-ZSM-5, + Mg, Ca, Sr, Ba., <i>a</i>	228
Pd+Ag/C, preparation, properties, <i>a</i>	42	Pt/TiO <sub>2</sub> , for HCOOH photooxidation, <i>a</i>	168
Pd(110), for CO oxidation, <i>a</i>	114	Pt/V <sub>2</sub> O <sub>5</sub> -TiO <sub>2</sub> , for NO, CO removal, <i>a</i>	46
Pd-Rh, Hg poisoning, <i>a</i>	229	Pt/zeolite Y, L, mordenite, for n-hexane aromatisation, <i>a</i>	171
Pd-Rh/SiO <sub>2</sub> , CO oxidation, <i>a</i>	46	Pt/ZSM-5 zeolite, for reducing NO by ethene, <i>a</i>	113
Pd/Al <sub>2</sub> O <sub>3</sub> , graphite, AlF <sub>3</sub> , Pd black, CF <sub>2</sub> Cl <sub>2</sub> conversion, <i>a</i>	229	PtNi/TiO <sub>2</sub> , for crotonaldehyde hydrogenation, <i>a</i>	171
Pd/C, for organic waste pollution control in water, <i>a</i>	46	PtRe/H-mordenite, for xylene isomerisation, <i>a</i>	113
Pd/C, for phenol hydrogenation, <i>a</i>	114	<b>Platinum Alloys</b> , Pt-Cr/C, for phenol hydrogenation, <i>a</i>	114
Pd/γ-Al <sub>2</sub> O <sub>3</sub> , for selective reduction of NOx by HC, <i>a</i>	171	Pt-Rh for HNO <sub>3</sub> production	76, 136
Pd/Pt colloids+polymer, for diene hydrogenation, <i>a</i>	229	<b>Platinum Complexes</b> , H <sub>2</sub> PtCl <sub>6</sub> , polymer protected, for acetylene hydrosilylation, <i>a</i>	229
Pd/support, solvated metal atom impregnation	72	Pt diphosphine-Sn(II)fluoride, for asymmetric styrene hydroformylation, <i>a</i>	229
Pd(II), electroless, for photopatterning, <i>a</i>	169	PtCl <sub>2</sub> (SnCl <sub>4</sub> )+ <i>p</i> -aryl substituted ligands, for styrene asymmetric hydroformylation, <i>a</i>	172
Pd(II) complex/montmorillonite silylpropylethylenediamine, olefin oxidation, <i>a</i>	46	Pt(NH <sub>3</sub> ) <sub>4</sub> <sup>2+</sup> /zeolite NaX, interaction with CO, <i>a</i>	171
Pd(II) polymer supported, for dec-1-ene oxidation, <i>a</i>	229	<b>Rhodium</b> , amine precursor anchoring to SiO <sub>2</sub> , <i>a</i>	46
PdO-MoO <sub>3</sub> /γ-Al <sub>2</sub> O <sub>3</sub> , for NO reduction, <i>a</i>	172	monoliths, for syngas formation from methane, <i>a</i>	172
PdO/ZrO <sub>2</sub> , preparation, activity, <i>a</i>	47	Pd-Rh/SiO <sub>2</sub> , studies during CO oxidation, <i>a</i>	46
PdSO <sub>4</sub> -H <sub>2</sub> SO <sub>4</sub> /SiO <sub>2</sub> , for methane oxidation, <i>a</i>	172		
<b>Palladium Alloys</b> , Pd-Cu, for nitrate, nitrite removal	211		

	Page		Page
<b>Catalysts, Rhodium (contd.)</b>		<b>Clusters, see Palladium, see Platinum, see Iridium</b>	
Rh/Al <sub>2</sub> O <sub>3</sub> /SiO <sub>2</sub> , for butane hydrogenolysis, <i>a</i>	114	<b>Coatings, for glass manufacturing equipment by A.C.T.<sup>TM</sup></b>	62
Rh/CeO <sub>2</sub> , <i>a</i>	172, 229	Ir on structural C materials	219
Rh/γ-Al <sub>2</sub> O <sub>3</sub> , for selective reduction of NO <sub>x</sub> by HC, <i>a</i>	171	Pd, deposited on α-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	44
Rh/NO <sub>2</sub> /CeO <sub>2</sub> , for nitrate reduction, <i>a</i>	47	Pd thin films, for H <sub>2</sub> sensor, <i>a</i>	44
Rh/TiO <sub>2</sub> , for <i>n</i> -butane hydrogenolysis, <i>a</i>	47	Pt aluminide on Ni base superalloys	16, 112
RhSn( <i>n</i> -C <sub>4</sub> H <sub>9</sub> )/SiO <sub>2</sub> , hydrogenation, <i>a</i>	47	RuO <sub>2</sub> , IrO <sub>3</sub> , TiO <sub>2</sub> , / Ti, glassy C substrates, <i>a</i>	112
<b>Rhodium Alloys, Rh-Pt, for HNO<sub>3</sub> production</b>	136	Zr-Pd-Ru alloys	194
<b>Rhodium Complexes, [(1,5-COD)RhH]<sub>2</sub>, <i>a</i></b>	116	<b>Cobalt, in Co/Ni/Co/Pt multilayers, magnetism in, <i>a</i></b>	40
[(COD)RhCl], for silylformylation of aldehydes, <i>a</i>	174	in Co/Pd multilayers, films, magnetism, <i>a</i>	40, 108
diRh(II) carboxamides, carboxylates, perfluorobutyrate, in C-H insertion reactions, <i>a</i>	115	in Co/Pt alloys, for recording media	13
diRh(II) perfluorobutyrate, for silylcarbonylation of terminal acetylenes, <i>a</i>	115	in Co/Pt multilayers, magnetism, superlattices, <i>a</i>	108, 225
[(Et <sub>3</sub> P) <sub>2</sub> RhCl] + LiNHPh, for styrene-aniline hydroamination, <i>a</i>	230	<i>see also</i> Magneto-Optics; Thin Films	
R-C(COCH <sub>3</sub> ) <sub>2</sub> Rh(CO) <sub>2</sub> /SiO <sub>2</sub> , for hydrogenation, <i>a</i>	49	ultrathin films/Ru(0001), growth, magnetic properties, <i>a</i>	109
[Rh <sub>2</sub> (cod) <sub>2</sub> (imH) <sub>2</sub> im]PF <sub>6</sub> , for phenylacetylene polymerisation, <i>a</i>	49	<i>see also</i> Palladium Alloys; Platinum Alloys	
Rh <sub>2</sub> (OAc) <sub>2</sub> , chloro-diazoacetophenone decomposition, <i>a</i>	116	<b>Cold Fusion, 3rd Intl. Conf. report</b>	14
for oxathioles, oxazothione synthesis, <i>a</i>	115	<b>Colloids, Pd, stabilised, for electroless Ni deposition, <i>a</i></b>	111
Rh(Ac) <sub>2</sub> (CO) <sub>2</sub> + organophosphites, hydroformylation, <i>a</i>	230	Pd/Pt, polymer protected, for diene hydrogenation, <i>a</i>	229
[Rh(acac)(CO) <sub>2</sub> ]-polymer TRIM, for propene hydroformylation, <i>a</i>	230	Pt-Ag, preparation, characterisation, <i>a</i>	225
RhCl <sub>3</sub> (pybox)+Ag <sup>+</sup> salts, for ketone silylation, <i>a</i>	174	RuO <sub>2</sub> .xH <sub>2</sub> O, <i>a</i>	230
RhCl(PMe <sub>3</sub> ) <sub>2</sub> (CO), for pentane photoreaction, <i>a</i>	168	<b>Composites, C-C, Ir coatings on</b>	219
[Rh(η <sup>3</sup> -2-Me-allyl){(Pr <sub>2</sub> PCH <sub>2</sub> ) <sub>2</sub> }, for vinylarene hydroboration, <i>a</i>	48	powders, Pt-PSZ, <i>a</i>	225
RhH(CO)(PPh <sub>3</sub> ) <sub>2</sub> +TRAP, for Michael additions, <i>a</i>	49	<b>Condensation, aldol-type, enol esters with aldehydes, <i>a</i></b>	114
RhI <sub>2</sub> (CO) <sub>2</sub> , for acetic anhydride synthesis, <i>a</i>	116	reconstitutive, Ru catalysed, <i>a</i>	117
Rh(II) acetate, for ethyl diazoacetate cyclopropanation, <i>a</i>	115	<b>Conferences, 10th Int. Conf. Internal Friction &amp; Ultrasonic</b>	
for furan synthesis, <i>a</i>	116	Attenuation in Solids, Rome, 6-9 Sept. 1993	322
Rh(II) trifluoroacetamide, for cyclopropanation of ethyl diazoacetate with alkenes, <i>a</i>	116	13th Fuel Cell Seminar, Tucson, Nov.-Dec. 1992	24
Rh(II) triphenylacetate, for C-H aromatic insertion, <i>a</i>	49	1st Intl. on Diffusive-Cooperative Phenomena in Metal-Hydrogen Isotope Systems, Donetsk, Sept., 1992	97
[Rh(NBD)(PMe <sub>3</sub> ) <sub>2</sub> ][BF <sub>4</sub> ], for ether oxidation, <i>a</i>	49	3rd Grove Fuel Cell Symp., London, Sept.-Oct., 1993	197
<b>Ruthenium, amine precursor anchoring to SiO<sub>2</sub>, <i>a</i></b>	46	3rd Intl. Conf. on Cold Fusion, Oct., 1992, Japan	14
Ni,Ru, <sub>2</sub> /S <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> , increased hydrogenation activity, <i>a</i>	229	3rd Intl. Symp. Heterogeneous Catalysis and Fine Chemicals, Poitiers, April 1993	144
Pt/Bi <sub>2</sub> O <sub>3</sub> /RuO <sub>2</sub> , for H <sub>2</sub> photoproduction, <i>a</i>	112	"Auto Emissions 2000", future standards for E.C.	7
Ru/ Cs-Ru/ Cs-Ru-Ba/C/Al <sub>2</sub> O <sub>3</sub> , N <sub>2</sub> chemisorption, <i>a</i>	47	Platinum Group Elements in Brazil, Univ. Brasilia, 12-14 April, 1993	223
Ru/Al <sub>2</sub> O <sub>3</sub> , Fischer-Tropsch, pore sizes, <i>a</i>	47	"Precious Metals-Horizon 2000", Nice, Oct., 1992	38
Ru/γ-Al <sub>2</sub> O <sub>3</sub> , reduction of NO <sub>x</sub> by HC, <i>a</i>	171	The Chemistry of the Platinum Group Metals, 5th Int. Symp., St. Andrews, 11-16 July 1993	212
Ru/SiO <sub>2</sub> , D exchange with HCs, <i>a</i>	172	<b>Contacts, see Electrical Contacts</b>	
RuO <sub>2</sub> /TiO <sub>2</sub> , for HCOOH photooxidation, <i>a</i>	168	<b>Copper, determination in water, <i>a</i></b>	170
<b>Ruthenium Alloys, Ru-Fe, for water gas shift reaction, <i>a</i></b>	172	<b>Corrosion, protection, stainless steel in acid media <i>a</i></b>	117
Zr-Co-Ni-Ru-Cu, for Fischer-Tropsch, <i>a</i>	114	<b>Coupling reactions, N heterocycles with cyclic ethers, <i>a</i></b>	230
<b>Ruthenium Complexes, [(bpy)<sub>2</sub>(H<sub>2</sub>O)Ru-O-</b>		<b>Cresols, isomeric, hydrogenation, <i>a</i></b>	114
Ru(H <sub>2</sub> O)(bpy) <sub>2</sub> ] <sup>2+</sup> /Nafion film, for water oxidation, <i>a</i>	168	<b>Cross-Coupling Reactions, by Pd catalysts, <i>a</i></b>	115
Cp <sup>*</sup> Ru <sup>+</sup> , reactivity to acyclic hydrocarbons, <i>a</i>	116	<b>Crotonaldehyde, hydrogenation, <i>a</i></b>	171
Ru <sub>2</sub> Cl <sub>2</sub> (binap)(NEt <sub>3</sub> ), asymmetric hydrogenation of 2-fluoroalkenoic acids, <i>a</i>	116	<b>Crotylsilanes, dihydroxylation, <i>a</i></b>	116
Ru <sub>2</sub> (CO) <sub>10</sub> , [Ru(RCOO)(CO) <sub>2</sub> (L)] <sub>2</sub> , <i>a</i>	175	<b>Cyanides, acyl, synthesis from cyanohydrins, <i>a</i></b>	175
RuO <sub>2</sub> .xH <sub>2</sub> O for RuO <sub>4</sub> reduction by H <sub>2</sub> O, <i>a</i>	230	<b>α-Cyano Carboxylates, reaction with vinyl ketones, <i>a</i></b>	49
[RuO <sub>4</sub> ], for alcohols oxidation, <i>a</i>	117	<b>Cyanohydrin, oxidation, to acyl cyanides, <i>a</i></b>	175
Ru(PPh <sub>3</sub> ) <sub>3</sub> Cl, for steroidal acetylenes+allyl alcohols, <i>a</i>	117	<b>Cyclisation, reactions, <i>a</i></b>	48, 115
Ru(PPh <sub>3</sub> ) <sub>3</sub> Cl, for acyl cyanides synthesis, <i>a</i>	175	<b>Cyclohexane, reactions, <i>a</i></b>	173, 228
<b>Catalytic Reactors, Pt single pellet, MeOH oxidation, <i>a</i></b>	228	<b>Cyclohexanone, production from phenol, <i>a</i></b>	114
<b>Cells, electrochemical, for O isotope exchange, <i>a</i></b>	42	<b>Cyclooctadiene, hydrogenation, <i>a</i></b>	114
electrolysis, zero-gap, anode performance, <i>a</i>	43	<b>Cyclooctene, production, <i>a</i></b>	114
photoelectrochemical, <i>a</i>	112	<b>Cyclopropanes, isomerically pure, syntheses of, <i>a</i></b>	173
<b>Cellulose Acetate, Pd(OAc)<sub>2</sub> in, <i>a</i></b>	40	<b>Cyclopropanation, ethyl diazoacetate with alkenes, <i>a</i></b>	116
<b>Ceramics, bonding, using Pt</b>	143, 228	<b>Dec-1-ene, oxidation, on Pd(II) polymer supported, <i>a</i></b>	229
Pt-PSZ, powders, thin films, <i>a</i>	225	<b>Dehydrofurans, hydroformylations, <i>a</i></b>	230
<b>Cerium, in electrodes, see Electrodes</b>		<b>Dehydrogenations, by alkaline modified Pt/oxides, <i>a</i></b>	228
catalyst promoter for Pt, Rh, <i>a</i>	40	cyclohexane, on Pt-Sn/Al <sub>2</sub> O <sub>3</sub> , Nb <sub>2</sub> O <sub>5</sub> , <i>a</i>	228
<b>Chemisorption, reactions, <i>a</i></b>	47, 228	<b>Dehydrohalogenations, by Pd colloidal catalysts, <i>a</i></b>	230
<b>Chlorocarbons, catalytic emission control</b>	186	<b>Detectors, <i>a</i></b>	44, 45, 113, 169-171
<b>2-Chloroethyl Ethyl Sulphide, adsorption on Pt(111), <i>a</i></b>	225	acidity monitoring of phosphate esters, <i>a</i>	167
<b>Chlorofluorocarbons, conversion, <i>a</i></b>	229	alcohol, by Ru-dispersed graphite enzyme, <i>a</i>	227
<b>Cholesterol, sensor</b>	219	biosensors for H <sub>2</sub> O <sub>2</sub> oxidation on Pt+Ir wire, Pt disk, <i>a</i>	175
<b>Chromatography, thin layer, using Pt microelectrode, <i>a</i></b>	169	optical, using Pt-, Pd porphyrins, <i>a</i>	170
<b>Chromium, diffusion through Pt coatings, glass technology</b>	62	C in seawater, Pt catalysts for, <i>a</i>	170
<b>CIS, nitric acid production</b>	136	cholesterol	219
<b>Cisplatin, analogues, synthesis, DNA binding, <i>a</i></b>	50	CO, O <sub>2</sub> , by Pt-SnO <sub>2</sub> -Si <sub>3</sub> N <sub>4</sub> -SiO <sub>2</sub> -Si-Al, <i>a</i>	227
<b>Citral, hydrogenation, by RhSn(<i>n</i>-C<sub>4</sub>H<sub>9</sub>)/SiO<sub>2</sub>, <i>a</i></b>	47	constant potential electrolysis sensors	146
		DNA, binding mode probe, by Ru complex, <i>a</i>	228
		gas, PdCl <sub>2</sub> -SnO <sub>2</sub> , <i>a</i>	45
		glucose, <i>a</i>	113, 170

	Page		Page
<b>Detectors (contd.)</b>		<b>Electrodes (contd.)</b>	
glutamate, ultra micro	70	luminescence on O evolution, <i>a</i>	111
hydrogen by Pd-SiO <sub>2</sub> -Si, <i>a</i>	44	micro-, cyclic voltammetry of Cu-histidine system, <i>a</i>	110
optical detection at Pd/dielectric interface, <i>a</i>	227	microwire, for thin layer chromatography, <i>a</i>	169
methane, by planar Pt sensor, <i>a</i>	170	O isotope exchange in electrochemical cell, <i>a</i>	42
MOS field effect	146	paste, impedance of hydronium-nasicon electrolyte, <i>a</i>	110
nitrobenzene, by Pt-Pb denuder, <i>a</i>	170	polycrystalline, potentiometric NO reduction by NH <sub>3</sub>	8
NO <sub>2</sub> , by Langmuir-Blodgett film, <i>a</i>	171	Pt-Fe, in PAFC, <i>a</i>	117
O, in gases and liquids, by Si/LaF <sub>3</sub> /Pt, <i>a</i>	44	Pt/C gas diffusion, in SPE, PEM fuel cells, <i>a</i>	111, 117
Pd-gate MOS, CO, H <sub>2</sub> , study, <i>a</i>	170	Pt/perfluorinated Nafion, modified, in fuel cell, <i>a</i>	117
pH by IrO <sub>2</sub> film/Au wire, <i>a</i>	227	reference, high impedance responses, <i>a</i>	42
luminescent, <i>a</i>	45	ring disk, for S-O compound reactions, <i>a</i>	42
Se, in water	158	rotating disk, for O reduction in H <sub>2</sub> PO <sub>4</sub> , <i>a</i>	167
Sn, in seawater, Pd in W-coated graphite tube, <i>a</i>	170	single crystal, for nitrite, NO reduction, <i>a</i>	110
in thin layer chromatography, <i>a</i>	169	sputtered in PEMFC, <i>a</i>	230
toxic gas, catalytic	146	thin film, in glutamate sensor	70
trimethylamine, by Ru/In/TiO <sub>2</sub> , <i>a</i>	113	Pt-Ru/C for AFC, <i>a</i>	230
<b>Deuterium</b> , in cold fusion reactions, conference	14	preparation, MeOH oxidation, <i>a</i>	110
cracking in Pd, <i>a</i>	111	Pt-Ru/Pt-Rh/Pt/Pd, in Ni-Zr, Ni-Ti, in fuel cells, <i>a</i>	49
exchange reactions with hydrocarbons, over Ru/SiO <sub>2</sub> , <i>a</i>	172	Pt/C in fuel cells, <i>a</i>	49
<b>Ω-Diamines</b> , carbonylation, polymer, polyurea synthesis, <i>a</i>	174	porous, for O reduction in H <sub>2</sub> PO <sub>4</sub> , <i>a</i>	175
<b>α-Diazo-carbonyl Compounds</b> , reactions, <i>a</i>	49, 116	preparation, MeOH oxidation, <i>a</i>	110
<b>Diazomethane</b> , cyclopropanation with Pd catalysts, <i>a</i>	173	Pt/Ir/C gas diffusion, in SPE, H <sub>2</sub> -Cl <sub>2</sub> fuel cells, <i>a</i>	117
<b>Dichlorodifluoromethane</b> , conversion, over Pd catalysts, <i>a</i>	229	Ru-Ni, La phosphate bonded, H <sub>2</sub> O evolution reaction, <i>a</i>	227
<b>Dienes</b> , cycloocta-1, 3-diene, hydrogenation, <i>a</i>	229	Ru-Sn-Ti/Ti, service life and O evolving ability, <i>a</i>	167
<b>1,3-Dienes</b> , 2-thiophenyl substituted, synthesis, <i>a</i>	48	RuTiCeO, characteristics, <i>a</i>	43
<b>Diesel Engines</b>	101, 228	ultramicro Ir-based Hg, for Cu, Cd, Pb in water, <i>a</i>	170
<b>Diffusion</b> , atomic, during PtSi formation, <i>a</i>	40	Pt, for phosphate ester acidity monitoring, <i>a</i>	167
bonding, Pt to Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	45	<b>Electroless Plating</b> , Ni, <i>a</i>	111, 169, 175
H in Pd-Ag alloys, Pd, Ni membranes	108, 220	<b>Electrolysis</b> , brine, in cation exchange membrane cell, <i>a</i>	43
through Pt coatings, by Ni, Cr	62	<b>Electromigration</b> , damage resistance, by Pd-Cu alloys, <i>a</i>	165
<b>Difluoromethane</b> , production from CF <sub>2</sub> Cl <sub>2</sub> , <i>a</i>	229	<b>Emission</b> , from W-Os alloys, <i>a</i>	166
<b>Digermanes</b> , alkyne insertion into Ge-Ge, <i>a</i>	48	<b>Electron Transfer Reactions</b> , in membrane system, <i>a</i>	50
<b>Dihydroxylation</b> , reactions, <i>a</i>	116, 174	<b>Electroplating Baths</b> , Pt	17, 169
<b>Diodes</b> , photochemical, with Ru(bpy) <sub>3</sub> <sup>2+</sup> , <i>a</i>	169	<i>see also</i> Plating Baths	
planar Si p <sup>+</sup> n, Pt diffusion in, <i>a</i>	231	<b>Emission Control</b> , automobile, Europe standards	7
<b>Diols</b> , reactions, <i>a</i>	116, 117	NO, SO <sub>2</sub> , in diesel exhaust, <i>a</i>	228
<b>Dioxygen</b> , catalytic activation, book review	23	for VOCs	186
<b>Diphenylacetylene</b> , hydrogenation, by Pt-Ru cluster, <i>a</i>	109	<b>Ene-Yne</b> , synthesis, by Pd(OAc) <sub>2</sub> , <i>a</i>	173
<b>DNA</b> , binding to antitumour agents, <i>a</i>	50, 228	<b>Engines</b> , diesel and lean burn, catalyst to control NOx	101
<b>E.C.</b> , Stage 2, Stage 3 standards for automobile emissions	7	<b>Enthalpy</b> , of intermetallic alloys, <i>a</i>	108, 225
<b>Electrical Conductivity</b> , in RuO <sub>2</sub> -glass resistors, <i>a</i>	118	<b>Entropies</b> , of intermetallics, <i>a</i>	225
<b>Electrical Connectors</b> , Pd, Pd-Ni, porosity, <i>a</i>	44	<b>Environment</b> , air pollution control, book review	210
<b>Electrical Contacts</b> , ohmic, Pd/Zn/Pd to p-GaP, <i>a</i>	50	reduced pollution by fuel cell use	197
Ti/Pd/Au to Zn/p <sup>+</sup> -GaAs, in microwave devices, <i>a</i>	50	<i>see also</i> Emission Control; Pollution Control	
Ti/Pt/Au, <i>a</i>	118, 175	<b>Enynes</b> , for vitamin D metabolite, synthesis, <i>a</i>	48
<b>Electrochemical Cells</b> , for O isotope exchange, <i>a</i>	42	<b>Epoxy Resins</b> , electroless metallisation, by Pd(0), <i>a</i>	226
<b>Electrochemiluminescence</b> , for DNA binding probe, <i>a</i>	228	<b>Esters</b> , cyclic osmate(VI), synthesis, <i>a</i>	116
<b>Electrochemistry</b> , <i>a</i>	42-44, 110-111, 167-168, 227-228	enol, aldol-type condensation with aldehydes, <i>a</i>	114
<b>Electrodeposition</b> , <i>a</i>	44, 112, 169	phosphate, acidity monitoring, <i>a</i>	167
<b>Electrodes</b> , anodes, Pd foil, for Pd complex formation, <i>a</i>	111	<b>Etching</b> , sputter, SiN for Pt/Co multilayer films, <i>a</i>	118
Pd-Ag/Ni for AFC, <i>a</i>	231	<b>Ethane</b> , aromatisation, <i>a</i>	46
Ru/YSZ, for SOFC, <i>a</i>	231	<b>Ethene</b> , for selective reduction, by NO, <i>a</i>	113
RuO <sub>2</sub> /IrO <sub>2</sub> /Ti, for brine electrolysis cell, <i>a</i>	43	<b>Ethers</b> , allylic aryl, synthesis, <i>a</i>	48
Au/Pt/polypyrrole, for MeOH oxidation, <i>a</i>	42	cyclic enols, coupling reactions, with N heterocycles, <i>a</i>	230
C paste, for Pd(II), Pd(0), Pd black electrochemical study, <i>a</i>	43	oxidation, CO <sub>2</sub> -aerobic, <i>a</i>	49
cathodes, Pd black, for organic reductions, <i>a</i>	110	silyl enol, synthesis, <i>a</i>	174
for glucose detection, screen printed, <i>a</i>	170	<b>Ethyl Arylpropiolates</b> , synthesis from aryl iodides, <i>a</i>	48
Ir, for MeOH electro-oxidation, <i>a</i>	43	<b>Ethyl Diazoacetate</b> , cyclopropanation with alkenes, <i>a</i>	116
Ir in Hg, ultramicroelectrode for Cu, Cd, Pb analysis, <i>a</i>	170	<b>Ethylenediamine</b> , for 2-methylimidazole, synthesis, <i>a</i>	46
ITO/Nafion[Ru(bpy) <sub>3</sub> <sup>2+</sup> ]/Nafion[MV <sup>2+</sup> ]/ITO, <i>a</i>	169	<b>EUROPT-1</b> , catalyst reactions, <i>a</i>	228
[Os(bipy) <sub>2</sub> (PVP) <sub>2</sub> Cl]Cl, for nitrite reduction, <i>a</i>	43	<b>Fabergé</b> , Carl, Pt jewellery	159
Pd, in cold fusion	14	<b>Fibre Optics</b> , for CO <sub>2</sub> sensor, <i>a</i>	45
electrocatalytic behaviour in NaOH, H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	167	<b>Films</b> , Pd-Cu/SiO <sub>2</sub> wafers, properties, <i>a</i>	165
Pd inks, for capacitors, <i>a</i>	165	Pt, Pt-C, changing surface morphology, by STM, <i>a</i>	165
photo-, Ru(bpy) <sub>3</sub> <sup>2+</sup> +Nafion/ITO, <i>a</i>	112	<i>see also</i> Thin Films; Langmuir-Blodgett; Thick Films	
poly(pyrrole-[Ru(trpy)(bpy)(OH <sub>2</sub> ) <sub>2</sub> ] <sup>2+</sup> ), alcohol oxidation, <i>a</i>	44	<b>Fine Chemicals</b> , manufacture, conference	144
Pt+Co <sub>3</sub> O <sub>4</sub> , electrochemical behaviour, <i>a</i>	167	<b>Fischer-Tropsch</b> , reactions, <i>a</i>	47, 114
Pt-Ir wire, for H <sub>2</sub> O <sub>2</sub> oxidation, <i>a</i>	175	<b>2-Fluoroalkanoic Acid</b> , optically active, synthesis, <i>a</i>	116
Pt(111), Pt(322), hydrazine behaviour on, in H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	42	<b>Fluoroalkenes</b> , reaction with OsO <sub>4</sub> , to osmate esters, <i>a</i>	116
Pt, H <sub>2</sub> SO <sub>4</sub> adsorbed species from MeOH, HCOOH, CO <sub>2</sub> , <i>a</i>	42	<b>Formaldehyde</b> , from MeOH in catalytic reactor, <i>a</i>	228
disk, for H <sub>2</sub> O <sub>2</sub> oxidation, <i>a</i>	175	<b>Formic Acid</b> , reactions, <i>a</i>	42, 168, 173
electrodeposited, glucose oxidation, <i>a</i>	110	<b>Fuel Cells</b> , 13th Fuel Cell Seminar	24
in glucose sensor, <i>a</i>	113	3rd Grove Symp.	197

	<i>Page</i>		<i>Page</i>
<b>Fuel Cells (contd.)</b>		<b>Hydrogenation (contd.)</b>	
alkaline, <i>a</i>	49, 230, 231	phenol, to cyclohexanones, <i>a</i>	114
H <sub>2</sub> -Cl <sub>2</sub> , <i>a</i>	117	<b>Hydrogenolysis</b> , reactions, <i>a</i>	47, 114, 172
H-O H <sub>2</sub> SO <sub>4</sub> , electrodes for, <i>a</i>	49	<b>Hydrolysis</b> , by Pd chiral polymeric catalysts, <i>a</i>	172
MeOH oxidation at Pt, Pt-Ru/C electrodes, <i>a</i>	110	<b>Hydrosilylation</b> , acetylene, alkenes, olefins, <i>a</i>	49, 115, 229
PAFC, <i>a</i>	49, 117, 175		
PEM, <i>a</i>	111, 230	<b>Impedance</b> , of hydronium-nasicon electrolyte,	
SOFEC, anodes for, <i>a</i>	231	N <sub>2</sub> /H <sub>2</sub> /H <sub>2</sub> O gas phase, Pt paste electrodes, <i>a</i>	110
SPE, <i>a</i>	117	<b>Infrared</b> , studies of Pd-Rh/SiO <sub>2</sub> in CO oxidation, <i>a</i>	46
<b>Furanones</b> , substituted, production, <i>a</i>	114	<b>Inks</b> , Pd in capacitors, morphology, <i>a</i>	165
<b>Furans</b> , synthesis, <i>a</i>	115	<b>Integrated Circuits</b> , manufacture, <i>a</i>	175
		<b>Ion Beam Mixing</b> , Pd/Si, <i>a</i>	45
<b>Gas Separation Technology</b> , journal reviews	153	<b>Iridium</b> , clusters, in NaY zeolite, formation, <i>a</i>	226
<b>Gauzes</b> , catchment, in Russian nitric acid plants	136	coatings on structural C	219
knitted Pt-Rh, for nitric acid manufacture	76	electrodes, <i>see</i> Electrodes	
<b>Geology</b> , new Rustenburg Pt mine	224	in Fe <sub>3</sub> N, properties, <i>a</i>	166
Os isotopes, in Falconbridge East Mine, Canada, <i>a</i>	45	Ir-Sb phase diagram, <i>a</i>	226
Pt in Brazil	223	for modifying YBaCuO superconductors	86
<b>Germanes</b> , digermanes, alkyne insertion, <i>a</i>	48	in sensors, <i>see</i> Detectors	
<b>Glass</b> , industry equipment, A.C.T. <sup>TM</sup> coated	62	thin films, MOCVD, characterisation, <i>a</i>	226
seals to metals with Pd alloy	143	<b>Iridium Complexes</b> , [Ir <sub>2</sub> (CO) <sub>8</sub> ] <sup>+</sup> , fluxional behaviour, <i>a</i>	43
<b>Glucose</b> , <i>a</i>	110, 113, 170	<b>Iridium Oxides</b> , IrO <sub>3</sub> , RuO <sub>3</sub> , TiO <sub>3</sub> , on Ti, glassy C, <i>a</i>	112
<b>Glutamate</b> , ultra micro, sensor	70	<b>Iron</b> , Fe <sub>3</sub> N, with Ir, Os, Ru, <i>a</i>	166
<b>Glycols</b> , furanoid, coupling with N heterocycles, <i>a</i>	230	in Fe/Pd compositionally modulated films, <i>a</i>	40
<b>Guanine</b> , crosslinking with cis-[Pt(NH <sub>3</sub> ) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ] <sup>2+</sup> , <i>a</i>	118	Fe/Pd/Fe, electronic, magnetic properties, <i>a</i>	108
		in magneto-optics <i>see</i> Magneto-Optics	
<b>Halocarbons</b> , catalytic destruction	186	<b>Isomerisation</b> , hexanes, xylene isomers, <i>a</i>	113
<b>Heteroannulation</b> , of acetylenic compounds, <i>a</i>	115	<b>Isoprene</b> , reaction with aniline on Pd complexes, <i>a</i>	47
<b>Heterocycles</b> , N, coupling reactions, <i>a</i>	230		
<b>Hexanes</b> , reactions, <i>a</i>	46, 113, 114, 171, 173	<b>Jewellery</b> , Pt, Fabergé	159
<b>1-Hexene</b> , regioselective oxidative hydroamination, <i>a</i>	230	<b>Johnson Matthey</b> , Advanced Coating Technology, A.C.T. <sup>TM</sup>	62
<b>History</b> , Fabergé	159	knitted Pt-Rh alloy gauzes	76
Pt in Spain	102	"Platinum 1993"	145
<b>Hydrazine</b> , <i>a</i>	42, 47	Pt-Co coated magneto-optic disks	130
<b>Hydroamination</b> , styrene with aniline, by Rh complex, <i>a</i>	230	VOC destruction	186
<b>Hydroboration</b> , vinylarenes with catecholborane, <i>a</i>	48	<b>Joining</b> , <i>a</i>	45, 228
<b>Hydrocarbons</b> , added to exhaust gas to control NO <sub>x</sub>	101	Pd alloy for glass to metal	143
aromatic, hydrogenation, <i>a</i>	116	Pt foil in bonding ceramics	143
chlorinated, toxic organics in waste water, <i>a</i>	46	<b>Josephson Junctions</b> , YBCO with SrRuO <sub>3</sub> , <i>a</i>	231
exchange reactions with D, over Ru/SiO <sub>2</sub> , <i>a</i>	172		
to reduce N oxides, <i>a</i>	171	<b>Kerr Rotation Spectra</b> , of Fe/Pt, Co/Pt multilayers, <i>a</i>	108
unsaturated acyclic, reactivity with Cp*Ru <sup>+</sup> , <i>a</i>	116	<b>Ketones</b> , dehydrogenative silylation, <i>a</i>	174
<b>Hydrocarboxylation</b> , reactions, <i>a</i>	48, 173	enol acetates of, stereodefined, <i>a</i>	115
<b>Hydrocracking</b> , hexanes, on Pt/WO <sub>3</sub> /Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	113	synthesis, <i>a</i>	46, 115, 117, 229
<b>Hydrodechlorination</b> , toxic organics in waste water, <i>a</i>	46	<b>Knitting</b> , for Pt-Rh gauze	76
<b>Hydroformylation</b> , reactions, <i>a</i>	172, 229, 230		
<b>Hydrogen</b> , in 1D Pd rod, temperature effects, <i>a</i>	108	<b>γ-Lactones</b> , trans-4,5 substituted, synthesis, <i>a</i>	116
adsorption on Pt electrodes, hydrazine effects, <i>a</i>	42	<b>Langmuir-Blodgett Films</b> , <i>a</i>	40, 118, 168, 171
chemisorption, on Pt-Sn/Al <sub>2</sub> O <sub>3</sub> , Nb <sub>2</sub> O <sub>5</sub> , <i>a</i>	228	<b>Lead</b> , determination in water, <i>a</i>	170
effects in Pd-Ag alloys	220	<b>Lipid Tubules</b> , Pd ions to metallise rigid structures, <i>a</i>	174
evolution reactions, on Ni-Ru La phosphate electrodes, <i>a</i>	227	<b>Lubricants</b> , acidity monitoring, <i>a</i>	167
optical detection, <i>a</i>	227	<b>Luminescence</b> , at a Pt electrode on O evolution, <i>a</i>	111
in ordered and disordered Pd alloys	26	[Pt(dansén)Cl <sub>2</sub> ] cisplatin analogue, <i>a</i>	50
oxidation, in fuel cell, <i>a</i>	49	in Ru, Os mixed ligand complexes, <i>a</i>	110
permeable membranes for	97, 117	[Ru <sup>II</sup> (bpy) <sub>3</sub> ] <sup>2+</sup> , for pH sensor, <i>a</i>	45
phase Naklep, <i>conf. report</i>	97	tris[2-(2-pyrazinyl)thiazole]Ru(II), for CO <sub>2</sub> sensor, <i>a</i>	45
photoproduction, <i>a</i>	112, 168		
purification, by Pd membranes, <i>a</i>	44	<b>Magnetism</b> , AC susceptibility, NdRhRuSi, phase diagram of	109
reactions with Hf <sub>2</sub> Pd, Zr <sub>2</sub> Pd, <i>a</i>	165	in Co ultrathin films/Ru(0001), <i>a</i>	109
sensor, <i>a</i>	44, 227	in Co-Cr-Pt and Co-Cr-Ta films, read/write, <i>a</i>	231
up-hill diffusion, in Pd, Ni membranes, <i>a</i>	108	in Co/Ni/Co/Pt multilayers, <i>a</i>	40
<b>Hydrogen Peroxide</b> , oxidation on Pt, Pt-Ir electrodes, <i>a</i>	175	in Co/Pd in multilayered films, <i>a</i>	40, 108
<b>Hydrogenation</b> , alkenes, <i>a</i>	49, 113	in Co/Pt	13, 169, 225
alkynes, to cis-alkenes, by Pd complex catalyst, <i>a</i>	173	in Fe/Pd/Fe, electronic, magnetic properties, <i>a</i>	108
aromatic hydrocarbons, <i>a</i>	116	in Ir, Os, Ru-substituted Fe <sub>3</sub> N, <i>a</i>	166
asymmetric, of fluoro-alkenoic acid, <i>a</i>	116	in NdRu <sub>2</sub> Si <sub>2</sub> , magnetoresistance at Néel point, <i>a</i>	226
benzene, <i>a</i>	116	in Pd <sub>2</sub> GdIn, induced, <i>a</i>	41
by Pd colloidal catalysts, <i>a</i>	230	in Pd-Cu-M alloys, <i>a</i>	165
catalysts, conference	144	in Pt/Co/SiN, <i>a</i>	118
citral, <i>a</i>	47	in Ru perovskites, BaLaRuSbO, BaTaRuNaO, <i>a</i>	166
crotonaldehyde, <i>a</i>	171	in Sr <sub>2</sub> LaCuRuO <sub>6</sub> , spin glass behaviour, <i>a</i>	226
cyclooctadiene, on Pd catalysts, <i>a</i>	114	U <sub>3</sub> Rh <sub>2</sub> Sn <sub>11</sub> , <i>a</i>	109
diphenylacetylene, by Pt-Ru cluster complex, <i>a</i>	109	<b>Magneto-Optics</b> , Co/Pt	13, 118, 175
increased activity by Ni <sub>3</sub> Ru <sub>2</sub> S <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	229	in Fe/Pt, Co/Pt multilayers, <i>a</i>	108, 118
of organic molecules, at Pd black electrodes, <i>a</i>	110	<i>see also</i> Thin Films	

	<i>Page</i>		<i>Page</i>
<b>Magnetocooling</b> , by Rh-Fe alloys	37	<b>Oxazolethione</b> , synthesis, <i>a</i>	115
<b>Medical</b> , <i>a</i>	50, 118, 175, 231	<b>Oxidation</b> , aerobic, ethers in CO <sub>2</sub> , by Rh catalysts, <i>a</i>	49
DNA binding probe to antiviral agents, <i>a</i>	228	alcohols, for carbonyl synthesis, <i>a</i>	175
Pt complexes, carsinostatic, <i>a</i>	231	alcohols, halides, aldehydes, diols, <i>a</i>	117
Zr-Pd-Ru alloys	194	CO, <i>a</i>	46, 114
<b>Membranes</b> , bilayer, with Ru complex, electron transfer, <i>a</i>	50	cyanohydrins, to acyl cyanides, <i>a</i>	175
catalysis, journal reviews	153	dec-1-ene, on Pd(II) polymer supported, <i>a</i>	229
Ni, Pd, H strain induced diffusion, <i>a</i>	108	electro-, MeOH, in fuel cell, <i>a</i>	117
Pd, thin films, for H <sub>2</sub> purification, <i>a</i>	44	glucose, at Pt electrodes, <i>a</i>	110
Pd alloys	97, 117, 153, 220	H, in fuel cell, <i>a</i>	49
<b>Mercury</b> , effects on Pd-Rh catalysts, <i>a</i>	229	high temperature of Ru alloys	75
<b>Metallisation</b> , electroless, by Pd(0) complex, <i>a</i>	226	methane, catalytic, <i>a</i>	113, 172
lipid tubules, by Pd ions, <i>a</i>	174	olefins, terminal, to methyl ketones, <i>a</i>	46
of MOS devices, for IC manufacture, <i>a</i>	175	water, Ru complex/Nation catalyst, <i>a</i>	168
<b>Methane</b> , for NO reduction on Pt/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	171	<b>Oxygen</b> , coverage of Pd(110), effect on CO oxidation, <i>a</i>	114
oxidation reactions, <i>a</i>	113, 172	electrochemical reduction, by Ru(NH <sub>3</sub> ) <sub>6</sub> +Co complex/C, <i>a</i>	43
planar Pt sensor, <i>a</i>	170	in fuel cells, <i>a</i>	49, 111, 167
<b>Methanol</b> , <i>see</i> Alcohols, methyl		evolution with luminescence at Pt electrode, <i>a</i>	111
<b>Methyl Formate</b> , for acetic anhydride synthesis, <i>a</i>	116	isotope exchange, in electrochemical cell, <i>a</i>	42
<b>2-Methylimidazole</b> , synthesis, <i>a</i>	46	sensors, <i>a</i>	44, 227
<b>Michael Addition</b> , asymmetric, $\alpha$ -cyano carboxylates, <i>a</i>	49	<b>Palladium</b> , AuPd films, as lift-off mask for Si pillars, <i>a</i>	225
<b>Microwave Devices</b> , Ti/Pd/Au ohmic contacts, <i>a</i>	50	clusters, <100Å, synthesis, in diblock copolymers, <i>a</i>	41
<b>Mining</b> , Platinum group metals	70, 223, 224	giant, ligand stabilised, <i>a</i>	171
<b>Mirrors</b> , X-ray, Pt-Pd alloy films for	158	Pd/Pt polymer protected, diene hydrogenation, <i>a</i>	229
<b>MOS devices</b> , metallisation for, <i>a</i>	175	Co/Pd thin films, magnetism in, <i>a</i>	40, 108
<b>MOSFETs</b> , in H sensor, <i>a</i>	44	colloids, preparation, stabilisation, <i>a</i>	111
<b>Multilayers</b> <i>see</i> Thin Films		compounds, A <sub>2</sub> PdH <sub>3</sub> , electronic properties, <i>a</i>	41
<b>Nanoscale Technology</b> , Pt	101	electrochemical study at C paste electrode, <i>a</i>	43
<b>NEMCA</b> , reactions, <i>a</i>	42, 113	Hf,Pd, Zr,Pd, reaction with H <sub>2</sub> , <i>a</i>	165
<b>Nickel</b> , diffusion through Pt coatings, glass technology	62	LnPd <sub>3</sub> Ga, structure, <i>a</i>	41
electless deposition on Pd/Si, <i>a</i>	175	in organometallic chemistry, book review	71
membranes, up-hill diffusion, <i>a</i>	108	Pd,GdIn, induced magnetism, <i>a</i>	41
superalloys, with Pt aluminide coatings	16	PdCl <sub>2</sub> , additive in SnO <sub>2</sub> gas sensors, <i>a</i>	45
<b>Nitrates</b> , reduction, in Rh <sup>-</sup> , NO <sub>3</sub> /CeO <sub>2</sub> , <i>a</i>	47	YPd <sub>3</sub> Si, structure, <i>a</i>	41
removal from drinking water	211	in contacts, <i>see</i> Electrical Contacts	
<b>Nitric Acid</b> , production by knitted Pt-Rh alloy gauzes	76	D cracking mechanism in, <i>a</i>	111
Russian production	136	electrodes, <i>see</i> Electrodes	
<b>Nitric Oxide</b> , <i>see</i> Nitrogen Oxides, NO		as electroless catalyst for photopatterning, <i>a</i>	169
<b>Nitrite</b> , electroreduction, <i>a</i>	43, 110	Fe/Pd films, structure, magnetism in, <i>a</i>	40
removal from drinking water	211	Fe/Pd/Fe, electronic, magnetic properties, <i>a</i>	108
<b>Nitroalkanes</b> , oxidation to carboxylic acids, <i>a</i>	117	for H technology, in CIS, conf. report	97
<b>Nitrobenzene</b> , effect of humidity on detection, <i>a</i>	170	ink, in capacitors, <i>a</i>	165
<b>Nitrogen</b> , chemisorption, on Ru <sup>0</sup> , Cs-Ru-Ba/C Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	47	membranes, <i>see</i> Membranes	
<b>Nitrogen Oxides</b> , in diesel and lean-burn engines	101	for modifying YBaCuO superconductors	86
NO <sub>x</sub> , detection by Langmuir-Blodgett film, <i>a</i>	171	Pd/dielectric interface for optical detection of H, <i>a</i>	227
NO, catalytic reduction, <i>a</i>	171, 172	Pd/Si, ion beam mixing, <i>a</i>	45
electroreduction, on Pt	8, 110	porosity in connectors, <i>a</i>	44
reduction, selective, by ethene, <i>a</i>	113	powder, in PE, PS matrix, <i>a</i>	165
removal with CO over Pt/V <sub>2</sub> O <sub>5</sub> /TiO <sub>2</sub> , <i>a</i>	43	in sensors, <i>see</i> Detectors	
catalytic oxidation in presence of SO <sub>2</sub> , <i>a</i>	228	simultaneous deposition with Ag on stainless steel, <i>a</i>	169
selective reduction, by hydrocarbons, <i>a</i>	171	sols, preparation, <i>a</i>	111
<b>Norbornene</b> , oligomerisation with CO, <i>a</i>	46	supply, demand, availability	70, 145
<b>Ohmic Contacts</b> , <i>see</i> Electrical Contacts		thin films, <i>see</i> Thin Films, <i>see also</i> Schottky	
<b>Olefins</b> , for aryl vinyl ketones production, <i>a</i>	115	to activate Si for Ni electroless deposition, <i>a</i>	175
asymmetric dihydroxylation, by OsO <sub>4</sub> , <i>a</i>	174	<b>Palladium Alloys</b> , hydrogen in ordered and disordered	26
fluorinated, conversion into fluorinated diols, <i>a</i>	116	membranes, conf. report	97
hydrocarboxylation, <i>a</i>	48	Pd-Ag, H interstitial structures	220
hydrosilylation, <i>a</i>	115	Pd-Ag-Cu-Au-Pt-Zn, for glass to metal seals	143
oxidative hydroamination, <i>a</i>	230	Pd-Cu films/SiO <sub>2</sub> , electromigration resistant, <i>a</i>	165
terminal, selective oxidation to methyl ketones, <i>a</i>	46	Pd-Cu-M, magnetic susceptibility, <i>a</i>	165
unsaturated, cyclopropanation with diazomethane, <i>a</i>	173	Pd-Mn, structure, H solubility in	26
<b>Oligomerisation</b> , norbornene-CO, <i>a</i>	46	Pd-Ni, Au-flashed in connectors, <i>a</i>	44
<b>Organohalides</b> , addition to Pd(II), for Pd(IV) complexes	2	Pd-Pt, membranes, H permeable, <i>a</i>	117
<b>Organometallic Chemistry</b> , Pd(IV) complexes,	2	for X-ray mirrors	158
<b>Osmium</b> , electrodes, <i>see</i> Electrodes		Pd-Rh, membranes, H permeable, <i>a</i>	117
in Fe <sub>3</sub> N, properties, <i>a</i>	166	Pd-Ti-Co, phase equilibria, <i>a</i>	165
isotopes, in Falconbridge East Mine, Canada, <i>a</i>	45	Zr-Pd-Ru, wear resistant	194
for modifying YBaCuO superconductors	86	<b>Palladium Complexes</b> , chloro, bromo, electrosynthesis, <i>a</i>	111
<b>Osmium Alloys</b> , Os-W, electron emission, <i>a</i>	166	[Me <sub>2</sub> Et <sub>2</sub> N][Pd(dmit) <sub>2</sub> ], superconductivity, <i>a</i>	109
<b>Osmium Complexes</b> , {Os <sub>2</sub> (CO) <sub>10</sub> (μ-L)} clusters, <i>a</i>	167	organo Pd(IV)	2
Os(bpy) <sub>3</sub> <sup>2+</sup> , in PE matrices, photophysics, <i>a</i>	168	Pd(0), synthesis, <i>a</i>	41
polypyridine, luminescence, <i>a</i>	110	Pd(0)(4,4'-(2,3-epoxypropoxy)dibenzylideneacetone, <i>a</i>	226
<b>Oxathioles</b> , synthesis, <i>a</i>	115	Pd thioazobenzene, synthesis, structure, <i>a</i>	41
		Pd-rhodamine B, anti-cancer activity, <i>a</i>	50

	Page		Page
<b>Palladium Complexes</b> ( <i>contd.</i> )		<b>Platinum Complexes</b> , carcinostatic, <i>a</i>	231
Pd <sup>2+</sup> Cl <sup>-</sup> O insertion into Pd-C bond, <i>a</i>	41	in Langmuir-Blodgett films, <i>a</i>	40
[Pd(Me)(OMe)(S,S)-bdpp], synthesis, <i>a</i>	166	Pt <sub>2</sub> Ru <sub>4</sub> (CO) <sub>12</sub> (μ-H) <sub>2</sub> (μ <sub>3</sub> -H), synthesis, <i>a</i>	109
Pd(OAc) <sub>2</sub> , in cellulose acetate, <i>a</i>	40	[Pt(bpy) <sub>2</sub> ] <sub>2</sub> [Pt(pop) <sub>2</sub> ] <sub>2</sub> nH <sub>2</sub> O, <i>a</i>	168
for zerovalent Pd formation, <i>a</i>	41	[Pt(dansen)Cl] <sub>2</sub> , antitumour, <i>a</i>	50
valine-derived chiral P,N-bidentate, <i>a</i>	109	Pt(H <sub>2</sub> O) <sub>2</sub> <sup>2+</sup> , in Pt plating bath, <i>a</i>	169
<b>Palladium Hydrides</b> , 1D rod, temperature effects, <i>a</i>	108	Pt(IV) ethylenediamine, antitumour, <i>a</i>	175
Li <sub>2</sub> PdH <sub>2</sub> , Na <sub>2</sub> PdH <sub>2</sub> , electronic properties, <i>a</i>	41	[Pt(μ-Cl)Cl(PR <sub>3</sub> ) <sub>2</sub> ], phosphines, syntheses, <i>a</i>	226
<b>Palladium Silicides</b> , films, strain, <i>a</i>	166	cis-[Pt(NH <sub>3</sub> ) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ] <sup>2+</sup> , cross-linking guanine residues, <i>a</i>	118
Pd <sub>2</sub> Si, from ion beam mixing Pd/Si, <i>a</i>	45	Pt(NH <sub>3</sub> ) <sub>2</sub> <sup>2+</sup> /zeolite NaX, CO interaction, <i>a</i>	171
<b>Patterns</b> , micro, by Pt, photo, with Pd(II), <i>a</i>	168, 169	with Ru, [Ru(CO) <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> (μ-O <sub>2</sub> CCO <sub>2</sub> ) <sub>2</sub> ] <sub>2</sub> Pt(PPh <sub>3</sub> ) <sub>2</sub> , <i>a</i>	167
<b>Pentane</b> , photocatalytic conversion, <i>a</i>	168	tetrakis-(trifluorophosphine)-Pt for nanotechnology	101
<b>α-Peptides</b> , with Ru complex, in electron transfer system, <i>a</i>	50	valine-derived chiral P,N-bidentate, <i>a</i>	109
pH, sensor, <i>a</i>	45, 227	<b>Platinum Group Metals</b> , conf. on chemistry of	212
<b>Phase Diagrams</b> , Ir-Sb, <i>a</i>	226	<b>Platinum Oxide</b> , hydrous, thin films, <i>a</i>	227
magnetic, NdRhRuSi, in high magnetic field, <i>a</i>	109	<b>Platinum Silicides</b> , PtSi, growth study, <i>a</i>	40
Pd-Ti-Co, <i>a</i>	165	PtSi/p-Si, IR absorption, <i>a</i>	40
<b>Phenol</b> , hydrogenation, vapour phase, <i>a</i>	114	<b>Poisons</b> , catalysts, Hg, on Pd-Rh, <i>a</i>	229
<b>Phenylacetaldehyde</b> , for cyclooctadiene hydrogenation, <i>a</i>	114	S as thiophene, effect on Pt/KL catalyst, <i>a</i>	114
<b>Phenylacetylene</b> , reduction, by Ir complex, <i>a</i>	174	<b>Pollution Control</b> , air, book review	210
<b>Photo Systems</b> , with Ru bipyridine, in artificial proteins, <i>a</i>	50	automobile, Europe Stage 2, Stage 3 standards	7
<b>Photocatalysis</b> , <i>a</i>	44, 111, 112, 168, 169	diesel emissions, <i>a</i>	228
<b>Photodeposition</b> , of homogeneous Rh/TiO <sub>2</sub> /SiO <sub>2</sub> , <i>a</i>	112	NOx from diesel-, lean burn engines	101
<b>Photoelectrochemical Cells</b> , <i>a</i>	112	toxic organics in waste water, <i>a</i>	46
<b>Photoproduction</b> , H <sub>2</sub> , <i>a</i>	112, 168	for VOCs	186
<b>Photoreduction</b> , dyes, <i>a</i>	112	<b>Polymerisation</b> , phenylacetylene, <i>a</i>	49
Rh(III), <i>a</i>	112	<b>Polymers</b> , PE, PS with Pd, RuO <sub>2</sub> , <i>a</i>	165
<b>Phthalides</b> , synthesis, <i>a</i>	115	synthesis, with oxamide, urea links, <i>a</i>	174
<b>Plating</b> , Rh on reed switches, <i>a</i>	231	<b>Polyphenylacetylene</b> , synthesis, <i>a</i>	49
<b>Plating Baths</b> , Pd tetramine sulphate for Pd/α-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	44	<b>Polyureas</b> , synthesis, with oxamide, urea links, <i>a</i>	174
<i>see also</i> Electroplating Baths		<b>Powders</b> , Pd, RuO <sub>2</sub> , in PE, PS matrix, <i>a</i>	165
<b>"Platinum 1993"</b>	145	Pt-PSZ ceramic, composite, <i>a</i>	225
<b>Platinum</b> , <sup>195</sup> Pt NMR, for monitoring Pt electroplating baths	17	[Pt(bpy) <sub>2</sub> ] <sub>2</sub> [Pt(pop) <sub>2</sub> ] <sub>2</sub> nH <sub>2</sub> O, for H <sub>2</sub> photogeneration, <i>a</i>	168
in A.C.T. <sup>TM</sup> coatings	62	Rh, from fullerene-[(1,5-COD)RhCl] <sub>2</sub> , <i>a</i>	167
aluminide coatings, for Ni superalloys, <i>a</i>	112	<b>Promoters</b> , Ce, for Pt, Rh catalysts, <i>a</i>	40
clusters, <100Å, synthesis, in diblock copolymers, <i>a</i>	41	Pt, to Cr/zeolite catalysts, <i>a</i>	43
in a network on NaY zeolite, <i>a</i>	225	<b>Propene</b> , reactions on modified EUROFT-1, <i>a</i>	228
Pd/Pt polymer protected, diene hydrogenation, <i>a</i>	229	<b>Propene</b> , hydroformylation, by Rh-TRIM catalysts, <i>a</i>	230
compounds, oxides, thin hydrous, reduction behaviour, <i>a</i>	227	<b>Proteins</b> , artificial, electron transfer system, <i>a</i>	50
in contacts <i>see</i> Electrical Contacts		<b>Proust</b> , Joseph Louis, Pt in Spain, history	102
diffusion bonding to Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	45	<b>Reactors</b> , for Fischer-Tropsch reaction, <i>a</i>	114
diffusion effect in planar Si p-n diodes, <i>a</i>	231	<b>Reduction</b> , NOx, selective, <i>a</i>	171, 172
doping in MOS internal diode, <i>a</i>	118	O, at Pt/Nafion interface in PEM fuel cell, <i>a</i>	111
in electrical contacts, <i>see</i> Electrical Contacts		unsaturated organic substrates, by Ir complex, <i>a</i>	174
electrodes <i>see</i> Electrodes		<b>Reed Switches</b> , Rh plated, <i>a</i>	231
electroplating baths	17, 169	<b>Refrigerants</b> , Rh-Fe alloys, for magnetocooling	37
films, <i>see</i> Thin Films, <i>see also</i> Films		<b>Resistors</b> , Pd thin film, for Josephson LSI circuits, <i>a</i>	50
foil, for ceramic bonding	143	RuO <sub>2</sub> thick film, temperature dependence, <i>a</i>	118
geology	223, 224	<b>Rhodium</b> , compounds, NdRhRuSi, magnetic properties, <i>a</i>	109
holder for C fibre oxidation, <i>a</i>	113	in organometallic chemistry, book review	71
ions, sputtered in stainless steel, <i>a</i>	165	[Rh <sub>2</sub> (O <sub>2</sub> CCMe <sub>2</sub> ) <sub>2</sub> BQ] <sub>2</sub> , chain, <i>a</i>	109
jewellery, Fabergé	159	Rh <sub>2</sub> O <sub>3</sub> , optical bandgap, electron affinities, <i>a</i>	50
joining to TiO <sub>2</sub> by Ti interlayer, <i>a</i>	45	Rh selenide, for cathodic stripping voltammetry	158
magnetic anisotropy in Co/Pt multilayers, <i>a</i>	225	U <sub>3</sub> Rh <sub>5</sub> Sn <sub>13</sub> , structural, magnetism, <i>a</i>	109
in magneto-optics <i>see</i> Magneto-Optics		crystallites, production from [(1,5-COD)RhH] <sub>2</sub> , <i>a</i>	116
micropatterns on TiO <sub>2</sub> , <i>a</i>	168	homogeneous particles on TiO <sub>2</sub> /SiO <sub>2</sub> , <i>a</i>	112
for modifying YBaCuO superconductors	86, 165	for modifying YBaCuO superconductors	86
in multilayers <i>see</i> Thin Films		plated reed switches, <i>a</i>	231
in nanoscale technology	101	powders, nanocomposite, synthesis, <i>a</i>	167
Pt(111), for 2-chloroethyl ethyl sulphide reactions, <i>a</i>	225	reactions with Ce, <i>a</i>	229
Pt III, spark spectra, 5d <sup>4</sup> 5d <sup>6</sup> s-5d <sup>6</sup> p transitions, <i>a</i>	108	Rh-Ce/Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> , microstructures, <i>a</i>	40
Pt-Ce/Al <sub>2</sub> O <sub>3</sub> , SiO <sub>2</sub> , microstructures, <i>a</i>	40	supply, demand, availability	70, 145
Pt-NiO couples, for metal-ceramic bonding, <i>a</i>	228	<b>Rhodium Alloys</b> , Pt-Rh alloy knitted gauzes	76
Pt-Pb denuder for nitrobenzene detection, <i>a</i>	170	Rh-Fe, in magnetocooling devices	37
Pt-PSZ ceramic, powders, films, <i>a</i>	225	<b>Rhodium Complexes</b> , [(pp) <sub>2</sub> RhSC(S)SCH <sub>3</sub> ], synthesis, <i>a</i>	166
in sensors, detectors, <i>see</i> Detectors		trans-Rh(Cl)(CO)(PPh <sub>3</sub> ) <sub>2</sub> , conversion to Rh(Cl)(PPh <sub>3</sub> ) <sub>2</sub> , <i>a</i>	174
supply, demand, availability	70, 145	<b>Russia</b> , Fabergé, jewellery	159
thin films, <i>see</i> Thin Films		nitric acid production	136
<b>Platinum Alloys</b> , Pt-Ag, colloids, <i>a</i>	225	<b>Rustenburg</b> , new Pt mine	224
Pt-Co, in magneto-optics <i>see</i> Magneto-Optics		<b>Ruthenium</b> , compounds, CeRu <sub>2</sub> Si <sub>2</sub> , energy detection, <i>a</i>	166
Pt-Fe, Pt-Ni, Pt-Fe-S, behaviour in H <sub>2</sub> SO <sub>4</sub> , <i>a</i>	227	H <sub>2</sub> Ru <sub>4</sub> (CO) <sub>12</sub> /SiO <sub>2</sub> , photochemistry, <i>a</i>	112
Pt-Pb, enthalpy of formation, <i>a</i>	108	Mn <sub>2</sub> RuH <sub>4</sub> , preparation, <i>a</i>	227
Pt-Pd, for X-ray mirrors	158	NdRhRuSi, magnetic properties, <i>a</i>	109
Pt-Rh, knitted gauzes for HNO <sub>3</sub> manufacture	76	NdRu <sub>2</sub> Si <sub>2</sub> , magnetoresistance at Néel point, <i>a</i>	226
ZGS	62		

	Page		Page
<b>Ruthenium (contd.)</b>		<b>Styrene</b> , reactions, <i>a</i>	172, 229, 230
Pb <sub>2</sub> Ru <sub>2</sub> O <sub>7</sub> , high temperature formation, <i>a</i>	226	<b>Sulphur</b> , levels in gasoline	7
perovskites, BaLaRuSbO <sub>6</sub> , BaTaRuNaO, structure, <i>a</i>	166	S-O compounds, voltammetry on Pt electrodes, <i>a</i>	42
Sr <sub>2</sub> LaCuRuO <sub>8</sub> , spin glass behaviour, <i>a</i>	226	<b>Sulphuric Acid</b> , Pt electrodes test media, <i>a</i>	42
SrRuO <sub>5</sub> , with YBCO Josephson junctions, <i>a</i>	231	<b>Superalloys</b> , Pt aluminide coatings	16, 112
URuSi, superconductivity in, <i>a</i>	109	<b>Superconductivity</b> , <i>a</i>	109, 231
electrodes, <i>see</i> Electrodes		<b>Superconductors</b>	86, 165, 231
in Fe <sub>2</sub> N, properties, <i>a</i>	166	<b>Superlattices</b> , Co/Pt, Fe/Pd, <i>a</i>	108
for modifying YBaCuO superconductors	86	<b>Synthesis Gas</b>	151, 172
Ru(0001), Co ultrathin films grown on, <i>a</i>	109	<b>Thermocouples</b> , A.C.T. <sup>TM</sup> coated, glass manufacture	62
in Schottky contacts, <i>a</i>	231	<b>Thermodynamics</b> , Pt-Transition Metal Systems, <i>a</i>	225
in sensors, <i>see</i> Detectors		<b>Thermometers</b> , RuO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> , for mK use	39
thin mirror films, synthesis, properties, <i>a</i>	41	<b>Thick Films</b> , RuO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> , for mK thermometers	39
<b>Ruthenium Alloys</b> , Ru-Al, Ru-Al-Y, for high temp. use	75	<b>Thin Films</b> , C/Co-Cr-Pt/Cr, read/write characteristics, <i>a</i>	231
Zr-Pd-Ru, wear resistant	194	Co, ultrathin, growth on Ru(0001), <i>a</i>	109
<b>Ruthenium Complexes</b> , [(bpy) <sub>2</sub> (H <sub>2</sub> O)Ru-O-Ru(H <sub>2</sub> O)		Co/Ni/Co/Pt, multilayers, magnetism in, <i>a</i>	40
(bpy) <sub>2</sub> ]/Nafion film, water oxidation catalyst, <i>a</i>	168	Co/Pd, multilayers, magnetism in, <i>a</i>	40, 108
(cymene)Ru(μ-Cl) <sub>2</sub> Ru(μ-Cl) <sub>2</sub> Ru(cymene), <i>a</i>	42	Co/Ni/Pt, multilayers, cyclability, <i>a</i>	175
K <sub>2</sub> [Ru <sub>2</sub> (HPO <sub>4</sub> ) <sub>2</sub> (PO <sub>4</sub> )(H <sub>2</sub> O) <sub>2</sub> ], <i>a</i>	110	Fe/Pd, compositionally modulated films, <i>a</i>	40
poly(pyrrole-[Ru(trpy)(bpy)(OH) <sub>2</sub> ] <sup>2+</sup> ), <i>a</i>	44	Fe/Pt multilayers, <i>a</i>	108
Pt <sub>2</sub> Ru <sub>2</sub> (CO) <sub>2</sub> (μ-H) <sub>2</sub> (μ-H), <i>a</i>	109	Ir, MOCVD deposited, <i>a</i>	226
with Pt, [Ru(CO) <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> (μ-O,CCO) <sub>2</sub> Pt(PPh <sub>3</sub> ) <sub>2</sub> ], <i>a</i>	167	IrO <sub>2</sub> , on Au wire, for pH sensor, <i>a</i>	227
Ru <sub>2</sub> (dpf) <sub>2</sub> (CCC <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> , <i>a</i>	111	membranes, journal reviews	153
Ru amines, crown ether interactions, <i>a</i>	174	Pd, deposition, for H <sub>2</sub> sensor, <i>a</i>	44
Ru bipyridyl, in Langmuir-Blodgett films, <i>a</i>	118	permeation membranes for H <sub>2</sub> purification, <i>a</i>	44
Ru tris(1,10-phenanthroline), DNA probe, <i>a</i>	228	resistors, for LSI circuits, <i>a</i>	50
Ru trisbipyridine, for electron transfer system, <i>a</i>	50	Pt, for methane sensor, <i>a</i>	170
[Ru(bpy) <sub>2</sub> bpaH][PF <sub>6</sub> ], luminescence, <i>a</i>	110	ultrathin, morphology, <i>a</i>	44
Ru(bpy) <sub>2</sub> <sup>2+</sup> +Nafion/ITO, electrode, <i>a</i>	112	Pt oxide, hydrous, formation, reduction, <i>a</i>	227
Ru(bpy) <sub>2</sub> <sup>2+</sup> , excited state energy, <i>a</i>	169	Pt polycrystalline structures, nanoscale technology	101
[Ru(bpy) <sub>2</sub> ] <sup>2+</sup> , for photoelectrochemical cells, <i>a</i>	112	Pt-Pd, for X-ray mirrors	158
Ru(bpy) <sub>2</sub> <sup>2+</sup> , Ru(bpy) <sub>2</sub> (bq) <sup>2+</sup> , in PE matrices, <i>a</i>	168	Pt-PSZ, properties, <i>a</i>	225
Ru(bpy) <sub>2</sub> <sup>2+</sup> /zeolite Y, electron transfer, <i>a</i>	44	Pt/Co multilayers, <i>a</i>	108, 118, 169, 175, 225
Ru(bpy) <sub>2</sub> <sup>2+</sup> , in Langmuir-Blodgett film, <i>a</i>	168	Pt/Co, Pt/Fe multilayers <i>see</i> Magneto-Optics	
[Ru <sup>III</sup> (bpy) <sub>2</sub> ] <sup>2+</sup> , in luminescent pH sensors, <i>a</i>	45	Pt/Co/SiO <sub>2</sub> , Si, magnetic properties	13
Ru <sup>III</sup> tris[2-(2-pyrazinyl)thiazole], in CO <sub>2</sub> sensor, <i>a</i>	45	Pt/MgO(100), pulsed laser deposition, <i>a</i>	169
Ru(NH <sub>3</sub> ) <sub>2</sub> +Co <i>meso</i> -tetrakis(4-pyridyl)porphyrin/C, <i>a</i>	43	Ru, mirror, synthesis, properties, <i>a</i>	41
Ru(OEP), on gas sensing Langmuir-Blodgett film, <i>a</i>	171	<i>see also</i> Films; Langmuir-Blodgett Films; Magneto-Optics	
[Ru <sup>II</sup> (L)(O)] <sup>2+</sup> /Nafion, benzyl alcohol oxidation, <i>a</i>	43	<b>Thiocarbonyl Ylide</b> , synthesis, <i>a</i>	115
<b>Ruthenium Oxides</b> , powder, in PE, PS matrix, <i>a</i>	165	<b>Thiophene</b> , catalyst poison effects, <i>a</i>	114
RuO <sub>2</sub> +TiO <sub>2</sub> , <i>pzc</i> , <i>a</i>	111	<b>Tin</b> , determination in seawater, <i>a</i>	170
RuO <sub>2</sub> , hydrate, oxidative dissolution, <i>a</i>	41	<b>Titanium</b> , adhesive layer between Pt/Al <sub>2</sub> O <sub>3</sub> , TiO <sub>2</sub> , SiO <sub>2</sub> , <i>a</i>	45
thick film mK thermometers	39	TiO <sub>2</sub> , photoetched/photoreduced Pt patterns, <i>a</i>	168
TiO <sub>2</sub> , IrO <sub>2</sub> /Ti, glassy C, <i>a</i>	112	<b>Transistors</b> , IrO <sub>2</sub> -Au for pH sensor, <i>a</i>	227
RuO <sub>2</sub> -glass, thick film resistors, size effect, <i>a</i>	118	<b>Trichloroethane</b> , hydrodechlorinated, <i>a</i>	46
RuO <sub>2</sub> .xH <sub>2</sub> O, colloid preparation, <i>a</i>	230	<b>Trimethylamine</b> , sensor, <i>a</i>	113
<b>Schottky Barrier</b> , in PtSi/p-Si, <i>a</i>	40	<b>Urethanes</b> , mono-, di-, synthesis, <i>a</i>	173
<b>Schottky Contacts</b> , Ru n-GaAs, thermal stability, <i>a</i>	231	<b>U.S. Bureau of Mines</b> , supply, of Pt,Pd,Rh	70
<b>Schottky Diodes</b> , Pd/n-InP, high barrier heights, <i>a</i>	50	<b>Vinyl Esters</b> , synthesis, <i>a</i>	175
<b>Seawater</b> , organic C content, <i>a</i>	170	<b>Vinyl Ketones</b> , <i>a</i>	49
tin content, <i>a</i>	170	<b>Vinylarenes</b> , hydroboration, <i>a</i>	48
<i>see also</i> Water		<b>Vinylation</b> , carbonylative, of arylmercuric chlorides, <i>a</i>	115
<b>Selective Catalytic Reduction</b> , NO by ethene, <i>a</i>	113	<b>Vitamin D</b> , metabolites, synthesis, <i>a</i>	48
<b>Selenium</b> , in water, detection	158	<b>Volatile Organic Compounds</b> , halogenated, destruction	186
<b>Semiconductors</b> , Pt doped MOS, switching speed, <i>a</i>	118	<b>Voltammetry</b> , anodic stripping, metal detection in water, <i>a</i>	170
Rh <sub>2</sub> O <sub>3</sub> (I)/(III), properties, <i>a</i>	50	cathodic stripping, Se detection in water	158
<b>Silicon</b> , ion beam mixing with Pd, <i>a</i>	45	cyclic, of Cu-histidine system, on Pt micro-electrode, <i>a</i>	110
pillars, using AuPd lift-off mask, <i>a</i>	225	of Ru complex/Nafion for water oxidation catalyst, <i>a</i>	168
<b>Silver</b> , electroless plating with Pd, <i>a</i>	169	<b>Wacker</b> , type catalysts, <i>a</i>	229
<b>Silylation</b> , dehydrogenative, of ketones, <i>a</i>	174	<b>Water</b> , containing Cu, Cd, Pb, detection by voltammetry, <i>a</i>	170
<b>Silylcarbonylation</b> , alkynes, <i>a</i>	115	containing Se, detection by voltammetry	158
<b>Silylformylation</b> , aldehydes, Rh catalyst for, <i>a</i>	174	nitrate, nitrite removal	211
<b>α-Silyloxyaldehydes</b> , synthesis, <i>a</i>	174	organic pollution control, <i>a</i>	229
<b>Sodium Chloride</b> , electrolysis, <i>a</i>	43	oxidation catalyst, <i>a</i>	168
<b>Sol Gel</b> , method of catalyst preparation, <i>a</i>	47, 113	<i>see also</i> Seawater	
Sols, Pd, preparation, <i>a</i>	111	<b>Water Gas Shift Reaction</b> , <i>a</i>	172
<b>Solvated Metal Atom Impregnation</b>	72	<b>X-Rays</b> , Pt-Pd surfaced mirrors for	158
<b>Specific Heat</b> , in superconducting URuSi, <i>a</i>	109	<b>Xylene</b> , isomers, isomerisation, <i>a</i>	113
<b>Spectroscopy</b> , Kerr rotation, of Fe/Pt, Co/Pt multilayers, <i>a</i>	108	<b>Zirconium Alloys</b> , Zr-Pd-Ru, wear resistant	194
NMR, for monitoring Pt electroplating baths	17		
Pt III, by triggered and sliding spark, <i>a</i>	108		
<b>Sputtering</b> , Pt ion in stainless steel, <i>a</i>	165		
<b>SQUIDS</b> , to detect resistance oscillations in CeRuSi, <i>a</i>	166		
<b>Steel</b> , stainless, surface modification, <i>a</i>	117, 165, 169		