

# SUBJECT INDEX TO VOLUME 42

	Page		Page
<i>a</i> = abstract			
<b>Acid Chlorides</b> , phenylation, <i>a</i>	126	<b>Carbon Oxides, CO</b> , ( <i>contd.</i> )	
<b>Acoustic Waves</b> , for catalytic rate enhancement, on Pt surfaces	8	oxidation, motorcycle emissions, <i>a</i>	126
<b>N-Acyl Amino Acids</b> , synthesis, <i>a</i>	39	over Pd-Rh/SiO <sub>2</sub> , <i>a</i>	38
<b>Alcohols</b> , allyl, hydrogenation, over Pt colloids, <i>a</i>	125	on Pt, Pt-Sn, Pt-Ru electrodes, <i>a</i>	123
ethyl, from ethyl acetate, <i>a</i>	38	on Pt, sonochemical rate enhancement	8
from aldehydes, over Rh clusters, <i>a</i>	38	removal, from fuel cell vehicles	2
from methyl ketones, Rh catalysed, <i>a</i>	39	sensors, <i>a</i>	80, 176
homoallylic, isomerisation, <i>a</i>	128	battery powered	144
synthesis, <i>a</i>	178	<b>Carbonylation</b> , MeOH, over Rh/SDT, Rh/PVP, <i>a</i>	176
methyl, carbonylation, <i>a</i>	176	propane to butanal, <i>a</i>	82
from syngas, <i>a</i>	126	<b>Catalysis</b> , acoustic enhancement	8
on-board H <sub>2</sub> production, for fuel cell vehicles	2	biphasic, <i>a</i>	177, 178
oxidation, in fuel cells, <i>a</i>	128	book review	145
over Pd/γ-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	38, 81	homogeneous	135
primary allylic, oxidation, <i>a</i>	82	heterogeneous, <i>a</i>	37–38, 80–81, 125–126, 176–177
primary, oxidation, <i>a</i>	178	homogeneous, <i>a</i>	39, 81–83, 126–128, 177–178
1-propanol, 2-propanol, electrooxidation, <i>a</i>	79	conference reports	158
propargyl, reaction with norbornene, <i>a</i>	82	<b>"Catalysis Technical Guide"</b> , Johnson Matthey	72
<i>cis</i> -4-substituted cyclohexane-1-methanols, <i>a</i>	82	<b>Catalysts</b> , automotive, at the SAE congress	56
synthesis, over Rh-Mo-K/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	81	<b>Catalysts, Iridium</b> , Ir(III)/Ce(IV),	
<b>Aldehydes</b> , hydrogenation, over Rh clusters, <i>a</i>	38	formaldehyde oxidation, <i>a</i>	178
synthesis, <i>a</i>	178	metal oxide-supported, synthesis gas production, <i>a</i>	177
α,β-unsaturated, from alcohols, <i>a</i>	82	Pt(44)/Ru(41)/Os(10)/Ir(5), for DMFCs	163
<b>Alfa Aesar</b> , "Platinum Labware Catalog"	144	<b>Catalysts, Iridium Complexes</b> , hydrogenation,	
<b>Alkanes</b> , dehydrogenation, by (PCP)IrH <sub>3</sub>	71	asymmetric transfer, of aromatic ketones, <i>a</i>	39
<b>Alkenes</b> , hydrogenation, biphasic, <i>a</i>	177	[Ir(TFB)(P <sub>2</sub> Pr <sub>2</sub> )]BF <sub>4</sub> , olefin hydrogenation, <i>a</i>	82
<b>Alkylation</b> , allylic, allylic acetates, <i>a</i>	178	(PCP)IrH <sub>3</sub> , alkane dehydrogenation	71
<b>Allenes</b> , α,β-functionalisation, asymmetric, <i>a</i>	177	on polymer electrodes, hydrogenation	60, 163
<b>Allylic Acetates</b> , allylic alkylation, <i>a</i>	178	<b>Catalysts, Osmium</b> , Pt(44)/Ru(41)/Os(10)/Ir(5), for DMFCs	163
<b>Amides</b> , reduction, via hydrosilylation, <i>a</i>	82	<b>Catalysts, Osmium Complexes</b> , (DMSO) <sub>2</sub> Os <sup>II</sup> Pc, cysteine oxidation, <i>a</i>	79
<b>Amidocarbonylation</b> , N-acyl amino acid synthesis, <i>a</i>	39	<b>Catalysts, Palladium</b> , colloids, Heck reactions, <i>a</i>	8
<b>Amination</b> , Pd <sub>2</sub> (dba) <sub>3</sub> catalysed, <i>a</i>	81	on gas diffusion electrodes, in fuel cells, <i>a</i>	83
<b>Amines</b> , tertiary, from amides, <i>a</i>	82	motorcycle emissions control, <i>a</i>	126
triaryl, synthesis, <i>a</i>	81	Pd/δ-Al <sub>2</sub> O <sub>3</sub> , isoprene hydrogenation, <i>a</i>	81
<b>Anilines</b> , arylation, <i>a</i>	177	Pd/γ-Al <sub>2</sub> O <sub>3</sub> , MeOH oxidation, <i>a</i>	38, 81
<b>Arenes</b> , reactions with 1-bromoadamantane, <i>a</i>	126	Pd/C felt cathode, dechlorination, <i>a</i>	175
<b>Aryl Halides</b> , homocoupling reactions, <i>a</i>	127	Pd/C, Heck reactions, <i>a</i>	126
<b>Aryl Iodides</b> , phenylation, <i>a</i>	126	Pd(0)/SiO <sub>2</sub> , phenylation reactions, <i>a</i>	126
<b>Arylation</b> , anilines, <i>a</i>	177	Pd-Rh/SiO <sub>2</sub> , CO oxidation, <i>a</i>	38
		Pd/ZrO <sub>2</sub> , CO hydrogenation, <i>a</i>	126
		Pd/ZrO <sub>2</sub> , Pd/SO <sub>4</sub> /ZrO <sub>2</sub> , <i>a</i>	81
		in supercritical CO <sub>2</sub> , Heck, Stille reactions, <i>a</i>	177
<b>Benzene</b> , hydrogenation, biphasic, <i>a</i>	178	<b>Catalysts, Palladium Complexes</b> , C <sub>60</sub> Pd(PPh <sub>3</sub> ) <sub>2</sub> , hydrogenation of triple bonds	18
oxidation, over Pt-F/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	81	halides, for amidocarbonylation, <i>a</i>	39
<b>Benzylic Compounds</b> , electrooxidation, <i>a</i>	79	on polymer electrodes, hydrogenation	60, 163
<b>Book Reviews</b> , "Aqueous-Phase Organometallic Catalysis: Concepts and Applications"	145	Pd(0), heterocycle assembly, <i>a</i>	177
<i>Inorganica Chimica Acta</i> : Special Volumes on Platinum Chemistry	17	[Pd(Bu <sub>3</sub> P <sup>+</sup> etpE)Br](BF <sub>4</sub> ) <sub>2</sub> , CO <sub>2</sub> reduction, <i>a</i>	79
"Structured Catalysts and Reactors"	69	PdCl <sub>2</sub> , Heck reactions, <i>a</i>	127
<b>1-Bromoadamantane</b> , reaction with styrenes, arenes, <i>a</i>	126	norbornene polymerisation, <i>a</i>	81
<b>Butanal</b> , from propane, <i>a</i>	82	PdCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , ketone synthesis, <i>a</i>	126
<b>Butane</b> , reforming, zirconia fuel cells	164	Pd(dba) <sub>3</sub> , allenes, asymmetric carbopalladation, <i>a</i>	177
		Pd <sub>2</sub> (dba) <sub>3</sub> , triethylamine synthesis, <i>a</i>	81
		Pd(OAc) <sub>2</sub> , N-arylated sulfoximines, <i>a</i>	177
		Pd(OAc) <sub>2</sub> /DPEphos, aniline arylation, <i>a</i>	177
<b>Calixarenes</b> , complexes with Pt metals	11, 163	Pd(OAc) <sub>2</sub> /nBu <sub>4</sub> NBr, homocoupling, aryl halides, <i>a</i>	127
<b>Cancer</b> , drugs, <i>a</i>	78, 83, 174	Pd <sub>661</sub> phen <sub>60</sub> (OAc) <sub>60</sub> , alcohol oxidation, <i>a</i>	82
<b>Capacitors</b> , <i>a</i>	35, 39	Pd phosphine complexes, CO <sub>2</sub> electroreduction, <i>a</i>	79
supercapacitors, RuO <sub>2</sub> /C, <i>a</i>	83	selectivity, towards hydrogenation	108
thin film, Pt/(Ba, Sr)TiO <sub>3</sub> /Pt, <i>a</i>	83	<b>Catalysts, Platinum</b> , motorcycle emissions control, <i>a</i>	126
(SrRuO <sub>3</sub> /Ba <sub>2</sub> Sr <sub>1-x</sub> TiO <sub>3</sub> /SrRuO <sub>3</sub> ), <i>a</i>	83	in PEMFCs, <i>a</i>	128
<b>Carbenes</b> , (PCy <sub>3</sub> ) <sub>2</sub> Cl <sub>2</sub> Ru=CHR, <i>a</i>	34	for photovoltaic devices, <i>a</i>	124
<b>Carbocycles</b> , Pd-catalysed synthesis, <i>a</i>	177	Pt(44)/Ru(41)/Os(10)/Ir(5), for DMFCs	163
<b>Carbon Oxides, CO<sub>2</sub></b> , reduction, electrochemical, <i>a</i>	79	Pt(110) crystal, CO oxidation, sonochemistry	8
sensors, IrO <sub>2</sub> -, WO <sub>3</sub> -based, <i>a</i>	125	Pt colloids, allyl alcohol hydrogenation, <i>a</i>	125
supercritical, as catalysis medium	158	Pt, Pt-10%Rh, HCN synthesis, <i>a</i>	37
Heck, Stille reactions, <i>a</i>	177	Pt/Al <sub>2</sub> O <sub>3</sub> , NO <sub>x</sub> reduction, <i>a</i>	176
CO, chemisorption, on Ru/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	38	Pt/γ-Al <sub>2</sub> O <sub>3</sub> , NO reduction, <i>a</i>	125
electrooxidation, on Pt-Ru/C, <i>a</i>	34	Pt-F/Al <sub>2</sub> O <sub>3</sub> , benzene oxidation, <i>a</i>	81
hydrogenation, over Pd/ZrO <sub>2</sub> , <i>a</i>	126	Pt-K <sup>+</sup> /SiO <sub>2</sub> , methanation, <i>a</i>	80

	Page		Page
<b>Catalysts, Platinum, (contd.)</b>		<b>Catalysts, Ruthenium Complexes, (contd.)</b>	
Pt-Mo-Na/SiO <sub>2</sub> , NO <sub>x</sub> removal, <i>a</i>	37	[Ru(4,4'-Me <sub>2</sub> bpy) <sub>2</sub> (PPh <sub>3</sub> )(H <sub>2</sub> O)](ClO <sub>4</sub> ) <sub>3</sub> , benzylic oxidations, <i>a</i>	79
Pt-Mo/SiO <sub>2</sub> , hydrocarbon reactions with H <sub>2</sub> , <i>a</i>	37	[Ru=C=C=CR <sub>2</sub> (L)(Cl)(arene)]PF <sub>6</sub> , ring closing olefin metathesis, <i>a</i>	178
Pt-Rh, 3-way HC/CO/NO conversion, <i>a</i>	126	Ru[BINAP], mono-ethyl fumarate, maleate, reduction, <i>a</i>	128
Pt-SO <sub>4</sub> /ZrO <sub>2</sub> , dehydrogenative CH <sub>4</sub> coupling, <i>a</i>	125	[RuCl <sub>2</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> ], hydrosilylation of ketones, <i>a</i>	83
Pt/H-beta, Pt/H-MOR, <i>n</i> -hexane isomerisation, <i>a</i>	37	RuCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>3</sub> , homoallylic alcohol isomerisation, <i>a</i>	128
Pt/MCM-41, NO reduction, <i>a</i>	176	RuO <sub>4</sub> , electrochemical oxidation of organic waste	90
Pt/Ru, in fuel cells, <i>a</i>	128	Ru(PPh <sub>3</sub> ) <sub>2</sub> Cl <sub>2</sub> /hydroquinone, alcohol oxidation, <i>a</i>	178
Pt/TiO <sub>2</sub> /PTFE, trichlorobenzene photodegradation, <i>a</i>	175	<i>trans</i> -[Ru(salen)(NO)(H <sub>2</sub> O)] <sup>+</sup> , ene reactions, <i>a</i>	178
<b>Catalysts, Platinum Complexes, [(bpy<sub>m</sub>)PtCl<sub>2</sub>],</b>		<b>"Catalytic Reaction Guide"</b> , from Johnson Matthey	16
CH <sub>4</sub> oxidation	98	<b>[2]-Catenaes</b> , Os complexes	100
hydrodesulfurisation	25	<b>Cathodic Protection</b> , by Pt/Ti electrodes	27, 116
Pt(II) <i>bis</i> (benzoylacetate), Pt(II) <i>bis</i> (trifluoroacetylacetate), Pt(II) <i>bis</i> (benzoyltrifluoroacetate), photocuring, <i>a</i>	123	<b>Chemiluminescence</b> , during oxidations, by Ru(bpy) <sub>3</sub> <sup>2+</sup> , <i>a</i>	35
<b>Catalysts, Rhodium, biphasic</b>	135	see also <b>Luminescence</b>	
motorcycle emissions control, <i>a</i>	126	<b>Chlor-Alkali</b> , electrodes, development	27, 46
Rh-Mo-K/Al <sub>2</sub> O <sub>3</sub> , alcohol synthesis, <i>a</i>	81	<b>Chlorine</b> , sensor, using Ru tris bipyridyl, <i>a</i>	37
Rh-Pt, 3-way HC/CO/NO conversion, <i>a</i>	126	<b>Chloroaromatics</b> , herbicides, dechlorination, <i>a</i>	175
Rh-Pt, HCN synthesis, <i>a</i>	37	<b>Cisplatin</b> , <i>a</i>	174
Rh-Pd/SiO <sub>2</sub> , CO oxidation, <i>a</i>	38	<b>Clusters</b> , Bi <sub>2</sub> RhBr <sub>7</sub> , structure, <i>a</i>	34
Rh-S/SiO <sub>2</sub> , Rh-S-P/SiO <sub>2</sub> , 1-octene hydroformylation, <i>a</i>	177	metallic, catalysis	160
Rh/one-atomic layer GeO <sub>2</sub> /SiO <sub>2</sub> , ethyl acetate hydrogenation, <i>a</i>	38	Os, Os/Ru, Os/Hg, Os/Au, Ru/Cu, Ru/Hg	146
Rh/PVP, Rh/SDT, MeOH carbonylation, <i>a</i>	176	Pd <sub>10</sub> phen <sub>4</sub> (OAc) <sub>40</sub> , alcohol oxidation, <i>a</i>	82
Rh/USY, Rh/Al <sub>2</sub> O <sub>3</sub> , N <sub>2</sub> O decomposition, <i>a</i>	38	Rh <sub>5</sub> (CO) <sub>16</sub> , aldehyde hydrogenation, <i>a</i>	38
<b>Catalysts, Rhodium Complexes, acacRh(CO)<sub>2</sub>,</b>		Ru <sub>3</sub> (CO) <sub>11</sub> (TPPTS), Ru <sub>4</sub> (CO) <sub>12</sub> (TPPTS) <sub>2</sub> , biphasic hydroformylation, hydrogenation	135
hex-1-ene hydroformylation, <i>a</i>	38	Ru <sub>2</sub> C(CO) <sub>15</sub> , PtRu <sub>2</sub> C(CO) <sub>14</sub> (COD), with C <sub>60</sub> , <i>a</i>	174
chiral diRh(II) carboxamidate, carbene reactions, <i>a</i>	178	<b>Coatings</b> , electrodes, for chlor-alkali cells	27, 46
CIRh[P(CH <sub>2</sub> CH <sub>2</sub> (CF <sub>3</sub> ) <sub>2</sub> CF <sub>3</sub> ) <sub>3</sub> ], alkene hydrogenation, <i>a</i>	177	Pt, from electroplating bath, <i>a</i>	124
(DMSO)(Cl)Rh <sup>III</sup> Pc, [(CN) <sub>2</sub> Rh <sup>III</sup> Pc], cysteine electrooxidation, <i>a</i>	79	see also <b>Electrodeposition and Deposition</b>	
hydroformylation	25	<b>Cold Cathodes</b> , for flat panel display	10
on polymer electrodes, hydrogenation	60, 163	<b>Cold Start</b> , in fuel cell powered vehicles	2
Rh <sub>2</sub> (OOAc) <sub>4</sub> , 2,3-dihydrofuran synthesis, <i>a</i>	127	<b>Colloids</b> , Pd, for Heck reactions, <i>a</i>	38
Rh <sub>2</sub> (CO) <sub>12</sub> , vinylpyrrole hydroformylation, <i>a</i>	82	Pt, allyl alcohol hydrogenation, <i>a</i>	125
Rh <sub>2</sub> (CO) <sub>16</sub> clusters, polymer bound, aldehyde hydrogenation, <i>a</i>	38	formation, light catalysed, <i>a</i>	34
Rh/PPA(Na <sup>+</sup> )/DPPEA polymer, olefin hydroformylation, <i>a</i>	127	PtRu[N(Oct) <sub>2</sub> Cl], alloys, <i>a</i>	78
RhCl(CO)(PMe <sub>3</sub> ) <sub>2</sub> , propane carbonylation, <i>a</i>	82	<b>Combinatorial Chemistry</b> , for fuel cell catalysts	163
[RhCl(P(CH <sub>2</sub> CH <sub>2</sub> (CF <sub>3</sub> ) <sub>2</sub> CF <sub>3</sub> ) <sub>3</sub> )] <sub>3</sub> , hydroboration, <i>a</i>	39	<b>Conferences</b> , 9th International Symposium on Relations between Homogeneous and Heterogeneous Catalysis, Southampton, England, 20-24 July 1998	160
[RhCl(PPh <sub>3</sub> ) <sub>2</sub> (9-janeS <sub>3</sub> )]PF <sub>6</sub> , ligand substitution, <i>a</i>	39	11th International Symposium on Homogeneous Catalysis, St Andrews, Scotland, 12-17 July, 1998	158
[Rh(COD)Cl] <sub>2</sub> -P(OPh) <sub>3</sub> , allylic alkylation, <i>a</i>	178	12th International Conference on the Conversion of Solar Energy into Photovoltaic Power and Storage, Berlin, Germany, 9-14 August, 1998	140
[Rh(COD)Cl] <sub>2</sub> /PPh <sub>3</sub> , hydroboration, <i>a</i>	82	SAE, Detroit, U.S.A., February, 1998	56
[Rh(COD)(DIOSR)]ClO <sub>4</sub> , styrene hydroformylation, <i>a</i>	177	Second Anglo-Dutch Symposium, Amsterdam, 26 September, 1997	25
[RhH <sub>2</sub> (Ph <sub>3</sub> N)(PPh <sub>3</sub> ) <sub>2</sub> ], phenylacetylene hydrogenation, <i>a</i>	39, 127	Second International Conference on the Hydrogen Treatment of Materials, Donetsk, Ukraine, 2-5 June, 1998	99
RhH(CO)(PPh <sub>3</sub> ) <sub>3</sub> , amide reduction, <i>a</i>	82	<b>Corrosion Protection</b> , by Pt/Ti electrodes reinforced concrete	27, 116
[Rh(Hdmg) <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> ], [Rh(Hdmg)(ClZndmg)(PPh <sub>3</sub> ) <sub>2</sub> ], 1-hexene hydroformylation, hydrogenation, <i>a</i>	127	<b>Coupling Reactions</b> , aryl halides, <i>a</i>	127
[Rh(hexadiene)Cl] <sub>2</sub> /4,4'-dihexadecyl-2,2'-bipyridine LB films, <i>a</i>	81	Pd catalysed	158
RhH(PPh <sub>3</sub> ) <sub>4</sub> , itol oxidation, <i>a</i>	127	<b>Cyclohexanes</b> , 4-substituted 1-methylidene-cyclohexanes, hydroboration, <i>a</i>	82
[Rh(norbornadiene)Cl], phenylacetylene polymerisation, <i>a</i>	82	from benzenes, <i>a</i>	178
Rh(triazolinylidene), hydrosilylation, asymmetric, <i>a</i>	39	<i>cis</i> -Cyclooctene, hydrogenation	156
Rh trisulfonated triphenylphosphine, acrylic ester hydroformylation, <i>a</i>	127	Cyclophanes, Ru, Os complexes	100
<b>Catalysts, Ruthenium, biphasic</b>	135	<b>Cyclopropanation</b> , for metal carbene reactions, <i>a</i>	178
Pt(44)/Ru(41)/Os(10)/Ir(5), for DMFCs	163	norbornene, <i>a</i>	82
Ru/Al <sub>2</sub> O <sub>3</sub> , H <sub>2</sub> O/N <sub>2</sub> O decomposition, <i>a</i>	126	<b>Cysteine</b> , electrooxidation, <i>a</i>	79
hydrogenation isotherms, <i>a</i>	38	<b>Dechlorination</b> , chloroaromatic herbicides, <i>a</i>	175
Ru/Al <sub>2</sub> O <sub>3</sub> , butane reforming, zirconia fuel cells	164	<b>Decomposition</b> , H <sub>2</sub> /N <sub>2</sub> O, over Ru/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	126
Ru/Mn/Ce, waste water oxidation, <i>a</i>	126	N <sub>2</sub> O, over Rh, <i>a</i>	38
Ru/Pt, in fuel cells, <i>a</i>	128	<b>Dehydrogenation</b> , alkanes, by (PCP)IrH <sub>2</sub>	71
RuS <sub>2</sub> /SiO <sub>2</sub> , H <sub>2</sub> O decomposition, <i>a</i>	175	<b>Dehydrogenative Coupling</b> , CH <sub>4</sub> , over Pt-SO <sub>4</sub> /ZrO <sub>2</sub> , <i>a</i>	125
<b>Catalysts, Ruthenium Complexes, (η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)<sub>2</sub>Ru<sub>2</sub>Cl<sub>4</sub>,</b>		<b>Dendrimers</b> , Pd, synthesis, <i>a</i>	174
benzene hydrogenation, <i>a</i>	178		
(η <sup>5</sup> -cyclopentadienyl)tris(acetonitrile)Ru, norbornene cyclopropanation, <i>a</i>	82		
[(DMSO) <sub>2</sub> Ru <sup>III</sup> Pc].2DMSO, cysteine oxidation, <i>a</i>	79		

	Page		Page
<b>Dendrimers, (contd.)</b>		<b>Films, (contd.)</b>	
photoproperties, with $^*Ru(4,7-(SO_3C_6H_5)_2-phen)_3^+$ , <i>a</i>	79	[Ru(bpy) <sub>3</sub> ] <sup>2+</sup> in organogel, O <sub>2</sub> sensor, <i>a</i>	80
Pt(II), SO <sub>2</sub> sensor, <i>a</i>	176	Ru(II)-polymer, photoproperties, <i>a</i>	35
<b>Deposition, chemical spray, Pt:SnO<sub>2</sub> films, <i>a</i></b>	80	RuO <sub>2</sub> , RuO <sub>2</sub> -TiO <sub>2</sub> , on Pt, <i>a</i>	80
Pt, on C nanotubes, <i>a</i>	124	see also <b>Langmuir-Blodgett</b>	
PZT films, on Pt-coated Si, <i>a</i>	39	see also <b>Thin Films</b>	
see also <b>Coatings and Electrodeposition</b>		<b>Flat Panel Displays</b>	10
<b>Detectors, see Sensors</b>		<b>Formaldehyde, oxidation, <i>a</i></b>	178
<b>Diesel Engines, pollution control, at SAE conference</b>	56	<b>Fuel Cells, <i>a</i></b>	83, 128, 178
<b>Diodes, Al-Al<sub>2</sub>O<sub>3</sub>-Pd, H<sub>2</sub> sensor, <i>a</i></b>	80	DMFCs, catalysts	163
<b>Diphenylacetylene, hydrogenation</b>	156	Pt-Ru anodes, <i>a</i>	178
<b>Dissociation, CH<sub>4</sub>, at Pd single crystals, <i>a</i></b>	34	HotSpot™ reactor, for on-board H <sub>2</sub> generation	2
<b>DNA, photoaddition to Ru(tap)<sub>2</sub>(bpy)<sup>2+</sup>, <i>a</i></b>	79	NO reduction, Pd catalysts, <i>a</i>	83
		PEMFCs, <i>a</i>	128
<b>Electrical Contacts, ohmic contacts, Pd/Pt/Au/Pd, <i>a</i></b>	34	portable systems	115
Pd/Sn, Pd/Ge, thermal stability, <i>a</i>	83	Pt/Ru catalysts, MeOH oxidation, <i>a</i>	128
<b>Electrochemistry, <i>a</i></b>	34–35, 79, 123, 175	zirconia, butane reforming	164
oxidation of toxic organic waste	90	<b>Fullerenes, Ir complexes, <i>a</i></b>	79
Rh, Ir fullerenes, oxidation, reduction, <i>a</i>	35	Pt metal complexes	18
<b>Electrodeposition, Ir oxide films, <i>a</i></b>	124	Pt, Ru complexes, <i>a</i>	174
RuO <sub>2</sub> , RuO <sub>2</sub> -TiO <sub>2</sub> , on Pt, <i>a</i>	80	Rh, Ir complexes, electrochemical oxidation,	
see also <b>Coatings and Deposition</b>		reduction, <i>a</i>	35
<b>Electrodes, anodes, O<sub>2</sub> evolution</b>	116	<b>Furans, 2,3-dihydrofurans, synthesis, <i>a</i></b>	127
Pt-foil, dechlorination, <i>a</i>	175		
Pt-Ru, for DMFCs, <i>a</i>	178	<b>Glucose, biosensor, Os/polymer based electrode, <i>a</i></b>	37
cathodes, cold, Pt/SiO <sub>2</sub> /Si/Al, flat panel display	10	<b>Gold, reduction, stripping, at Pd, Rh, Ir electrodes, <i>a</i></b>	36
Pd/C felt, dechlorination, <i>a</i>	175		
PEMFCs, <i>a</i>	128	<b>Heck Reactions, Pd catalysed</b>	126, 127, 158
gas diffusion, in fuel cells, with Pd catalysts, <i>a</i>	83	Pd colloid catalysed, <i>a</i>	38
Ir oxide/glassy C, <i>a</i>	124	in supercritical CO <sub>2</sub> , <i>a</i>	177
noble metal/oxide coated Ti, development	27, 46, 116	<b>Heterocycles, Pd-catalysed synthesis, <i>a</i></b>	177
Os/polymer, in C paste, glucose sensor, <i>a</i>	37	<b>Heterojunctions, TiO<sub>2</sub>/RuLLNCS/CuCN,</b>	
Pd film/poly(4-vinyl)pyridine, hydrazine detection, <i>a</i>	36	photoproperties, <i>a</i>	175
Pd-coated LaNi <sub>1.25</sub> Al <sub>0.75</sub> , <i>a</i>	123	<b>n-Hexane, isomerisation, Pt catalysed, <i>a</i></b>	37
Pd, palladised, for hydrogenations, <i>a</i>	35	<b>1-Hexene, hydroformylation, by acacRh(CO)<sub>2</sub>, <i>a</i></b>	38
phthalocyanine modified, cysteine oxidation, <i>a</i>	79	hydrogenation	156
polypyrrole film, with Rh, Ir, Pd	60, 163	hydrogenation, hydroformylation, <i>a</i>	127
Pt, bottom, O <sub>2</sub> diffusion, <i>a</i>	39	<b>History, development of noble metal/oxide</b>	
in capacitors, <i>a</i>	83	coated Ti electrode	27, 46, 116
CO sensors	144	Geoffrey Wilkinson	168
inorganic ion detection, <i>a</i>	36	<b>HotSpot™ Reactor, H<sub>2</sub> generation, on-board</b>	
photovoltaic devices	140	fuel cell vehicles	2
on polymers, medical implants	55	<b>Hydrazine, detection, at Pd film electrode, <i>a</i></b>	36
with Ru(II)-modified chitosan, oxalic acid sensor, <i>a</i>	176	<b>Hydrides, Rh, Ir complexes, electrocatalysis</b>	60, 163
Pt, Pt <sub>0.89</sub> Ru <sub>0.11</sub> , electrooxidation, <i>a</i>	79	<b>Hydroboration, Rh catalysed, <i>a</i></b>	39
Pt, Pt-Sn, Pt-Ru, CO oxidation, <i>a</i>	123	4-substituted 1-methylidene-cyclohexanes, <i>a</i>	82
Pt, Rh, Ir, for Au reduction and stripping, <i>a</i>	36	<b>Hydrocarbons, oxidation, motorcycle emissions, <i>a</i></b>	126
Pt-Ru/C, electrooxidation, of CO, <i>a</i>	34	reactions with H <sub>2</sub> , over Pt-Mo/SiO <sub>2</sub> , <i>a</i>	37
Ru containing, benzylic oxidations, <i>a</i>	79	<b>Hydrodesulfurisation, crude oil, using Pt catalysts</b>	
RuO <sub>2</sub> , nanoparticles/C aerogels, for supercapacitors, <i>a</i>	83	thiophene, <i>a</i>	128
RuO <sub>2</sub> , pH sensors, <i>a</i>	37	<b>Hydrodimerisation, biphasic</b>	135
RuO <sub>2</sub> -VO <sub>x</sub> , for electrochemical capacitors, <i>a</i>	35	<b>Hydroformylation, acrylic esters, <i>a</i></b>	
RuO <sub>2</sub> /Ti, improved, <i>a</i>	35	biphasic	135
<b>Electroalvanising, Zn onto steel strip</b>	116	by Rh complexes	25
<b>Electroless Plating, for Pd composite membranes, <i>a</i></b>	124	1-hexene, <i>a</i>	38, 127
Pd membranes, <i>a</i>	80	1-octene, <i>a</i>	177
Pt, onto polymers, for medical implants	55	olefins, <i>a</i>	127
<b>Electrolytes, K<sub>2</sub>PdCl<sub>4</sub>/K<sub>3</sub>Fe(CN)<sub>6</sub>/PEG 600, <i>a</i></b>	79	styrene, <i>a</i>	177
<b>Electron Transfer, photoinduced, Ru, Os complexes</b>	100	vinylpyrroles, <i>a</i>	82
<b>Electroplating Baths, Pt coatings, <i>a</i></b>	124	<b>Hydrogen, absorption, by Pd</b>	141
<b>Electrowinning</b>	116	generation, on-board a fuel cell vehicle	2
<b>Emission Control, at SAE congress</b>	56	permeability, in Pd <sub>1-x</sub> Si <sub>x</sub> , <i>a</i>	78
motorcycle catalysts, <i>a</i>	126	permeation, through Pd membranes, <i>a</i>	128
<b>Esters, acrylic, hydroformylation, <i>a</i></b>	127	photoproduction, <i>a</i>	124, 175
<b>Etching, Pt, thin films, <i>a</i></b>	80	reactions with hydrocarbons,	
<b>Ethyl Acetate, hydrogenation, Rh catalysed, <i>a</i></b>	38	over Pt-Mo/SiO <sub>2</sub> , <i>a</i>	37
<b>4-Ethyltoluene, from 4-methylstyrene, <i>a</i></b>	35	sensors, <i>a</i>	36, 80, 125
		storage, using (PCP)IrH <sub>2</sub>	71
<b>Films, hydrous Ir oxide, <i>a</i></b>	124	treatment of materials, at HTM-98 conf.	99
Pd, in H <sub>2</sub> sensor, <i>a</i>	36	wave, catalytic, from OsO <sub>4</sub> /cysteine, <i>a</i>	175
polymer, for Rh-, Ir-, Pd-substituted, electrodes	60, 163	<b>Hydrogen Cyanide, synthesis, over Pt, Pt-10%Rh, <i>a</i></b>	37
Pt, bottom electrodes, in capacitors, <i>a</i>	39	<b>Hydrogenation, aldehydes, over Rh<sub>n</sub>(CO)<sub>6</sub> clusters, <i>a</i></b>	38
mesoporous, on Au, <i>a</i>	36	alkenes, biphasic, <i>a</i>	177
Pt/TiO <sub>2</sub> /PTFE, trichlorobenzene degradation, <i>a</i>	175		

	Page		Page
<b>Hydrogenation, (contd.)</b>		<b>Medical, (contd.)</b>	
allyl alcohol, over Pt colloids, <i>a</i>	125	antitumour properties, <i>a</i>	83
aromatic ketones, asymmetric, Ir catalysed, <i>a</i>	39	razoxane, anti-cancer drug, <i>a</i>	78
benzenes, biphasic, <i>a</i>	178	<b>Medical Uses, <i>a</i></b>	83
biphasic	135	<b>Membranes, composite, Ru-doped TiO<sub>2</sub>, <i>a</i></b>	37
C=O bonds, by Rh LB films, <i>a</i>	81	Pd, by electroless plating, <i>a</i>	124
CO, over Pd/ZrO <sub>2</sub> , <i>a</i>	126	defect free, <i>a</i>	80
<i>cis</i> -cyclooctene	156	H <sub>2</sub> permeation, <i>a</i>	128
enantioselective	160	at HTM-98 conf.	99
ethyl acetate, Rh catalysed, <i>a</i>	38	in small fuel cells	115
1-hexene, <i>a</i>	127, 156	Pt-PEMs, for fuel cells, <i>a</i>	128
isoprene, over Pd/ $\delta$ -Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	81	<b>Mercury, demercuration, of <i>bis</i>-(alkynyl)mercurials, <i>a</i></b>	39
isotherms, of C species, on Ru/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	38	<b>Methanation, on Pt-K'/SiO<sub>2</sub>, <i>a</i></b>	80
D-limonene	156	<b>Methane, conversion to synthesis gas, <i>a</i></b>	177
4-methylstyrene, using palladised Pd electrode, <i>a</i>	35	dehydrogenative coupling, <i>a</i>	125
olefins, <i>a</i>	82	dissociation, at Pd single crystals, <i>a</i>	34
organics, at Rh, Ir, Pd electrodes	60, 163	HCN synthesis, over Pt, Pt-10%Rh, <i>a</i>	37
Pd catalysed, liquid-phase, selectivity	108	oxidation, by [(bpy)m]PtCl <sub>2</sub> ]	98
phenylacetylene, diphenylacetylene, <i>a</i>	39, 127, 156	<b>4-Methylstyrene, hydrogenation, <i>a</i></b>	35
stilbene	156	<b>Molecular Cages, [(C<sub>2</sub>R<sub>2</sub>)<sub>n</sub>M<sub>n</sub>(<math>\mu</math>-CN)<sub>2</sub>]</b>	157
triple bonds, using C <sub>60</sub> Pd(PPh <sub>3</sub> ) <sub>2</sub>	18		
<b>Hydrosilylation, amides, giving amines, <i>a</i></b>	82		
asymmetric, ketones, <i>a</i>	83	<b>Nanoparticles, Pt, optical properties, <i>a</i></b>	34
methyl ketones, <i>a</i>	39	[(Ru <sub>2</sub> C(CO) <sub>10</sub> ) <sub>2</sub> Cu <sub>2</sub> Cl <sub>2</sub> ] <sup>2+</sup> /SiO <sub>2</sub> , hydrogenation catalyst	146
		RuO <sub>2</sub> /C electrodes, in supercapacitors, <i>a</i>	83
<b>Inorganic Ions, detection, at Pt electrodes, <i>a</i></b>	36	<b>Nanotechnology, C nanotubes, from Rh/Pd-graphite, <i>a</i></b>	174
<b>Internet, Platinum Metals Review</b>	134	Pt on C nanotubes, <i>a</i>	124
<b>Ionic Liquids, biphasic catalysis</b>	135	<b>Nitrogen, from NO, in fuel cells, <i>a</i></b>	83
in catalysis	158, 160	<b>Nitrogen Oxides, N<sub>2</sub>O, decomposition, over Rh, <i>a</i></b>	38
<b>Iridium, Au reduction and stripping, <i>a</i></b>	36	over Ru/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	126
films, hydrous oxide, <i>a</i>	124	NO, reduction, by propene, over Pt/ $\gamma$ -Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	125
Ir(001), with diamond thin films, <i>a</i>	36	over Pt/MCM-41, <i>a</i>	176
IrO <sub>2</sub> , CO <sub>2</sub> sensors, <i>a</i>	125	to N <sub>2</sub> , in fuel cells, <i>a</i>	83
<b>Iridium Alloys, IrAl, Ir<sub>1-x</sub>Ni<sub>x</sub>Al, structural properties</b>	68	<b>NOx, reduction, at the SAE conference</b>	56
Ir <sub>3</sub> Si <sub>1-x</sub> , thin films, <i>a</i>	78	lean burn, over Pt/Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	176
<b>Iridium Complexes, fullerenes, electrochemical</b>		removal, over Pt catalysts, <i>a</i>	37
oxidation, reduction, <i>a</i>	35	<b>Norbornene, cyclopropanation, <i>a</i></b>	82
H <sub>2</sub> Ir(PPh <sub>3</sub> ) <sub>2</sub> , interaction with C <sub>60</sub> , <i>a</i>	79	polymerisation, PdCl <sub>2</sub> catalysed, <i>a</i>	81
photoreactions	73		
<b>Isomerisation, <i>n</i>-hexane, Pt catalysed, <i>a</i></b>	37	<b>1-Octene, hydroformylation, <i>a</i></b>	177
homoallylic alcohols, <i>a</i>	128	<b>Ohmic Contacts, see Electrical Contacts</b>	
<b>Isoprene, hydrogenation, over Pd/<math>\delta</math>-Al<sub>2</sub>O<sub>3</sub>, <i>a</i></b>	81	<b>Olefins, hydroformylation, <i>a</i></b>	127
<b>ItoIs, unprotected, oxidation, <i>a</i></b>	127	hydrogenation, <i>a</i>	82
		ring closing metathesis, <i>a</i>	178
<b>Johnson Matthey, "Catalysis Technical Guide"</b>	72	<b>Optical Properties, Pt nanoparticles</b>	34
"Catalytic Reaction Guide"	16	Ru(II) 4,4'-bipyridinium complexes, <i>a</i>	175
HotSpot™ reactor	2	RuSi, <i>a</i>	78
Internet	134	<b>Organic Industrial Waste, destruction,</b>	
new autocatalyst manufacturing plant in Argentina	59	electrochemical	90
"Platinum 1998"	105	<b>Osmium Complexes, bis-bipyridyl, polymer modified,</b>	
<b>Ketones, aromatic, asymmetric hydrogenation, <i>a</i></b>	39	glucose biosensor, <i>a</i>	37
asymmetric hydrosilylation, <i>a</i>	83	clusters, Os, Os/Ru, Os/Hg, Os/Au	146
methyl, hydrosilylation, <i>a</i>	39	[Os(bipy) <sub>2</sub> (L)] <sup>n+</sup> , molecular assemblies	100
synthesis, using PdCl <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> , <i>a</i>	126	Os(PP <sub>3</sub> )H <sub>2</sub> , photochemical properties, <i>a</i>	35
		Os(VIII)O <sub>2</sub> /cysteine, H <sub>2</sub> wave, <i>a</i>	175
<b>Lactams, synthesis, <i>a</i></b>	178	<b>Oxalic Acid, sensor, <i>a</i></b>	176
<b>Lactones, synthesis, <i>a</i></b>	178	<b>Oxidation, benzene, over Pt-F/Al<sub>2</sub>O<sub>3</sub>, <i>a</i></b>	81
<b>Langmuir-Blodgett Films, Rh complex,</b>		CO, over Pd-Rh/SiO <sub>2</sub> , <i>a</i>	38
C=O hydrogenation, <i>a</i>	81	on Pt surfaces, sonochemistry	8
see also <b>Films</b>		CO, HC, motorcycle emissions, <i>a</i>	126
<b>Lean Burn, engines, at SAE conference</b>	57	electro, benzylic compounds, <i>a</i>	79
NOx reduction, <i>a</i>	176	CO, on Pt, Pt-Sn, Pt-Ru electrodes, <i>a</i>	123
<b>D-Limonene, hydrogenation</b>	156	on Pt-Ru/C, <i>a</i>	34
<b>Luminescence, ECL, in oxalic acid sensor, <i>a</i></b>	176	cysteine, by phthalocyanines, <i>a</i>	79
Ru/polymer complexes, pH sensors, <i>a</i>	80	1-propanol, 2-propanol, <i>a</i>	79
[Ru(bpy) <sub>3</sub> ] <sup>2+</sup> , O <sub>2</sub> sensor, <i>a</i>	80	toxic organic waste, by RuO <sub>4</sub>	90
see also <b>Chemiluminescence</b>		electrochemical, of Ir, Rh fullerene complexes, <i>a</i>	35
<b>Magnetic Properties, Pd/Co thin film multilayers, <i>a</i></b>	34	formaldehyde, <i>a</i>	178
<b>Magnetism, in PtCo thin films, <i>a</i></b>	123	MeOH, in fuel cells, <i>a</i>	128
<b>Medical, cisplatin, anti-cancer, <i>a</i></b>	174	over Pd/ $\gamma$ -Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	38, 81
implants, Pt-coated	55	methane, by [(bpy)m]PtCl <sub>2</sub> ]	98
<i>trans</i> -[Pt(NC <sub>2</sub> H <sub>4</sub> C(O)NHC <sub>2</sub> H <sub>4</sub> ONO <sub>2</sub> ) <sub>2</sub> Cl <sub>2</sub> ]		synthesis gas production, <i>a</i>	177
		Na anthracenide, pyrenide, by Ru(bpy) <sub>3</sub> <sup>2+</sup> , <i>a</i>	35
		partial, butane reforming	164

	Page		Page
<b>Oxidation, (contd.)</b>		<b>Photosynthesis</b> , artificial models, Ru, Os complexes	100
primary alcohols, <i>a</i>	178	<b>Photovoltaic Cells</b> , with <i>cis</i> -Ru <sup>II</sup> (LH <sub>2</sub> ) <sub>2</sub> (NCS) <sub>2</sub> , <i>a</i>	35
primary allylic alcohols, <i>a</i>	82	<b>Photovoltaic Devices</b> , at solar energy conference	140
unprotected itols, <i>a</i>	127	H <sub>2</sub> production from H <sub>2</sub> O, <i>a</i>	124
waste water, domestic, over Ru/Mn/Ce, <i>a</i>	126	<b>"Platinum 1998"</b>	105
<b>Oxygen</b> , diffusion, in Pt bottom electrodes, <i>a</i>	39	<b>Platinum</b> , Au reduction and stripping, <i>a</i>	36
dissociation, at Pt surfaces, mechanism	24	deposition, on C nanotubes, <i>a</i>	124
evolution, IrO <sub>2</sub> /Ta <sub>2</sub> O <sub>5</sub> anode coatings	116	onto polymers, medical implants	55
photoproduction, from H <sub>2</sub> O, over RuS <sub>2</sub> /SiO <sub>2</sub> , <i>a</i>	175	electrodes, CO sensors	144
sensor, <i>a</i>	80	inorganic ion detection, <i>a</i>	36
fibre-optic, Ru-based, <i>a</i>	125	oxalic acid sensor, <i>a</i>	176
optical, <i>a</i>	176	films, bottom electrodes, O <sub>2</sub> diffusion, <i>a</i>	39
photoluminescent, with Pt porphyrin, <i>a</i>	36	mesoporous, on Au, <i>a</i>	36
<b>Palladium</b> , β-[(CH <sub>3</sub> ) <sub>4</sub> N][Pd(dmit) <sub>2</sub> ], superconductor, <i>a</i>	178	nanoparticles, optical properties, <i>a</i>	34
electrodes, Pd-coated LaNi <sub>4.22</sub> Al <sub>0.75</sub> , <i>a</i>	123	Pd/Pt/Au/Pd ohmic contacts, <i>a</i>	34
film electrode, in hydrazine detector, <i>a</i>	36	polymer-coated Pt plates, in transistors, <i>a</i>	125
film, in H <sub>2</sub> sensor, <i>a</i>	36	polymers, containing Pt, <i>a</i>	123
H <sub>2</sub> treatment, at HTM-98 conf.	99	Pt(110) crystal, sonochemistry	8
membranes, composite, by electroless plating, <i>a</i>	124	Pt(111) surface, mechanism of O <sub>2</sub> dissociation	24
defect free, <i>a</i>	80	Pt:SnO <sub>2</sub> thin films, as CO sensors, <i>a</i>	80
for fuel cells	115	Pt, Pt <sub>89</sub> Ru <sub>11</sub> , electrooxidation, <i>a</i>	79
H <sub>2</sub> permeation, <i>a</i>	128	Pt, Pt-Sn, Pt-Ru electrodes, CO oxidation, <i>a</i>	123
neutral atoms, Fourier transform spectrum, <i>a</i>	174	Pt-coated Si, PZT film growth, <i>a</i>	39
palladised Pd electrode, for hydrogenations, <i>a</i>	35	Pt-PEMs, for fuel cells, <i>a</i>	128
Pd-Al <sub>2</sub> O <sub>3</sub> -Al, H <sub>2</sub> sensor, <i>a</i>	80	Pt-Ru anodes, for DMFCs, <i>a</i>	178
Pd/Co multilayer thin films, magnetic properties, <i>a</i>	34	Pt-Ru/C, electrooxidation, of CO, <i>a</i>	34
Pd/GaN Schottky diode, <i>a</i>	128	Pt/SiO <sub>2</sub> /Si/Al, cold cathodes	10
Pd/Ge/Pd interlayers, between <i>n</i> -GaAs and Si, <i>a</i>	128	with RuO <sub>2</sub> , RuO <sub>2</sub> -TiO <sub>2</sub> , films, <i>a</i>	80
Pd/Pt/Au/Pd ohmic contacts, <i>a</i>	34	thin films, by etching, <i>a</i>	80
Pd/Rh-graphite, C nanotube production, <i>a</i>	174	on SiO <sub>2</sub> /Si, by MOCVD, <i>a</i>	124
Pd/Sn, Pd/Ge, ohmic contacts, <i>a</i>	83	Ti/Pt/Au, Schottky contact with InGaP,	
Pd/SnO <sub>2</sub> thin film, CO sensor, <i>a</i>	176	photodetectors, <i>a</i>	36
PdH particles, imaging	141	<b>Platinum Alloys</b> , Pt <sub>1-x</sub> Al <sub>1-x</sub> , phase transitions, <i>a</i>	78
single crystals, CH <sub>4</sub> dissociation, <i>a</i>	34	PtCo thin films, magnetic properties, <i>a</i>	123
thin films, H <sub>2</sub> sensors, <i>a</i>	125	PtRu[N(Oct),Cl], colloids, <i>a</i>	78
<b>Palladium Alloys</b> , H <sub>2</sub> treatment, at HTM-98 conf.	99	<b>Platinum Complexes</b> , calixarenes	11, 163
Pd <sub>1-x</sub> Si <sub>x</sub> , H <sub>2</sub> permeability, <i>a</i>	78	fullerenes	18
PdCr, strain gauges, <i>a</i>	125	[NBu <sub>4</sub> ][ <i>trans</i> -Pt <sup>IV</sup> (C <sub>6</sub> F <sub>5</sub> ) <sub>2</sub> Br(CO)], structure, <i>a</i>	78
Ti-Pd-Ni, shape memory properties, <i>a</i>	83	(OC)Pt[μ-N,N'-N(NPh) <sub>2</sub> C <sub>6</sub> H <sub>4</sub> ] <sub>2</sub> -	
<b>Palladium Complexes</b> , β'-Et <sub>3</sub> Me <sub>2</sub> P[Pd(dmit) <sub>2</sub> ],		ReCl[NH(NPh)C <sub>6</sub> H <sub>4</sub> ], <i>a</i>	123
superconductor, <i>a</i>	78	photoreactions	73
calixarenes	11, 163	[Pt <sub>2</sub> L <sub>2</sub> (μ-dppm)] <sup>2+</sup> , [Pt <sub>2</sub> L <sub>2</sub> (μ-dppm)] <sup>+</sup> ,	
dendrimers, from Pd[CH <sub>2</sub> CN] <sub>4</sub> (BF <sub>4</sub> ) <sub>2</sub> , <i>a</i>	174	photoproperties, <i>a</i>	124
fullerenes	18	Pt porphyrin, for O <sub>2</sub> sensing, <i>a</i>	36
K <sub>2</sub> PdCl <sub>4</sub> /K <sub>2</sub> Fe(CN) <sub>6</sub> /PEG 600 electrolyte, <i>a</i>	79	<i>cis</i> -[PtCl <sub>2</sub> (NH <sub>3</sub> ) <sub>2</sub> ], cisplatin, <i>a</i>	174
[Pd(L)](PF <sub>6</sub> ) <sub>2</sub> , synthesis, <i>a</i>	174	<i>cis</i> -, <i>trans</i> -[PtCl <sub>2</sub> (PhCH <sub>2</sub> CN) <sub>2</sub> ],	
photoreactions	73	[Pt(EtCN) <sub>4</sub> ][SO <sub>3</sub> CF <sub>3</sub> ] <sub>2</sub>	106
<b>Patents</b>	40-44, 84-88, 129-132, 179-182	<i>cis</i> -PtCl <sub>2</sub> (razoxane), structure, <i>a</i>	78
<b>pH</b> , sensors, <i>a</i>	37, 80	[{Pt(CN)(C <sub>10</sub> H <sub>21</sub> N <sub>4</sub> ) <sub>2</sub> }] <sub>2</sub> , photoproperties, <i>a</i>	123
<b>Phenylacetylene</b> , homologs, hydrogenation, <i>a</i>	127	Pt(II) dendrimers, SO <sub>2</sub> sensor, <i>a</i>	176
hydrogenation	39, 156	[Pt(L)](PF <sub>6</sub> ) <sub>2</sub> , synthesis, <i>a</i>	174
polymerisation, <i>a</i>	82	<i>trans</i> -[Pt(NC <sub>2</sub> H <sub>4</sub> C(O)NHC <sub>2</sub> H <sub>4</sub> ONO <sub>2</sub> ) <sub>2</sub> Cl] <sub>2</sub> ,	
<b>Phenylation</b> , acid chlorides, aryl iodides, <i>a</i>	126	antitumour properties, <i>a</i>	83
<b>Phosphines</b> , sulfonated, H <sub>2</sub> O-soluble catalysts	135	Pt(NO <sub>2</sub> )(H <sub>2</sub> O) <sup>2+</sup> , in electroplating baths, <i>a</i>	124
<b>Photocatalysis</b> , photocuring,		PtRu <sub>2</sub> C(CO) <sub>4</sub> (COD), with C <sub>60</sub> , <i>a</i>	174
of ceramic precursors, <i>a</i>	123	<b>"Platinum Labware Catalog"</b> , Alfa Aesar	144
<b>Photoconversion</b> , <i>a</i>	35, 79, 123-124, 175	<b>Pollution Control</b> , at 2nd Anglo-Dutch Symposium	25
<b>Photodetector</b> , <i>a</i>	36	at the SAE conference	56
<b>Photonics</b> , LEDs, <i>a</i>	81	toxic waste, electrochemical destruction	90
<b>Photoproperties</b> , *Ru(4,7-(SO <sub>3</sub> C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> -phen) <sup>+</sup> ,		using fuel cell powered vehicles	2
with dendrimers, <i>a</i>	79	<b>Polyacetylene</b> , from phenylacetylene, <i>a</i>	82
in combinatorial chemistry	163	<b>Polyketones</b> , synthesis	158
Pt/TiO <sub>2</sub> /PTFE, trichlorobenzene degradation, <i>a</i>	175	<b>Polymerisation</b> , norbornene, PdCl <sub>2</sub> catalysed, <i>a</i>	81
[{Pt(CN)(C <sub>10</sub> H <sub>21</sub> N <sub>4</sub> ) <sub>2</sub> }] <sub>2</sub> , <i>a</i>	123	phenylacetylene, <i>a</i>	82
Pt(II) complexes, in probes for SDS micelles, <i>a</i>	124	Ru catalysed	158
Ru dye molecules, on TiO <sub>2</sub> surfaces, <i>a</i>	124	<b>Polymers</b> , containing Pt, <i>a</i>	123
Ru(PP <sub>3</sub> )H <sub>3</sub> , Os(PP <sub>3</sub> )H <sub>2</sub> , <i>a</i>	35	electrolytes, <i>a</i>	79
RuS <sub>2</sub> /SiO <sub>2</sub> , H <sub>2</sub> O decomposition, <i>a</i>	175	films, with Pt, in O <sub>2</sub> sensors, <i>a</i>	36
<i>bis</i> (terpyridyl)Ru(II), <i>a</i>	176	with Ru(II), photoproperties, <i>a</i>	35
TiO <sub>2</sub> /RuLL'NCS/CuSCN heterojunction, <i>a</i>	175	with Pd colloids, Heck reactions, <i>a</i>	38
<b>Photoreactions</b> , in cyclophanes and catenanes	100	polypyrrole film electrodes, with Rh, Ir, Pd	60, 163
H <sub>3</sub> Ir(PPH <sub>3</sub> ) <sub>3</sub> with C <sub>60</sub> , <i>a</i>	79	Pt coated, for medical implants	55
Pt, Pd, Ru, Ir, Rh complexes	73	Rh/PPA(Na <sup>+</sup> )/DPPEA, olefin hydroformylation, <i>a</i>	127
Ru(tap) <sub>2</sub> (bpy) <sup>2+</sup> , addition to DNA, <i>a</i>	79	siloxane ring, in Ru pH sensors, <i>a</i>	80
		synthesis, Pd catalysed	160

	Page		Page
<b>Propane</b> , carbonylation, <i>a</i>	82	<b>Ruthenium Compounds</b> , ( <i>contd.</i> )	
<b>Protons</b> , reduction, by Rh, Ir, Pd complexes	60, 163	(SrRuO <sub>3</sub> /Ba,Sr <sub>1-x</sub> TiO <sub>3</sub> /SrRuO <sub>3</sub> ), thin film capacitors, <i>a</i>	83
<b>Razoxane</b> , anti-cancer drug, <i>a</i>	78	<b>Schottky Contacts</b> , InGaP, with Ti/Pt/Au,	
<b>Reduction</b> , electro, CO <sub>2</sub> , Pd catalysed, <i>a</i>	79	photodetectors, <i>a</i>	36
electrocatalytic, of protons	60, 163	<b>Schottky Diode</b> , Pd/GaN, <i>a</i>	128
electrochemical, of Ir, Rh fullerene complexes, <i>a</i>	35	<b>Selectivity</b> , in Pd catalysed hydrogenations	108
mono-ethyl fumarate, maleate, <i>a</i>	128	<b>Sensors</b> , Cl <sub>2</sub> , using Ru tris bipyridyl, <i>a</i>	37
NO, by propene, over Pt/γ-Al <sub>2</sub> O <sub>3</sub> , <i>a</i>	125	CO <sub>2</sub> , IrO <sub>2</sub> -, WO <sub>3</sub> -based, <i>a</i>	125
tertiary amides, by hydrosilylation, <i>a</i>	82	CO, battery powered	144
<b>Reforming</b> , butane, zirconia fuel cells	164	Pd/SnO <sub>2</sub> thin films, <i>a</i>	176
<b>Relay Switches</b> , in heterocycle,		SnO <sub>2</sub> :Pt films, <i>a</i>	80
carbocycle assembly, <i>a</i>	177	glucose, with Os/polymer complex, <i>a</i>	37
<b>Rhodium</b> , Au reduction and stripping, <i>a</i>	36	H <sub>2</sub> , Al-Al <sub>2</sub> O <sub>3</sub> -Pd diode, <i>a</i>	80
Rh/Pd-graphite, C nanotube production, <i>a</i>	174	by Pd film, <i>a</i>	125
<b>Rhodium Complexes</b> , [(C <sub>2</sub> R <sub>5</sub> ) <sub>3</sub> M <sub>2</sub> (μ-CN) <sub>2</sub> ],		thermal, with Pd films, <i>a</i>	36
molecular cages	157	inorganic ions, at Pt electrodes, <i>a</i>	36
calixarenes	11, 163	O <sub>2</sub> , by [Ru(bpy) <sub>3</sub> ] <sup>2+</sup> in organogel, <i>a</i>	80
fullerenes, electrochemical oxidation, reduction, <i>a</i>	35	fibre-optic, Ru-based, <i>a</i>	125
photoreactions	73	optical, <i>a</i>	176
<b>Rhodium Compounds</b> , Bi-RhBr <sub>3</sub> , structure, <i>a</i>	34	photoluminescent, <i>a</i>	36
<b>Ruthenium</b> , Pt-Ru/C, electrooxidation, of CO, <i>a</i>	34	oxalic acid, <i>a</i>	176
Ru-doped TiO <sub>2</sub> composite membranes, <i>a</i>	37	Pd(I), properties, <i>a</i>	174
Ru-Pt anodes, for DMFCs, <i>a</i>	178	pH, at RuO <sub>2</sub> electrodes, <i>a</i>	37
Ru-Pt electrodes, CO oxidation, <i>a</i>	123	luminescent Ru complexes, <i>a</i>	80
RuO <sub>2</sub> -VO <sub>x</sub> , dip-coated electrodes,		photo, performance, <i>a</i>	36
electrochemical capacitors, <i>a</i>	35	SO <sub>2</sub> , by Pt(II) dendrimers, <i>a</i>	176
RuO <sub>2</sub> /Ti electrodes, from RuO <sub>2</sub> -La <sub>2</sub> O <sub>3</sub> /Ti, <i>a</i>	35	strain, <i>a</i>	125
TiO <sub>2</sub> /RuLL'NCS/CuSCN heterojunction,		<b>Shape Memory</b> , in Ti-Pd-Ni, <i>a</i>	83
photoproperties, <i>a</i>	175	<b>Sodium Anthracene</b> , oxidation, by Ru(bpy) <sub>3</sub> <sup>2+</sup> , <i>a</i>	35
<b>Ruthenium Alloys</b> , PtRu[N(Oct),Cl] colloids, <i>a</i>	78	<b>Sodium Pyrenide</b> , oxidation, by Ru(bpy) <sub>3</sub> <sup>2+</sup> , <i>a</i>	35
Ru <sub>0.11</sub> Pt <sub>0.89</sub> , electrooxidation, <i>a</i>	79	<b>Sonochemistry</b> , for catalytic rate enhancement,	
Ru modified Fe-40Cr, Fe-35Cr-5Al, <i>a</i>	123	on Pt surfaces	8
RuSi, optical properties, <i>a</i>	78	<b>Spectra</b> , Pd(I), properties, <i>a</i>	174
<b>Ruthenium Complexes</b> , *Ru(4,7-(SO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> -phen) <sub>2</sub> *,		<b>Sputtering</b> , of Pd/Co thin film multilayers, <i>a</i>	34
with dendrimers, photoproperties, <i>a</i>	79	<b>Stilbene</b> , hydrogenation	156
tris(2,2'-bipyridine)Ru(II)-modified chitosan,		<b>Stille Reactions</b> , in supercritical CO <sub>2</sub> , <i>a</i>	177
oxalic acid sensor, <i>a</i>	176	<b>Strain Gauges</b> , PdCr thin films, <i>a</i>	125
tris(5-acrylamido.1.10 phenanthroline) Ru chloride,		<b>Styrene</b> , from phenylacetylene, Rh catalysed, <i>a</i>	39
O <sub>2</sub> sensor, <i>a</i>	125	hydroformylation, <i>a</i>	177
tris-bipyridyl, Cl <sub>2</sub> sensor, <i>a</i>	37	reaction with 1-bromoadamantane, <i>a</i>	126
[(bpy) <sub>3</sub> Ru(phendione)](PF <sub>6</sub> ),		<b>Sulfoximines</b> , N-arylated, synthesis, <i>a</i>	177
[(bpy) <sub>3</sub> Ru(phendioxime)](PF <sub>6</sub> ),		<b>Sulfur Dioxide</b> , sensor, Pt(II) dendrimers, <i>a</i>	176
photoproperties, <i>a</i>	124	<b>Supercapacitors</b> , RuO <sub>2</sub> nanoparticles/C aerogels, <i>a</i>	83
calixarenes	11, 163	<b>Superconductors</b> , β'-Et <sub>3</sub> Me <sub>2</sub> P[Pt(dmit) <sub>2</sub> ], <i>a</i>	78
clusters, Ru/Os, Ru/Cu Ru/Hg	146	β-[(CH <sub>3</sub> ) <sub>2</sub> N][Pt(dmit) <sub>2</sub> ], <i>a</i>	178
photoreactions	73	<b>Supramolecules</b> , Ru, Os complexes, electron transfer	100
Ru <sub>2</sub> C(CO) <sub>10</sub> , PtRu <sub>2</sub> C(CO) <sub>10</sub> (COD), with C <sub>60</sub> , <i>a</i>	174	<b>Surface Science</b> , H <sub>2</sub> uptake on Pd	141
[Ru(bpy) <sub>3</sub> (L)] <sup>2+</sup> , molecular assemblies	100	Pd(0) surfaces	160
[Ru(bpy) <sub>3</sub> ] <sup>2+</sup> , O <sub>2</sub> sensor, <i>a</i>	80	<b>Synthesis Gas</b> , from methane, <i>a</i>	177
Ru(bpy) <sub>3</sub> <sup>2+</sup> , oxidation of Na anthracene, pyrenide, <i>a</i>	35	giving MeOH, <i>a</i>	126
[Ru(bpy) <sub>3</sub> ] <sup>2+</sup> (Ph <sub>3</sub> B <sup>-</sup> ), optical O <sub>2</sub> sensor, <i>a</i>	176	<b>Thin Films</b> , capacitors, Pt/(Ba, Sr)TiO <sub>3</sub> /Pt, <i>a</i>	83
[Ru(bpy) <sub>3</sub> ]N(bpy(CO <sub>2</sub> MePEG-350)) <sub>2</sub> ·[ClO <sub>4</sub> ],		(SrRuO <sub>3</sub> /Ba,Sr <sub>1-x</sub> TiO <sub>3</sub> /SrRuO <sub>3</sub> ), <i>a</i>	83
molten salts, <i>a</i>	34	diamond, epitaxial, on Ir(001), <i>a</i>	36
[Ru(CO) <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> (η-C <sub>3</sub> Me <sub>3</sub> )] [Fe <sub>2</sub> (μ-C <sub>2</sub> Bu') <sub>2</sub> (CO) <sub>8</sub> ], <i>a</i>	174	Ir, Si <sub>3</sub> N <sub>4</sub> , <i>a</i>	78
<i>cis</i> -trans-RuH <sub>2</sub> (Ph <sub>2</sub> PCH <sub>2</sub> PPH <sub>2</sub> ) <sub>2</sub> ,		Pd, H <sub>2</sub> sensors, <i>a</i>	125
<i>trans</i> -RuHCl(Ph <sub>2</sub> PCH <sub>2</sub> PPH <sub>2</sub> ) <sub>2</sub> , <i>a</i>	174	Pd/Co multilayers, magnetic properties, <i>a</i>	34
Ru(η <sup>3</sup> -C(CN) <sub>3</sub> )C≡C{Ru(PPh <sub>3</sub> ) <sub>2</sub> Cp}C≡C(CN) <sub>3</sub> -		Pd/SnO <sub>2</sub> , CO sensor, <i>a</i>	176
(PPh <sub>3</sub> )Cp, <i>a</i>	175	PdCr, strain gauges, <i>a</i>	125
Ru(H)(H <sub>2</sub> )Cl(PCy <sub>3</sub> ) <sub>2</sub> , reactivity, <i>a</i>	34	Pt:SnO <sub>2</sub> , as CO sensors, <i>a</i>	80
Ru(II)(2,2'-bipyridyl-4,4'-dicarboxylate)(NCS) <sub>2</sub> ,		Pt, etched, <i>a</i>	80
photovoltaics	140	on SiO <sub>2</sub> /Si, by MOCVD, <i>a</i>	124
Ru(II) 4,4'-bipyridinium, optical properties, <i>a</i>	175	PtCo, magnetic properties, <i>a</i>	123
Ru(II), in polymer film, photoproperties, <i>a</i>	35	see also <b>Films</b>	
<i>cis</i> -Ru <sup>II</sup> (LH <sub>2</sub> ) <sub>2</sub> (NCS) <sub>2</sub> , sensitiser for		<b>Transistors</b> , polycarbazole conducting polymer, <i>a</i>	125
photovoltaic cells, <i>a</i>	35	<b>Trichlorobenzene</b> , photodegradation, <i>a</i>	175
<i>trans</i> -[Ru(NH <sub>3</sub> ) <sub>2</sub> L(NO)](BF <sub>4</sub> ) <sub>2</sub> , <i>a</i>	175	<b>Vinylpyroles</b> , hydroformylation, <i>a</i>	82
[Ru(phen) <sub>2</sub> [phen(OH)]] <sup>2+</sup> , [Ru(Ph <sub>2</sub> phen) <sub>2</sub> -		<b>Waste</b> , industrial, destruction	90
[phen(OH) <sub>2</sub> ] <sup>2+</sup> , pH sensors, <i>a</i>	80	<b>Water</b> , domestic, oxidation, <i>a</i>	126
Ru(PP <sub>3</sub> )H <sub>2</sub> , photochemical properties, <i>a</i>	35	photodecomposition, over RuS <sub>2</sub> /SiO <sub>2</sub> , <i>a</i>	175
Ru(tap) <sub>2</sub> (bpy) <sup>2+</sup> , addition to DNA, <i>a</i>	79	waste, oxidation, over Ru/Mn/Ce, <i>a</i>	126
<i>bis</i> (terpyridyl)Ru(II), photoproperties, <i>a</i>	176	<b>Wilkinson</b> , Geoffrey, Prof. Sir	168
<b>Ruthenium Compounds</b> , RuO <sub>2</sub> , pH sensors, <i>a</i>	37		
RuO <sub>2</sub> , RuO <sub>2</sub> -TiO <sub>2</sub> , films, on Pt, <i>a</i>	80		
RuO <sub>2</sub> nanoparticles/C electrodes, in supercapacitors, <i>a</i>	83		