

SUBJECT INDEX TO VOLUME 43

	Page		Page
<i>a</i> = abstract		Catalysis, (cont.)	
Acetic Acid , hydrocarbonylation, to higher acids, <i>a</i>	44	book review	29
Acrylic Acids , in Heck reactions	138	in carbonylation reactions, journal review	154
Alcohols , allyl, hydrogenation	29	catalyst recycling	105
ethyl, dehydrogenation, <i>a</i>	43	combinatorial chemistry techniques	105
oxidation, by Pd/LiNbO ₃ , via acoustic oscillations	82	heterogeneous, <i>a</i>	43–44, 86–87, 131–132, 174
from β-ketoesters, Ru catalysed, <i>a</i>	45	homogeneous, <i>a</i>	44–45, 87–88, 132–133, 174–175
hydrocarbonylation	154	in microreactors, for screening of catalyst libraries	105
methyl, carbonylation, Ir/Ir catalysed	105	PGM Conference	158
oxidation, by Ru, to aldehydes and ketones	94, 167	Catalysts, auto-, manufacture of	70, 168
by Ru-Co-Al-CO, hydrothermalite/O ₂ , <i>a</i>	87	in cold-plasma reactors, for VOCs, CH ₄ oxidation	109
primary, secondary, oxidation of	94, 167	combined homogeneous and heterogeneous	114
Aldehydes , α-, β-, γ-hydroxy, by hydroformylation, <i>a</i>	88	homogeneous, molecular modelling of	154
branched-chain, from styrene derivatives, <i>a</i>	44	recovery, using filtration membranes, <i>a</i>	175
propanal, hydrogenation, <i>a</i>	88	separation	158
Alkanes , Ru(III) GC detector for, <i>a</i>	85	kinetic screening, using reaction calorimetry	158, 175
Alkenes , aziridination, <i>a</i>	175	removal from olefin metathesis products, <i>a</i>	175
epoxidation, <i>a</i>	175	"tethered complex on a supported metal", TCSM	114
in Heck reactions	138	three-way,	28, 86, 119, 131, 168
hydroformylation	154	for 2- and 3-wheeled vehicles	13
hydrogenation	105	Catalysts, Iridium , Ir/Al ₂ O ₃ , NH ₃ oxidation	105
hydroxycarbonylation, <i>a</i>	44	pyridine hydrodenitrogenation, <i>a</i>	132
Ru(III) GC detector for, <i>a</i>	85	supported, hydrogenation of halogenated	
Alkynes , hydrogenation	105	nitro aromatics	29
Ru(III) GC detector for, <i>a</i>	85	Catalysts, Iridium Complexes , Ir/Ir, methanol	
Allyl Ethers , hydroformylations, <i>a</i>	88	carbonylation	105
Aluminides , coatings for gas turbines	59	Catalysts, Osmium , K ₂ [Os ₂ (CO) ₁₁]/"Sibunit" C,	
Amines , fluoroanilines synthesis	29	for NH ₃ synthesis, <i>a</i>	132
heterocyclic, synthesis, <i>a</i>	174	Catalysts, Palladium , Cu-Pd/γ-Al ₂ O ₃ , Cu-Pd/SiO ₂ , <i>a</i>	86
Amino Acids , "unnatural", synthesis of	138	Pd complexes/support, hydrogenation reactions	29
Ammonia , decomposition to N ₂ , with Pt/TiO ₂ , <i>a</i>	174	Pd-Ni/polymer, styrene hydroesterification, <i>a</i>	44
oxidation	44, 105	Pd-Rh, CeO ₂ - and non-promoted, exhaust	
in nitric acid manufacture	62, 167	aftertreatment, <i>a</i>	86
synthesis, K ₂ [Os ₂ (CO) ₁₁]/"Sibunit" C catalyst, <i>a</i>	132	Pd/Al ₂ O ₃ , for margarine production	74
K ₂ [Ru ₂ (CO) ₁₁]/"Sibunit" C catalyst, <i>a</i>	132	Pd/γ-Al ₂ O ₃ , sol-gel preparation of, <i>a</i>	174
Antenna Effect , [Ru(bpy) ₃] ²⁺ photoactive dendrimers	69	Pd/C, CFC-115 hydrodechlorination, <i>a</i>	86
Arenes , hydrogenation	114, 133	electrodeposition of Pd, <i>a</i>	173
Aryl Bromides , in Heck reactions	138	heterocyclic amines formation, <i>a</i>	174
Autocatalysts , manufacture of	70, 168	in heterogeneous Heck reactions	138
Aziridination , of alkenes, <i>a</i>	175	Pd/CeO ₂ , model catalyst, <i>a</i>	131
		Pd/CeO ₂ -ZrO ₂ , solid solutions, model catalyst, <i>a</i>	131
		with Pt, model catalyst, <i>a</i>	131
Ball Milling , high energy, <i>a</i>	175	Pd/HFAU(17) zeolite, <i>o</i> -xylene oxidation, <i>a</i>	86
Ballard , fuel cells	14, 149	Pd/LiNbO ₃ , acoustic oxidation of C ₂ H ₅ OH	82
Battery , high performance metal hydride alloy for rechargeable	50	Pd/metal oxides, NO reduction, <i>a</i>	44
Biaryls , from coupling reactions, <i>a</i>	44, 87	Pd/MgO, CaO and R.E. oxides, CH ₄ conversion, <i>a</i>	43
Biphasic , see Catalysis		Pd/mixed oxides, CH ₄ oxidation, <i>a</i>	86
Book Reviews , "Catalysis of Organic Reactions"	29	Pd/SiO ₂ -CeO ₂ , model catalyst, <i>a</i>	131
"Cisplatin: Chemistry and Biochemistry		Pd/styrene-divinylbenzene, ethyl acetate synthesis, <i>a</i>	131
of a Leading Anticancer Drug"	103	Pd/support, amination of aldehydes and ketones	29
<i>J. Mol. Catal. A: Chem.</i> , carbonylation reactions	154	Pd/ZrO ₂ , CH ₄ combustion, <i>a</i>	132
Cancer , drugs, AMD473, JM216, oxaliplatin	103	PdCl ₂ /Al ₂ O ₃ , for margarine production	74
BBR3464	103, 158	Pt-Pd/CaCO ₃ , hydrogenation of nitro aromatics	29
book review	103	Pt/Pd, for poly(diphenylsiloxane) formation, <i>a</i>	130
Pt(IV) complexes as antitumour agents	61	for poly(diphenylsilylenemethylene) formation, <i>a</i>	130
Capacitors , epitaxial, SrRuO ₃ /(Ba, Sr)TiO ₃ /SrRuO ₃ , <i>a</i>	45	Rh-Pd-Cu, combinatorial catalyst library, <i>a</i>	131
Carbon , fibres, as base for porous Pt nanofibres	61	Catalysts, Palladium Complexes , allyl aryl ethers,	
Carbon Oxides , CO ₂ , from CO, over O-Ru(0001), <i>a</i>	172	electrochemical cleavage, <i>a</i>	174
supercritical, as a reaction medium	29, 61, 87, 130	bis(dibenzylideneacetone)Pd, for allyl, phenyl	
CO, absorption on platinumised Pt electrodes, <i>a</i>	173	and vinyl siloxane coupling, <i>a</i>	132
desorption, on Pt/CeO ₂ , Pt/ZrO ₂ -CeO ₂ , <i>a</i>	86	2,3-dichloropyridines, alkoxy carbonylation, <i>a</i>	87
from methane, <i>a</i>	43	with N ligands, kinetic screening, <i>a</i>	175
hydrogenation, <i>a</i>	132	orthopalladated triaryl phosphites, biaryl couplings, <i>a</i>	44
oxidation, on Pt(100), <i>a</i>	86	Pd(0) BIAN, alkyne hydrogenation	105
oxidation to CO ₂ , over O-Ru(0001), <i>a</i>	172	for coupling reaction	105
tolerance of anodes, for PEMFCs, <i>a</i>	88	Pd ₂ (dba) ₃ -BINAP-NaO ^t Bu,	
Carbonylation , catalysts for, journal review	154	Buchwald-Hartwig coupling	29
see also Hydrocarbonylation		Pd with bidentate N ligand, for H ₂ O ₂ synthesis, <i>a</i>	133
Carbonyls , <i>a</i>	41, 84, 133, 173	Pd phosphines with diaminopropyl dendrimers, <i>a</i>	175
Carboxylic Acids , from alkenes, Pd catalysed, <i>a</i>	44	Pd-catalysed addition of pronucleophiles, <i>a</i>	174
Catalysis , biphasic	29, 44, 154	Pd/Xantphos/TsOH, biphasic hydroxycarbonylation, <i>a</i>	44
		Pd(F ₂ -acac) ₂ , for coupling reactions, <i>a</i>	132

	Page		Page
Catalysts, Palladium Complexes, (cont.)		Catalysts, Ruthenium, (cont.)	
Pd(OAc) ₂ , Heck reactions, <i>a</i>	87	RuO ₄ ²⁻ /poly(4-vinylpyridine), oxidation catalyst	94, 167
Pd(OOCF ₃) ₂ , for coupling reactions, <i>a</i>	132	RuO ₄ ²⁻ /zeolite-Y, oxidation catalyst	94, 167
Pd(PPh ₃) ₄ , 2-, 4-chloropyridines, Suzuki coupling, <i>a</i>	87	Catalysts, Ruthenium Complexes, nitrile	
Pd(PPh ₃) ₄ , formation, F-catalysed, <i>a</i>	87	hydrogenation	29
phospha-palladacycles, Heck reactions, <i>a</i>	87	Ru, removal from olefin metathesis, <i>a</i>	175
pronucleophile addition to C-C multiple bonds, <i>a</i>	174	Ru carbene, olefin metathesis, <i>a</i>	88
Catalysts, Platinum, EuroPt-1, cinnamaldehyde		Ru porphyrins, alkene epoxidation, <i>a</i>	175
hydrogenation, <i>a</i>	44	RuCl ₂ (=CHPh)(PCy ₃) ₂ , metathesis reactions, <i>a</i>	175
Pt(100), CO oxidation, <i>a</i>	86	[RuCl ₂ (η ⁶ -arene)] ₂ , β-ketoester hydrogenation, <i>a</i>	45
Pt, for poly(diphenylsiloxane) formation, <i>a</i>	130	RuCl ₂ (PPh ₃) ₄ , Baylis-Hillman adduct isomers, <i>a</i>	133
for poly(diphenylsilylenemethylene) formation, <i>a</i>	130	methyl methacrylate polymerisation	45, 102
Pt inclusion compounds, in PEFCs, <i>a</i>	45	Ru(II) [<i>p</i> -cymene(PCy ₃) ₂ ClRu=C=C=CPh ₂] CF ₃ SO ₃ ⁻ , olefin metathesis, <i>a</i>	133
Pt systems, ethyl pyruvate hydrogenation	29	Ru(II) oxazolonylferrocenylphosphine, ketones hydrogenation, <i>a</i>	88
Pt-Pd/CaCO ₃ , hydrogenation of nitro aromatics	29	Ru(II) polyphosphines, carbonyl hydrogenation, <i>a</i>	88
Pt-Rh, CeO ₂ - and non-promoted, exhaust aftertreatment, <i>a</i>	86	[RuO ₂ Cl(Y-py)] ₂ , for 1-hexanol oxidation	94, 167
Pt-Ru/C electrocatalysts, for PEMFC, <i>a</i>	88	Cells, rechargeable	50
Pt-Sn, C ₂ H ₄ oxidation, <i>a</i>	174	Chemical Fluid Deposition, Pt films, <i>a</i>	130
Pt/Al ₂ O ₃ , cinnamaldehyde hydrogenation, <i>a</i>	44	Chemiluminescence, see Luminescence	
enantioselective hydrogenation of trifluoroacetophenone	29	Chlorofluorocarbons, hydrodechlorination, <i>a</i>	86
NH ₃ oxidation	105	Cinnamaldehyde, hydrogenation, <i>a</i>	44
pyruvates hydrogenation, <i>a</i>	174	Cinnamic Acids, by heterogeneous Heck reactions	138
Pt/C, cinnamaldehyde hydrogenation, <i>a</i>	44	Cisplatin, anticancer drug	61
determining oxygen in polymers	40	book review	103
electrocatalysts, for DMFC, <i>a</i>	133	Clusters, poly(oxyethylene)-grafted Pd, synthesis of, <i>a</i>	129
hydrogenation of aromatic nitro compounds	29	Pt, in Al ₂ O ₃ , <i>a</i>	130
Pt/CeO ₂ , automotive exhaust purification, <i>a</i>	86	Ru carbonyl, <i>a</i>	41
Pt/MgO, CaO and R.E. oxides, CH ₄ conversion, <i>a</i>	43	see also Nanoclusters	
Pt/Pd, for poly(diphenylsiloxane) formation, <i>a</i>	130	Coatings, noble metal aluminides, for gas turbines	59
for poly(diphenylsilylenemethylene) formation, <i>a</i>	130	Ru(II) detector, for olefins detection, <i>a</i>	85
Pt/PVP, pyruvates hydrogenation, <i>a</i>	174	see also Deposition and Electrodeposition	
Pt/SiO ₂ , cinnamaldehyde hydrogenation, <i>a</i>	44	Cobalt, Co₉Pt₃, films on Ru(0001),	
Pt/support, amination of aldehydes and ketones	29	magnetic anisotropy, <i>a</i>	83
Pt/TiO ₂ , NH ₃ decomposition	174	Co-Pt films, magnetic properties, <i>a</i>	83
Pt/ZrO ₂ -CeO ₂ , automotive exhaust purification, <i>a</i>	86	Colloids, Pt, polymer-stabilised, <i>a</i>	83
[Pt(NH ₃) ₄]/HZSM-5, NH ₃ reactions	44, 105	Rh, for biphasic catalysis, <i>a</i>	133
PtO ₂ , heterocyclic amines formation, <i>a</i>	174	Combinatorial Chemistry, in catalysis	105, 131
Rh-Pt-Cu, combinatorial catalyst library, <i>a</i>	131	Rh-Pd-Cu, Rh-Pt-Cu alloy catalysts, <i>a</i>	131
Catalysts, Platinum Complexes, Pt-CNR₂/Pd-SiO₂,		Conferences, 3rd Anglo-Dutch Symp. Organomet.	
cyclohexanone hydrogenation	114	Chem. Appl. Catal., Sheffield, March, 1999	105
Catalysts, Rhodium, hydroformylation		7th Int. Conf. Chem. of the PGMs, Nottingham, July, 1999	58, 158
Rh complexes/support, hydrogenation reactions	29	1998 Fuel Cell Seminar, Palm Springs, California, Nov., 1998	14
Rh nanoparticles, arene hydrogenation, <i>a</i>	133	First Int. Conf. on Health Effects from Vehicle Emissions, London, Feb., 1999	71
Pd-Rh, Pt-Rh, CeO ₂ - and non-promoted, exhaust aftertreatment, <i>a</i>	86	HYPOTHESIS III, St. Petersburg, July, 1999	166
Rh-Pd-Cu, Rh-Pt-Cu combinatorial catalyst library, <i>a</i>	131	Int. Fall Fuels and Lubricants Meeting and Exposition, San Francisco, Oct., 1998	28
Rh/Al-MCM-41, NO reduction with C ₂ H ₆ , <i>a</i>	132	Int. Symp. on Iridium, Tennessee, March, 2000	12
Rh/CeO ₂ /SiO ₂ , CO hydrogenation, <i>a</i>	132	SAE, Detroit, U.S.A., March, 1999	119
[Rh] ₂ (CO) ₂ , acetic acid hydrocarbonylation, <i>a</i>	44	Seventeenth Conf. on Catal. of Organic Reactions, New Orleans, 29 March–2 April, 1998	29
Catalysts, Rhodium Complexes, cationic,		Sixth Grove Fuel Cell Symp., London, Sept., 1999	17, 149
for styrene derivatives hydroformylation, <i>a</i>	44	Third Noble and Rare Metals: NRM-2000, Donetsk, Ukraine, Sept., 2000	128
enamine synthesis	29	Copper, Cu-Pd/γ-Al₂O₃, Cu-Pd/SiO₂, catalysts, <i>a</i>	86
hydroformylation, intermediates	105	CuPd, nanometric particles, <i>a</i>	83
in supercritical CO ₂ , <i>a</i>	87	Coupling Reactions, biaryl synthesis, <i>a</i>	44
[Rh ₂ (OAc) ₄], chiral epoxides synthesis	105	Buchwald-Hartwig, for fluoroanilines synthesis	29
Rh cyclopentadienes, alkene hydrogenation	105	see also Heck Reactions	
Rh-CNR ₂ /Pd-SiO ₂ , arene hydrogenation	114	see also Suzuki Couplings	
Rh-CNR ₂ /M-SiO ₂ , arene hydrogenation	114	Creep, dispersion hardened Pt materials, Ir, Pt.	
Rh-xantphos, olefin hydroformylation	105	Pt alloys, Rh, high temperature	18
RhCl(PPh ₃) ₃ , maleic anhydride hydrogenation, <i>a</i>	133	CRTTM, conference	71
Rh(I) chiral diphosphines, for hydrogenations, <i>a</i>	175	Cyclohexanone, hydrogenation, <i>a</i>	88
[Rh(μ-S(CH ₃) ₂ NMe ₂)(cod)] ₂ , hydroformylations, <i>a</i>	88	Cyclohexene, hydrogenation, <i>a</i>	88
Catalysts, Ruthenium, β-ketoesters hydrogenation		Dehydrogenation, EtOH, <i>a</i>	43
K ₂ [Ru ₄ (CO) ₁₂]/"Sibunit" C, for NH ₃ synthesis, <i>a</i>	132	Dendrimers, diaminopropyl-type, + Pd phosphines, <i>a</i>	175
Mo,Ru,Se/C, in fuel cells, <i>a</i>	45	Pt encapsulated	113
Pt-Ru/C electrocatalysts, for PEMFC, <i>a</i>	88	Ru photoactive	69
Ru complexes/support, hydrogenation reactions	29		
Ru-Co-Al-CO, hydrotalcite, oxidation catalyst, <i>a</i>	87		
Ru-phosphine/clay, α-keto-esters and -amides, hydrogenation, <i>a</i>	87		
Ru/active charcoal pellets, glucose hydrogenation, <i>a</i>	86		
Ru/carbon molecular sieves	29		
Ru/MgF ₂ , for hydrodesulfurisations, <i>a</i>	132		

	<i>Page</i>		<i>Page</i>
Deposition , sub- μm Pt patterning on TiO_2 , <i>a</i>	43	Fuel Cells , <i>a</i>	45, 88, 133, 175
see also Coatings		Ballard	14, 149
see also Electrodeposition		ball milling of catalysts, for PEFCs, <i>a</i>	175
Deuterium , interaction with CoPt , <i>a</i>	172	conferences	14, 17, 149
2,3-Dichloropyridines , alkoxy-carbonylation, <i>a</i>	87	Demonox TM	14
Diesel , aftertreatment, at SAE	119	DMFC	14
Diffusion , self-, in Pt, <i>a</i>	129	flow field plates	14
β-Diketones , Pt complexes, synthesis of, <i>a</i>	172	HotSpot TM reformer	14, 149
Dispersion Hardening , Pt and Pt alloys	18	MCFC	149
DNA , probes, <i>a</i>	42, 84, 173	membrane electrode assemblies, MEA	14
Dye , Pt, for electroluminescent devices	12	MoRuSe electrocatalyst, O_2 reduction, <i>a</i>	45
		PAFC	14, 149
Electrical Contacts , non-alloyed		PEMFC, automobile application	14, 149
ohmic contacts, to III-V semiconductors	2	CO tolerance of anodes, <i>a</i>	88
Electrocatalysis , Os phenanthroline-dione, NADH oxidation, <i>a</i>	173	portable and other applications	14, 149
Electrochemistry , <i>a</i>	173	stationary power plant applications	14, 149
Electrodeposition , nanostructured Pd, Pd-Fe films, <i>a</i>	43	transit bus application	14
Pd on conducting graphite, <i>a</i>	173	($\text{Pt}_{10}\text{Ru}_{90}$, Al ₃) composite catalyst, for PEFCs, <i>a</i>	175
Pd-Co films, for contact finish applications, <i>a</i>	130	Pt electrodes, for PEFCs, <i>a</i>	133
platinised Pt, <i>a</i>	173	Pt inclusion catalysts, for PEFCs, <i>a</i>	45
Pt microparticles in sulfonate-polyaniline film, <i>a</i>	43	Pt-Ru/C electrocatalysts, morphology of, <i>a</i>	88
Pt-Ru on Au, <i>a</i>	173	Pt/C electrocatalysts, for DMFC, <i>a</i>	133
see also Coatings		Sixth Grove Fuel Cell Symposium	17, 149
see also Deposition		SOFC	149
Electrodeposition and Surface Coatings , <i>a</i>	42-43, 85, 130-131, 173	Fullerenes , CoPt , interaction with deuterium, <i>a</i>	172
Electrodes , glassy C, poly[Ru(vbpy) ₃] ²⁺ -modified, <i>a</i>	131	polymerisation, on Pt(111) surfaces, <i>a</i>	129
poly[Ru(vbpy) ₃] ²⁺ /vba]-modified, <i>a</i>	131	Pt complex, <i>a</i>	41
graphite, modified by Os phenanthroline-dione, <i>a</i>	173	Gas Turbines , noble metal aluminide coatings	59
IrO_2 , Pt microparticles, sulfonate-polyaniline film, <i>a</i>	43	Gauzes, Pt loss from	62, 167
[Os(bipy) ₃ (PVP) _n Cl] ⁺ polymer modified, <i>a</i>	173	Pt-Pd-Rh, Pt-Rh, for nitric acid manufacture	62, 167
photoelectrodes <i>n</i> - RuS_2 , activation, <i>a</i>	85	Glass , direct-heated Pt systems, <i>a</i>	88
platinised Pt, <i>a</i>	173	Glasses , RuO_2 /glass nanocomposites, <i>a</i>	84
Pt, hydrophobic, <i>a</i>	42	Glucose , hydrogenation, <i>a</i>	86
low loaded, for PEFCs, <i>a</i>	133	Grove Fuel Cell Symposium , Sixth	17, 149
porous	157	Heck Reactions , of aromatic halides, <i>a</i>	87
Pt/C, by ion beam sputtering, <i>a</i>	130	cinnamic acids, synthesis	138
Pt/Ir, micro-, for intracellular measurements	167	heterogeneous	29, 138
RuO_2 , high dielectric thin films on Si substrate, <i>a</i>	45	in high temperature water, <i>a</i>	87
Electroless Plating , onto catalytic Pd/ZnO thin films, <i>a</i>	43	homogeneous	29, 138
for Ni-Ru-P membrane, <i>a</i>	43	in non-aqueous ionic liquids, <i>a</i>	87
Electroluminescent Devices , LEDs	12	Pd catalysts	29, 87
Emission Control , at SAE	28, 119	Heterocycles , by hydroamination, <i>a</i>	174
autocatalyst first manufacture	168	by hydroformylation in scCO_2	29
conference	28, 71, 119	by hydrogenation, <i>a</i>	174
lean-burn gasoline engine aftertreatment	28, 119	High Temperature , mechanical properties, of PGMs	18
new legislation	71, 119	History , 25 years of autocatalyst manufacture	168
plasma technology	28	Hans Merensky	146
three-way catalysts	28, 86, 119, 131, 168	Johann Wolfgang Döbereiner	122
two-stroke engine aftertreatment	13, 28	Merensky Reef discovery, South Africa	146
Epoxidation , alkenes, <i>a</i>	175	transport of platinum to Spain, late 18th century	31
Epoxides , chiral, synthesis of	105	HotSpotTM Reformer , conferences	14, 149
Etching , electrochemical, of Pt/Ir microelectrodes	167	Hydroboration , Rh catalysed	29
of Pt/Ir microscopy tips, <i>a</i>	174	Hydrocarbonation , alkenes, allenes, <i>a</i>	174
Ethane , oxidation, over Pt-Sn, <i>a</i>	174	Hydrocarbons , aromatics, oxidation,	
Ethers , allyl aryl, electrochemical cleavage, <i>a</i>	174	by Ru-Co-Al-CO ₃ hydrothermalite/ O_2 , <i>a</i>	87
Ethyl Pyruvate , hydrogenation	29	sensor, Pt Schottky diodes on <i>n</i> -type GaN, <i>a</i>	173
Ethylene , from C_2H_4 , oxidation, <i>a</i>	174	Hydrocarbonylation , acetic acid, <i>a</i>	44
		alcohols, olefins, organohalides	154
Faujasite Cages , for anchoring,		Hydrodechlorination , CFC-115, with Pd/C, <i>a</i>	86
Ru carbonyl clusters, <i>a</i>	41	Hydrodenitrogenation , pyridine, <i>a</i>	132
Films , $\text{Co}_{90}\text{Pt}_{10}$ on Ru(0001), magnetic anisotropy, <i>a</i>	83	Hydroesterification , styrene, <i>a</i>	44
Co-Pt, magnetic properties, <i>a</i>	83	Hydroformylation , alkenes	154
CoPtRe, for magneto-optical disks, <i>a</i>	175	allyl ethers, <i>a</i>	88
[Os(bipy) ₃ (PVP) _n Cl] ⁺ , electrodes, <i>a</i>	173	heterocycle synthesis	29
Pd and Pd-Fe, for H ₂ separation, <i>a</i>	43	1-octene	114
Pd-Co, electrodeposited, <i>a</i>	130	olefins	44, 105
Pt, by hydrogenolysis of		in supercritical CO ₂ , <i>a</i>	87
dimethyl(cyclooctadiene)Pt(II), <i>a</i>	130	<i>in situ</i> spectroscopic studies	105
for electrodes, by ion beam sputtering, <i>a</i>	130	styrene derivatives, <i>a</i>	44
α -PtO ₂ , by d.c.-sputtering, <i>a</i>	172	Hydrogen , effects on physical properties of Pd	116
see also Thin Films		from methane, <i>a</i>	43
Flat Panel Displays	12, 104	H ₂ -promoted self-diffusion of Pt, <i>a</i>	129
Fluoroalkanes , HFC-125, synthesis, <i>a</i>	86	HYPOTHESIS III Symposium	166

	Page		Page
Hydrogen, (cont.)		Luminescence, (cont.)	
interaction with $\text{IrXH}_2(\text{PPR}_3)_2$ ($X = \text{Cl, I}$), <i>a</i>	84	Os(II) dipyrrophenazines, as probes for DNA, <i>a</i>	84
non-destructive testing for, using Pd-SiO ₂ /Si	155	photo-, by [Pt(thpy)(bzim)] ₂ , <i>a</i>	130
sensor, Pt Schottky diodes on <i>n</i> -type GaN, <i>a</i>	173	Pt cyclometallated complexes, for O ₂ sensor, <i>a</i>	85
separation by Pd and Pd-Fe films, <i>a</i>	43	quenching, in Ru(II) phenanthrolines, <i>a</i>	85
Hydrogen Peroxide , biphasic synthesis of, <i>a</i>	133	Ru(bipy) ₃ ²⁺ -KBrO ₃ , sulfite determination, <i>a</i>	85
Hydrogen Sulphide , reaction with Ru ₂ C(CO) ₁₅ , <i>a</i>	133	[Ru(bpy) ₃] ²⁺ photoactive dendrimers	69
Hydrogenation , alkenes	105	Ru(bpy) ₃ (PF ₆) ₂ /ITO	104
alkyl aryl ketones, alkyl methyl ketones, <i>a</i>	88	Ru(II) bipy polyazo receptors, as anion sensors, <i>a</i>	130
alkynes	105	Ru(II) polypyridyl complexes, <i>a</i>	173
allyl alcohol	29	Ru(II) terpyridine, <i>a</i>	130
arenes	114, 133	Magnetism , anisotropy, of Co ₉₀ Pt ₁₀ on Ru(0001), <i>a</i>	83
cinnamaldehyde, <i>a</i>	44	in CaTiN ₂ ($T = \text{Pd, Pt}$), <i>a</i>	129
CO, <i>a</i>	132	Co-Pt sputtered films, <i>a</i>	83
cyclohexanone, <i>a</i>	88	FePd alloy, chiral magnetic domain structures, <i>a</i>	172
2-cyclohexen-1-one, <i>a</i>	88	in R ₂ Pd-In ($R = \text{rare earth}$), <i>a</i>	83
cyclohexene, <i>a</i>	88	Margarine , Pd catalysts, for production of	74
ethyl pyruvate	29	MEAs , in fuel cells	14
glucose, <i>a</i>	86	Membranes , Ni-Ru-P/ceramic,	
halogenated nitro aromatic compounds	29	for EtOH dehydrogenation, <i>a</i>	43
α -ketoamides, α -ketoesters, <i>a</i>	87	Pd and Pd-Fe, for H ₂ separation, <i>a</i>	43
β -ketoesters, <i>a</i>	45	Merensky Reef , 75th anniversary of discovery	146
cyclic	29	Metalloendrimers , Pt, gas sensor materials, <i>a</i>	131
maleic anhydride, <i>a</i>	133	Metathesis , acyclic diene, <i>a</i>	175
nitriles	29	olefins, <i>a</i>	133
nitro aromatic compounds	29	removal of unwanted Ru, <i>a</i>	175
nitrobenzenes, with aldehyde substituents, <i>a</i>	174	ROMP catalysts	158
propanal, <i>a</i>	88	Ru catalyst, recyclable, <i>a</i>	88
pyruvates, <i>a</i>	174	Methane , combustion, over Pd/ZrO ₂ , <i>a</i>	132
trifluoroacetophenone	29	conversion to CO and H ₂ , <i>a</i>	43
vegetable oils	74	oxidation, in cold-plasma reactors	109
Hydrogenolysis , dimethyl(cyclooctadiene)Pt(II), <i>a</i>	130	Pd/mixed oxides, <i>a</i>	86
Hydrotalcites , Ru-Co-Al-CO ₃ catalyst, <i>a</i>	87	photodissociation on Pd, <i>a</i>	84
Hydroxycarbonylation , alkenes, <i>a</i>	44	Methyl Methacrylate , polymerisation of	45, 102
Indium , R ₂ Pd ₂ In ($R = \text{rare earth}$), properties, <i>a</i>	83	MOCVD , Pt	157
Iridium , conference	12	RuO ₂ thin films	45, 157
high temperature mechanical properties	18	NADH , oxidation of, <i>a</i>	173
Ir-modified aluminides, coatings for gas turbines	59	NAIL , for Heck reactions, <i>a</i>	87
Pt/Ir microelectrodes, electrochemical etching of,	167	"Naklep" , hydrogen-phase phenomenon	116
Pt/Ir microscopy tips, electrochemical etching, <i>a</i>	174	Nanoclusters , Pt/Al ₂ O ₃ , Pt/PVP, <i>a</i>	174
Iridium Complexes , IrXH ₂ (PPR ₃) ₂ ($X = \text{Cl, I}$),		Nanocomposites , RuO ₂ /glass, <i>a</i>	84
interaction with H ₂ , <i>a</i>	84	Nanoparticles , supported Cu-Pd catalysts, <i>a</i>	86
PGM Conference	158	Pd and CuPd, on NaCl(100), <i>a</i>	83
Iridium Compounds , IrO ₂ thin films,		Pt, on amorphous C film, <i>a</i>	130
by reactive pulsed laser deposition, <i>a</i>	131	by electrocrystallisation, <i>a</i>	130
on Si(100) substrates, <i>a</i>	131	by sonochemical reduction	108
Pt/IrO ₂ electrodes, <i>a</i>	43	encapsulated by dendrimers	113
Isomerism , of Baylis-Hillman adducts, <i>a</i>	133	on sol-gel modified C film, <i>a</i>	130
of bis(2-hydroxy-4'-methylazobenzenato)Pt(II), <i>a</i>	129	thiol-functionalised, <i>a</i>	172
Johnson Matthey , 25 years of,		Rh colloids, in biphasic catalysis, <i>a</i>	133
autocatalyst manufacture,	168	Nanostructures , single monolayer of Ag on Ru(0001)	73
autocatalyst plant for India	70	Nanotechnology , Pd and Pd-Fe alloy films, <i>a</i>	43
autocatalysts, three-way	28	Pt porous fibres, replication of base	61
CRT TM , particulate filter trap	71	Nickel Alloys , Pd-Ni alloy composite membrane, <i>a</i>	85
Demonox TM CO clean-up unit	14	rechargeable battery technology	50
fuel cell technology, MEAs	14	Niobium , NbRu alloy, shape memory effect, <i>a</i>	41
HotSpot TM reformer	14, 149	Nitric Acid , manufacture, gauze technology	62, 167
motorcycle catalyst test facility	13	Nitriles , hydrogenation, Ru complexes	29
"Platinum 1999"	118	Nitrobenzenes , hydrogenation of, <i>a</i>	174
α-Ketoamides , hydrogenation, <i>a</i>	87	Nitrogen , fixation, by Ru model complexes	158
α-Ketoesters , hydrogenation, <i>a</i>	87	Nitrogen Oxides , NO, AMD-6221 <i>in vivo</i> scavenger	158
β-Ketoesters , cyclic, hydrogenation	29	reduction, by Pd/metal oxides, <i>a</i>	44
hydrogenation, <i>a</i>	45	with C ₇ H ₆ , over Rh/Al-MCM-41, <i>a</i>	132
Ketones , hydrogenation, <i>a</i>	88	NMR , ¹⁸⁷ Os, ¹⁰³ Rh, <i>a</i>	131
Lean Burn , gasoline engines, at SAE	119	1-Octene , hydroformylation	114
LEDs ,	2, 12, 43	Ohmic Contacts , see Electrical Contacts	
from Ru(II) terpyridine containing polyimides, <i>a</i>	130	Olefins , hydrocarbonylation	154
solid-state, from Ru(bpy) ₃ (PF ₆) ₂	104	hydroformylation	44, 87, 105
Liquid Petroleum Gas , sensor	165	metathesis, <i>a</i>	88, 133
Living Radical Polymerisation , of methacrylates	45, 102	Ru(III)/cryptand-coated GC detector for, <i>a</i>	85
Luminescence , chemi-, Ru complex, <i>a</i>	42, 43	Organohalides , hydrocarbonylation	154

	Page		Page
Osmium Complexes , Os ₃ (CO) ₁₂ , photolysis, <i>a</i>	173	Photoproperties , (<i>cont.</i>)	
[Os ₃ (CO) ₁₂], thermal decomposition, <i>a</i>	84	[Pt(thpy)(bzim)] ₃ , photoluminescence, <i>a</i>	130
Os phenanthroline-dione, NADH oxidation, <i>a</i>	173	Ru complexes, photoprobes for DNA, <i>a</i>	42
[Os(bipy) ₂ (PVP) ₂ Cl] ⁺ , polymer film electrodes, <i>a</i>	173	[Ru(bpy) ₃] ²⁺ photoactive dendrimers	69
Os(dmpe) ₂ H ₂ , photochemical properties, <i>a</i>	84	Ru(II) bipyridyl polyaza receptors, as sensors, <i>a</i>	130
Os(II) dipyrrophenazine, photoproperties, <i>a</i>	84	RuO ₂ /Na ₂ Ti ₂ O ₇ , photocatalyst, <i>a</i>	42
PGM Conference	158	<i>n</i> -RuS ₂ photoelectrodes, <i>a</i>	85
Osmium Compounds , Os-O thin films from OsO ₄ , <i>a</i>	131	Photoreactions , CH ₄ photodissociation on Pd, <i>a</i>	84
Oxidation , alcohols, 87, 94, 167		of KI solutions, <i>a</i>	42
aromatic compounds, <i>a</i>	87	O ₂ reduction by immobilised [Ru(bpy) ₃] ²⁺ /Co(III), <i>a</i>	42
C ₂ H ₅ OH, on Pd/LiNbO ₃ , using acoustic oscillations	82	Os ₃ (CO) ₁₂ , Ru ₃ (CO) ₁₂ , solvent effects, <i>a</i>	173
C ₂ H ₆ , <i>a</i>	174	[Ru(bipy) ₃] ²⁺ derivatives, with cytochrome P450 _{cam} , <i>a</i>	85
CH ₄ , in cold-plasma reactors	109	Ru(bpy) ₃ ²⁺ /zeolite Y with water, <i>a</i>	42
over Pd/mixed oxides, <i>a</i>	86	water decomposition, by RuO ₂ /Na ₂ Ti ₂ O ₇ , <i>a</i>	42
CO, over O-rich Ru(0001), <i>a</i>	172	Plasma , cold-, for VOCs and CH ₄ oxidation	109
on Pt(100), <i>a</i>	86	Plasma Technology , for auto emission control	28
NADH, <i>a</i>	173	Platina , in New Granada, history	31
NH ₃ , Pt complex, <i>a</i>	44	Plating , Pt hydrophobic electrodes, <i>a</i>	42
to N ₂ and H ₂ O	105	"Platinum 1999"	118
silicon, Pt-enhanced, <i>a</i>	41	Platinum , adhesion to PVDF	145
Sn/Pt(III) surface alloys, <i>a</i>	83	clusters, in Al ₂ O ₃ membrane, <i>a</i>	130
VOCs, in cold-plasma reactors	109	colloids, Pt/PVP nanoscale, <i>a</i>	83
<i>o</i> -xylene, over Pd/zeolite, <i>a</i>	86	direct-heated Pt systems, in glass processing, <i>a</i>	88
Oxygen , evolution, by <i>n</i> -RuS ₂ photoelectrodes, <i>a</i>	85	discovery of the Merensky Reef	146
in polymers, determination of	40	dye	12
reduction, in fuel cells, by MoRuSe electrocatalyst, <i>a</i>	45	electrical contacts	2
by Pt catalyst, <i>a</i>	45	electrodes, high surface area	157
sensors, cyclometallated Pt complexes, <i>a</i>	85	hydrophobic, <i>a</i>	42
Ru(II) phenanthrolines in polydimethylsiloxane, <i>a</i>	85	Pt/C, by ion beam sputtering, <i>a</i>	130
Palladium , catalytic on ZnO thin films,		H ₂ -promoted self-diffusion of, <i>a</i>	129
for electroless plating, <i>a</i>	43	high temperature mechanical properties	18
CVD thin films, from allyl(β-ketoiminato)Pd(II), <i>a</i>	129	ion beam sputtering of	145, 157
electrical contacts	2	microparticles in sulfonate-polyaniline film, <i>a</i>	43
electrodeposition, on conducting graphite, <i>a</i>	173	nanofibres, porous	61
H ₂ effects on	116	nanoparticles, by sonochemical reduction	108
membranes, for H ₂ separation, <i>a</i>	43	electrocrystallised on C film, <i>a</i>	130
nanometric particles, <i>a</i>	83	encapsulation by dendrimers	113
nanostructured films, <i>a</i>	43	thiol-functionalised, <i>a</i>	172
NiMH surface modification	50	for oxidation of silicon, <i>a</i>	41
Pd-SiO ₂ /Si, for hydrogen detection	155	platinised, IR absorption of CO on, <i>a</i>	173
Pd/Ru coating, for rechargeable batteries	50	porous	61, 157
thin films, on α- and γ-Al ₂ O ₃ , <i>a</i>	85	Pt(111) surfaces, polymerisation of C ₆₀ , <i>a</i>	129
with tin oxide, sensor, for liquid petroleum gas	165	Pt, sub-μm pattern on TiO ₂ , <i>a</i>	43
Palladium Alloys , CuPd nanometric particles, <i>a</i>	83	Pt/Ir microelectrodes, electrochemical etching of, <i>a</i>	167
Pd-Pd films, chiral magnetic domain structures, <i>a</i>	172	Pt/Ir microscopy tips, electrochemical etching of, <i>a</i>	174
Pd-Cd, for contact finish applications, <i>a</i>	130	Platinum Alloys , Co ₉₀ Pt ₁₀ films on Ru(0001),	
Pd-Fe membranes, for H ₂ separation, <i>a</i>	43	magnetic anisotropy, <i>a</i>	83
Pd-Fe nanostructured films, <i>a</i>	43	Co-Pt films, magnetic properties, <i>a</i>	83
Pd-H, superstrength, hydride TRIP-effect	116	CoPtRe films, as MO recording material, <i>a</i>	175
Pd-Ni composite membrane, <i>a</i>	85	high temperature mechanical properties	18
Pd-Ni-P phase transformations, <i>a</i>	41	Pt-Pd-Rh, Pt-Rh catalyst gauzes	62, 167
Pt-Pd-Rh catalyst gauzes	62, 167	Pt ₂ Rh ₇ (100), Pt ₂ Rh ₇ (111), surface segregation, <i>a</i>	129
R ₂ Pd ₂ In (R = rare earth), properties of, <i>a</i>	83	Pt-Ru, electrodeposited on Au, <i>a</i>	173
Palladium Complexes , allyl(β-ketoiminato)Pd(II), <i>a</i>	129	Sn/Pt(III) surface alloys, oxidation of, <i>a</i>	83
Pd with 1,4-bis(3-pyridyloxy)benzene, <i>a</i>	83	Platinum Complexes , bis(2-hydroxy-4'-methyl-	
Pd(O ₂), (O ₂)Pd(O ₂) from laser-ablated Pd, <i>a</i>	172	azobenzenato)Pt(II), isomers, <i>a</i>	129
PGM Conference	158	C ₆₀ Pt, interaction with deuterium, <i>a</i>	172
Palladium Compounds , CaPdIn ₂ , synthesis of, <i>a</i>	129	dimethyl(cyclooctadiene)Pt(II), hydrogenolysis,	
Pd clusters, poly(oxyethylene)-grafted, <i>a</i>	129	for Pt films, <i>a</i>	130
UPd ₂ Al ₃ , heavy fermion superconductor, <i>a</i>	129	fullerenes, <i>a</i>	41
Patents 46-48, 89-92, 134-136, 176-178		octaethylporphine Pt(II), dye	12
PEMFC , fuel cells	14, 149	PGM Conference	158
Petroleum , liquid gas, sensor	165	Pt cyclometallated complexes, for O ₂ sensor, <i>a</i>	85
Phase Diagrams , Pd-Ga-As, Pd-In-P, Pt-Ga-As,		Pt cyclopentadiene, MOCVD precursor	157
Pt-In-P	2	Pt diketonate, cationic, synthesis, <i>a</i>	172
Phosphorescence , Pt dye	12	Pt diynes, synthesis and properties of, <i>a</i>	84
Photoconversion , <i>a</i> 42, 84-85, 130, 173		Pt metallodendrimers, gas sensor materials, <i>a</i>	131
Photoluminescence , see Luminescence		Pt polyynes, synthesis and properties of, <i>a</i>	84
Photolysis , UV, of M ₃ (CO) ₁₂ (M= Os, Ru), <i>a</i>	173	Pt(acac) ₃ , as precursor for porous Pt nanofibres	61
Photoproperties , dithiocarbamate-Ru polypyridyl, <i>a</i>	42	Pt(IV) complexes, as antitumour agents	61
mono- and di-nuclear complexes	158	Pt(O ₂), (O ₂)Pt(O ₂), from laser-ablated Pt, <i>a</i>	172
Os(dmpe) ₂ H ₂ , <i>a</i>	84	[Pt(thpy)(bzim)] ₃ , photoluminescence, <i>a</i>	130
Os(II) dipyrrophenazine complexes, <i>a</i>	84	Platinum Compounds , antitumour agents	103
Pt-loaded TiO ₂ particles, <i>a</i>	42	CaPtIn ₂ , preparation of, <i>a</i>	129
		Pt oxides, from laser-ablated Pt, <i>a</i>	172

	Page		Page
Platinum Compounds, (cont.)		Ruthenium Compounds, (cont.)	
α -PtO ₂ , sputtering of	157, 172	RuO ₂ /Bi ₂ O ₃ , annealing, Bi ₂ Ru ₂ O _{7-x} , formation, <i>a</i>	84
Polyhydrides , IrXH ₂ (PPR' ₃); (X = Cl, I), <i>a</i>	84	RuO ₂ /glass nanocomposites, <i>a</i>	84
Polyimides , with Ru(II) terpyridine, for LEDs, <i>a</i>	130	RuO ₂ /Na ₂ Ti ₂ O ₇ , for H ₂ O photodecomposition, <i>a</i>	42
Polymerisation , C ₆₀ on Pt(111), <i>a</i>	129	<i>n</i> -RuS ₂ , photoelectrodes, <i>a</i>	85
living radical, of methyl methacrylate	45, 102	Sr ₂ RuO ₆ , superconductivity, <i>a</i>	41, 88
Polymers , determining O ₂ in	40	SrRuO ₃ /(Ba,Sr)TiO ₃ /SrRuO ₃ , epitaxial capacitor, <i>a</i>	45
inorganic, [PdPS ₂], [PtCl ₂ (PnBu ₃) ₂] with pyrazine, <i>a</i>	84	Schottky Diodes , Pt, on <i>n</i> -type GaN, <i>a</i>	173
living radical	45, 102	Semiconductors , III-V, electrical contacts to	2
[Os(bipy) ₂ (PVP) ₁₀ Cl] ⁻ films, electrodes, <i>a</i>	173	Sensors , DNA, <i>a</i>	84, 173
PVDF, Pt adhesion to	145	H ₂ detection	155, 173
Pronucleophiles , addition to C-C multiple bonds, <i>a</i>	174	hydrocarbon, <i>a</i>	173
Pyridine , hydrodenitrogenation, <i>a</i>	132	liquid petroleum gas	165
Pyruvates , hydrogenation, over Pt catalysts, <i>a</i>	174	luminescent, <i>a</i>	173
		O ₂ , <i>a</i>	85
Rare Earths , R ₂ Pd ₂ In (R = rare earth), properties, <i>a</i>	83	olefins, <i>a</i>	85
Reactors , cold-plasma, for VOCs and CH ₄ oxidation	109	propane, <i>a</i>	173
membrane, for dendritic Pd catalysts, <i>a</i>	175	SO ₂ , <i>a</i>	85, 131
micro-, for screening of catalyst libraries	105	sulfite, <i>a</i>	85
Trickle-Bed, for hydrogenations, <i>a</i>	86	Shape Memory Effect , in NbRu, TaRu alloys, <i>a</i>	41
Recording Film , CoPtRe, for MO disks, <i>a</i>	175	Silicon , Pd-SiO ₂ /Si, for hydrogen detection	155
Recovery , separation of product/catalyst	158, 175	Pt-enhanced oxidation, <i>a</i>	41
Reduction , NO, by Pd/metal oxides, <i>a</i>	44	Siloxanes , cross-coupling, <i>a</i>	132
O ₂ , by (Ru(bpy) ₃) ²⁺ with macrocyclic Co(III), <i>a</i>	42	Silver , single monolayer on Ru(0001), nanostructures	73
Rhodium , ¹⁰³ Rh, NMR, <i>a</i>	131	Sol-Gel , O ₂ sensor, <i>a</i>	85
high temperature mechanical properties	18	Pd/ γ -Al ₂ O ₃ catalysts, preparation of, <i>a</i>	174
Rhodium Alloys , Pt ₂₃ Rh ₇₅ (100), Pt ₂₃ Rh ₇₅ (111),		Sonochemistry , for Pt nanoparticles preparation	108
surface segregation, <i>a</i>	129	Sputtering , ion beam, of Pt	145
Pt-Pd-Rh, Pt-Rh catalyst gauzes	62, 167	of α -PtO ₂	157, 172
Rhodium Complexes , PGM Conference	158	Steel , stainless, Ru duplex, surface composition, <i>a</i>	41
Rh(I) chiral diphosphine, hydrogenation catalysts, <i>a</i>	175	Stress-Rupture , properties of PGMS	18
Rhodium Compounds , HfRhSi, TiRhSi, ZrRhSi,		Styrene , hydroesterification, hydroformylation, <i>a</i>	44
superconductivity of, <i>a</i>	83	Sulfite , sensor, <i>a</i>	85
Sr ₂ MRhO ₆ (M = Y, Sc, In), synthesis, <i>a</i>	41	Sulfur Oxides , SO ₂ , determination, <i>a</i>	85
Ruthenium , NiMH surface modification	50	gas sensor materials for, <i>a</i>	131
Pd/Ru coating, for rechargeable batteries	50	Superconductivity , HfRhSi, TiRhSi, ZrRhSi, <i>a</i>	83
Ru(0001), O-rich surfaces, CO oxidation, <i>a</i>	172	Sr ₂ RuO ₆ , flux-line lattices, <i>a</i>	88
single monolayer of Ag on, nanostructures	73	time-reversal symmetry-breaking, <i>a</i>	41
stainless steel, surface composition, <i>a</i>	41	Superconductors , heavy fermion, UPd ₂ Al ₃ , <i>a</i>	129
Ruthenium Alloys , Ni-Ru-P composite membrane, <i>a</i>	43	Supramolecules , with nitrogen ligands	158
Pt-Ru, electrodeposited on Au, <i>a</i>	173	Suzuki Couplings , 2- and 4-chloropyridines, <i>a</i>	87
shape memory effect, NbRu, TaRu, <i>a</i>	41		
Ruthenium Complexes , C ₆ Me ₂ Ru(PR ₃) ₂ Cl, <i>a</i>	172	Tantalum , TaRu alloy, shape memory effect, <i>a</i>	41
dithiocarbamate-Ru polypyridyl, photoproperties, <i>a</i>	42	Thin Films , epitaxial, UPd ₂ Al ₃ , <i>a</i>	129
PGM Conference	158	FePd alloy, chiral magnetic domain structures, <i>a</i>	172
poly Ru vbpy/vba-modified electrodes, <i>a</i>	131	IrO ₂ , by reactive pulsed laser deposition, <i>a</i>	131
Ru ₃ (CO) ₁₂ , photolysis, <i>a</i>	173	on Si(100) substrates, <i>a</i>	131
[Ru ₃ (CO) ₁₂], thermal decomposition, <i>a</i>	84	Os-O, by d.c.-glow-discharge, <i>a</i>	131
Ru ₃ C(CO) ₁₈ , for dehydrosulfurisation, <i>a</i>	133	Pd, by CVD, from allyl(β -ketoiminato)Pd(II), <i>a</i>	129
Ru carbonyl clusters in faujasite cages, <i>a</i>	41	Pd onto α - and γ -Al ₂ O ₃ , <i>a</i>	85
Ru cyclopentadiene, MOCVD precursor	157	Pd and Pd-Fe, for H ₂ separation, <i>a</i>	43
Ru model complexes, for nitrogen fixation	158	Pd on ZnO, <i>a</i>	43
[Ru(bipy) ₃] ²⁺ , photoreactions with P450 _{ams} , <i>a</i>	85	Pd-SiO ₂ /Si, for hydrogen detection	155
[Ru(bipy) ₃] ²⁺ -KBrO ₃ , for sulfite determination, <i>a</i>	85	poly(diphenylsiloxane), <i>a</i>	130
Ru(bpy) ₃ (PF ₆) ₂ , for solid state LEDs	104	poly(diphenylsilylenemethylene), <i>a</i>	130
[Ru(bpy) ₃] ²⁺ , + macrocyclic Co(III), photoreactions, <i>a</i>	42	Pt, by MOCVD	157
for O ₂ reduction, <i>a</i>	42	Ru(bpy) ₃ (PF ₆) ₂ , for solid state LEDs	104
photoactive dendrimers	69	RuO ₂ , by MOCVD	45, 157
Ru(bpy) ₃ , in electrochemical LEDs, <i>a</i>	43	high dielectric, <i>a</i>	45
Ru(bpy) ₃ Cl ₂ , chemiluminescence, <i>a</i>	42	highly conductive, <i>a</i>	45
Ru(bpy) ₃ ²⁺ -zeolite Y with water, photoreactions, <i>a</i>	42	see also Films	
Ru(II) bipy polyazo receptors, luminescent sensors, <i>a</i>	130	Three-Way Catalysts	28, 86, 119, 131, 168
Ru(II) oxazolinylferrocenylphosphine, <i>a</i>	88	Transistors , FET, HBT, JFET	2
Ru(II) phenanthrolines, for O ₂ sensors, <i>a</i>	85		
Ru(II) polypyridyl, luminescence, <i>a</i>	173	Ultrasound , Pt systems, ethyl pyruvate hydrogenation	29
Ru(II) terpyridine containing polyimides, <i>a</i>	130	Umpolung , of aryl-Pd species, <i>a</i>	174
Ru(III)/cryptand-coated detector, for olefins, <i>a</i>	85		
Ru(phen) ₂ (PHEHAT) ²⁺ and Ru(TAP) ₂ (PHEHAT) ²⁺ ,		VOCs , oxidation	86, 109
photoprobes for DNA, <i>a</i>	42		
[Ru ^{IV} (Por)(NTs) ₂], in amidations, aziridinations, <i>a</i>	175	Water , decomposition, photocatalyst, <i>a</i>	42
[Ru ^{IV} (Por)O ₂], for alkene epoxidation, <i>a</i>	175	high temperature, as solvent for Heck Reactions, <i>a</i>	87
Ruthenium Compounds , Bi ₂ Ru ₂ O _{7-x} , O control, <i>a</i>	84	photoreactions, <i>a</i>	42
RuO ₂ , high dielectric thin films, <i>a</i>	45		
highly conductive thin films, on SiO ₂ /Si, <i>a</i>	45	Xylene , oxidation, <i>a</i>	86
thin films, by MOCVD	45, 157		