

SUBJECT INDEX TO VOLUME 45

	<i>Page</i>		<i>Page</i>
<i>a</i> = abstract		Carbohydrates , production	154
Acetylenes , hydrogenation	154	Carbon Oxides , CO ₂ , from benzene oxidation, <i>a</i>	184
Alcohols , benzyl, from benzaldehyde, <i>a</i>	43	liquid, solvent, <i>a</i>	186
crotyl, from crotonaldehyde, <i>a</i>	94	sc-, solvent	13, 43, 185
ethyl, decomposition, <i>a</i>	94	CO, copolymerisation, alternate, <i>a</i>	44
furfuryl, polymerisation, acid-catalysed	164	from benzene oxidation, <i>a</i>	184
hydroformylation, <i>a</i>	95	oxidation, <i>a</i>	43, 94, 140
methyl, electrooxidation, <i>a</i>	44, 96, 138, 140	TWCs	164, 176
oxidation	94, 139, 154	sensor, <i>a</i>	93
aerobic	15	stripping, from PtRu anodes, in DMFCs, <i>a</i>	96
selective, to aldehydes	112	Carbonyls , [Rh ₆ (CO) ₁₅] ²⁻ , [Rh(CO) ₂] ⁺ , in faujasites,	
+ sc-CO ₂ , solvent, <i>a</i>	43	"ship-in-bottle" synthesis, <i>a</i>	136
Aldehydes , acet-, decomposition, <i>a</i>	94	Carboplatin , decomposition, in H ₂ O, with Cl ⁻ , <i>a</i>	96
for C-alkylation, of barbituric acids, <i>a</i>	186	Carboxylic Acids , HCOOH, electrooxidation, <i>a</i>	137
from alcohols	112, 139	Catalysis , biomimetic, <i>a</i>	139
hydrogenation	13, 43, 94, 154	biphasic	13, 95
oxidation	154	book reviews	60, 83, 122, 154
Alfa Aesar , "Inorganics, Organics, Metals and Materials" <i>a</i>	91	fluorous biphasic	13
Alkaloids , cinchona, Pt/Al ₂ O ₃ modification, <i>a</i>	94	heterogeneous, <i>a</i>	43, 94, 138–139, 186
Alkenes , hydroamination	112	AVADA™ process, ethyl acetate manufacture	12
Wacker reaction, <i>a</i>	43	LEAP™ process, vinyl acetate monomer production	12
Alkylation , -C-, of barbituric acids with carbonyls, <i>a</i>	186	organic-inorganic hybrid materials, clean synthesis	102
allylic	102, 112, 139	in synthesis, of fine chemicals	154
Alkynes , aryl-, by Sonogashira coupling	163	homogeneous, <i>a</i>	43–44, 95, 139–140, 186–187
internal, <i>trans</i> -hydrogenation, <i>a</i>	140	in ionic liquids	13, 95
Alloys , dental	62	in supercritical liquids, sc-CO ₂	13, 43
Aluminides , Pt, coatings	124	using thermoregulated phase transfer	123
Amination , in organic synthesis	139, 154, 186	Catalysts , auto-, see Autocatalysts	
Amines , from aromatic nitro compounds, <i>a</i>	43	book reviews	60, 83, 122, 154
primary, conversion to secondary	21	Catalyst Sample Kits, Catalytic Reaction Guide,	
Ammonia , decomposition	40	"The Catalyst Technical Handbook"	110
oxidation, in nitric acid manufacture, start-up	34	FibreCat™, high throughput screening techniques	112
Pt catalysts, <i>a</i>	94	homogeneous, supported on polymer fibres	112
Pt/styrene divinyl benzene copolymer, <i>a</i>	94	manufacture of, supported catalysts, in ProCat2	12
in SCR	176	manufacturing techniques, conference	20
sensor, <i>a</i>	138	promoters, Bi, Pb	154
stripping, from H ₂ O, <i>a</i>	94	recycling, <i>a</i>	43, 94, 138, 139
Antibacterial Agents , Ru complexes, <i>a</i>	44, 187	selective oxidation of alcohols	112
Antibiotics , Ru complexes	62	spent, recovery of pgms, pyrometallurgical	112
Antifungal Agents , Ru complexes, <i>a</i>	96	from waste streams, with Smopex™ fibres	112
Antimicrobial Drugs , Ru complexes	62	three-way, see Three-Way Catalysts	
Aryl Bromides , Heck reactions, <i>a</i>	43, 138	Catalysts , Iridium, [Ir(COD)(PPh ₃) ₂]BF ₄ /-	
Aryl Chlorides , Heck reactions, <i>a</i>	95	montmorillonite, amines	21
Autocatalysts , conferences	31, 71	Catalysts , Iridium Complexes, Ir chloride, ROMP	60
manufacture of	70, 175	Catalysts , Osmium Complexes, [(η ⁶ -Cy)Os(L)] ²⁺ ,	
on-board diagnostics	50, 176	L = (S)-BINAP, (S)-BINPO, Diels-Alder, <i>a</i>	140
reviews	50, 176	Os chloride, ROMP	60
spent, recovery, of pgms	123	OsHCl(CO)(O ₂)(PCy ₃) ₂ , NBR hydrogenation, <i>a</i>	95
Barbituric Acids , C-alkylation with carbonyls, <i>a</i>	186	OsO ₄ , 1,5-cyclooctadiene bisdihydroxylation, <i>a</i>	187
Battery , Ni–MH, <i>a</i>	92	Catalysts , Palladium, Ce-Pd/mordenite, NOx reduction	164
Benzene , oxidation, <i>a</i>	184	Pd, oxidation, of alcohols, aldehydes	154
Biphasic , see Catalysis		phenols amination	154
Bisdihydroxylation , 1,5-cyclooctadiene, <i>a</i>	187	poisoning, in CH ₄ combustion	164
Book Reviews , "Catalyst Design: Optimal Distribution		TWC, with Ni, H ₂ S suppression	164
of Catalyst in Pellets, Reactors, and Membranes"	122	Pd colloids, immobilised	154
"Catalytic Polymerization of Cycloolefins"	60	Pd powder, with KF, Suzuki couplings, <i>a</i>	139
"Fine Chemicals through Heterogeneous Catalysis"	154	Pd–PPh ₂ –PAMAM–SiO ₂ , Heck reactions, <i>a</i>	43
"Handbook of Commercial Catalysts – Heterogeneous		Pd/α-Al ₂ O ₃ membrane, oil hydrogenation, <i>a</i>	186
Catalysts"	83	Pd/Ag, doped, hydrogenation of acetylenes	154
"Hydrogen in Metal Systems II"	131	Pd/Al ₂ O ₃ , acetaldehyde, EtOH, decomposition, <i>a</i>	94
Cancer , anti-, Pt azole-bridged complexes, <i>a</i>	44	TWC, Pd sintering	164
Ru complexes	62	Pd/C	154
drugs, <i>a</i>	96, 187	C-alkylation of barbituric acids with carbonyls, <i>a</i>	186
Capacitors , poly(3,4-ethylenedioxythiophene) RuO _x , <i>a</i>	140	C–N, C–O hydrogenolysis	112
IrO _x /Pb(Zr,Ti)O ₃ /Ir, for ferroelectric memory, <i>a</i>	187	imine hydrogenation, in Neotame® synthesis	112
Ta–RuO ₂ diffusion barriers, <i>a</i>	44	oxidation of alcohols, <i>a</i>	94
Carbenes , Pd, heterocyclic, <i>a</i>	184	+ Zn powder, hydrogenation, <i>a</i>	43
Ru, Cp*Ru-allylcarbenes, <i>a</i>	184	Pd/Ce _{0.63} Zr _{0.37} O ₂ , TWC, oxygen storage capacity	164
with imidazolin-2-ylidenes, metathesis	155	Pd/MO _x , Heck reactions, aryl bromides + olefins, <i>a</i>	138
Ru(L) ₂ Cl ₂ (carbene), L = imidazolin-2-ylidenes	112	Pd/Pb, doped, hydrogenation of acetylenes	154
		Pd/support, hydrogenation of acetylenes	154
		Pd/zeolite, Heck reactions, aryl bromides + olefins, <i>a</i>	138

	Page		Page
Catalysts, Palladium, (cont.)		Catalysts, Platinum, (cont.)	
Pd(II)/hydrotalcite, + O ₂ , oxidation of alcohols, <i>a</i>	139	Pt/ZMS-5, thiophene hydrodesulfurisation, <i>a</i>	186
PdO/support, as combustors, for gas turbines	164	PtRu anode catalysts, CO stripping, <i>a</i>	96
S-C-S-Pd(II)/PNIPAM, ω -poly(ethylene glycol), <i>a</i>	43	Catalysts, Platinum Complexes, (PPh₃)₂PtCl₂,	
Catalysts, Palladium Complexes, (η^1-allyl)Pd,		hydroformylation, <i>a</i>	95
electronic interactions, <i>a</i>	139	Catalysts, Rhodium, Rh⁰/SiO₂, TWC, CO oxidation	164
in C-C, C-N bond formation	13	Rh, NOx storage, S poisoning, regeneration	164
ferrocenyl phosphine Pd/SiO ₂ , allylic alkylation	102	poisoning, in CH ₄ combustion	164
orthopalladated aryloxime, biomimetic hydrolysis, <i>a</i>	139	Rh/Ce _{0.63} Zr _{0.37} O ₂ , TWC, oxygen storage capacity	164
P*-chiral phosphapalladacycle, hydroarylation, <i>a</i>	43	Rh/SiO ₂ , sol-gel preparation, <i>a</i>	186
palladacycles, high throughput screening techniques	112	Rh ^{III} /Ce _{0.74} Zr _{0.25} O ₂ , TWC, CO oxidation	164
Pd(0)+poly(<i>N</i> -isopropylacrylamide)-bound phosphines,		Catalysts, Rhodium Complexes, chiral dirhodium(II)	
coupling reactions, thermomorphic conditions, <i>a</i>	43	carboxamides	112
Pd ⁰ /Pd ^{II} , Pd ^{II} /Pd ^{IV} , in Heck reaction mechanism, <i>a</i>	139	(η^6 -C ₆ H ₅ BPh ₃) Rh ^I (1,5-COD), thiazepinones synthesis	69
Pd acetate, Pd chloride, H ₂ O emulsion polymerisation	60	Cp*Rh + chiral <i>N,N'</i> -chelate ligand	59
Pd-pyridylimine/amorphous mesoporous silica	102	H ₂ O soluble, higher olefin hydroformylation	123
Pd-pyridylimine/micelle templated silica	102	thermoregulated phase transfer catalysis	123
[Pd(π -allyl)Cl] ₂ + FerroPHOS, allylic alkylation, <i>a</i>	139	Rh ₂ (OAc) ₄ , fluoroalkyl dihydrofurans synthesis, <i>a</i>	139
Pd(BINAP)(OTf) ₂ , alkene hydroamination	112	Rh ₂ (CO) ₁₆ , norbornadienes + CO, norbornenes + CO, <i>a</i>	44
PdCl ₂ + CuCl ₂ , Wacker reaction, of alkenes, <i>a</i>	43	Rh(CO) ₂ acac/(SO ₃ Na) ₂ Xantphos, hydroformylation, <i>a</i>	95
PdCl ₂ dppf, coupling reactions	22	[Rh(COD)Cl] ₂ /TPPTS, hydroformylation, <i>a</i>	95
PdCl ₂ (PhCN) ₂ , silacyclobutanes + aryl iodides, <i>a</i>	186	[Rh(COD)(PPh ₃) ₂]BF ₄ /montmorillonite, amines	21
[PdCl(C ₆ H ₅) ₂]-tetraphosphine, allylic amination, <i>a</i>	139	[Rh(Duphos)(diene)] ⁺ BF ₄ ⁻ /alumina, + heteropoly acid	112
Pd(dba) ₃ /di-1-adamantyl- <i>n</i> -butylphosphine, <i>a</i>	95	[Rh(PHANEPHOS)(MeOH)] ⁺ , enamide hydrogenation	13
Pd(dba) ₃ /dppf, C-N coupling	22	Catalysts, Ruthenium, Pt-Ru, at anode, for PEMFCs	164
Pd ₂ (dba) ₃ , H ₂ O ₂ generation, <i>a</i>	186	Pt-Ru/C electrocatalysts, H ₂ electrooxidation, <i>a</i>	95
Pd ₂ (dba) ₃ + P(<i>o</i> -C ₆ H ₄ H ₁₃) ₃ , cross-coupling, CH ₃ I+TIC	33	MeOH oxidation, <i>a</i>	96, 140
Pd ₂ (dba) ₃ /rac-BINAP, tetraazafulvalenes amination, <i>a</i>	186	PtRu anode catalysts, CO stripping, <i>a</i>	96
Pd(dppf)(OTf) ₂ , styrene hydroamination	112	Ru, carbohydrate production	154
Pd(OAc) ₂ , oxidation of alcohols, <i>a</i>	94	CO oxidation, <i>a</i>	94
Pd(OAc) ₂ + <i>o</i> -tolyl diazaphospholidine, hydroarylation, <i>a</i>	43	Ru-CeO ₂ /Y-form zeolite, NH ₃ decomposition	40
Pd(OAc) ₂ /Cu(OAc) ₂ /LiOAc, Mizoroki-Heck reactions, <i>a</i>	43	Ru/C, Pt-Ru/C, H ₂ oxidation, H ₂ /CO oxidation, <i>a</i>	140
Pd(OAc) ₂ -PR ₃ , telomerisation of phenols with dienes, <i>a</i>	95	Catalysts, Ruthenium Complexes, [Cp*Ru(alkene)]⁺,	
Pd(OAc) ₂ /BINAP, dichloropyridines amination, <i>a</i>	186	internal alkynes, <i>trans</i> -hydrogenation, <i>a</i>	140
Pd(OAc) ₂ /dppf, C-N, C-O coupling	22	Grubbs' catalyst	60, 155
Pd(P-P)(Ar)Br, PhBr + aminoarenes cross-coupling	13	L ₂ X ₂ Ru=CHR, (PCy ₃) ₂ Cl ₂ Ru=CHPh, metathesis, <i>a</i>	95
[Pd(P(C ₆ H ₅) ₃) ₂ Cl ₂], H ₂ O ₂ generation, <i>a</i>	186	Ru carbenes, with imidazolin-2-ylidenes; polymer	
Pd(PPh ₃) ₃ Cl ₂ /CuI, Sonogashira couplings, microwave	163	supported; Schiff base ligated, metathesis	155
Pd(PPh ₃) ₄ , diene hydroamination, with anilines	112	Ru chloride, ROMP	60
silacyclobutanes + aryl iodides, <i>a</i>	186	Ru <i>N</i> -heterocyclic carbenes, olefin metathesis, <i>a</i>	95
vinyl aldehyde hydrogenation	13	[RuCl ₂ (arene)] ₂ + (1,5,2,5)- <i>N</i> -(arylsulfonyl)-1,2-	
Catalysts, Platinum, Au-Pt, MeOH electrooxidation, <i>a</i>	138	diphenylethylenediamine, <i>a</i>	44
Pt(111), CO oxidation, H ₂ oxidation, <i>a</i>	94	RuCl ₂ (phosphine) ₂ (1,2-diamine), C=O hydrogenation, <i>a</i>	187
Pt, at cathode, for PEMFCs	164	RuCl ₂ (PPh ₃) ₃ , star-shaped polymer synthesis	82
CO removal, from diesel exhaust	176	RuCl ₂ (PPh ₃) ₃ + TEMP ₀ , alcohol aerobic oxidation	15
Fe promoted, hydrogenation, of aldehydes, ketones	154	'RuH ₂ (PPh ₃) ₃ ', alcohol aerobic oxidation	15
HC removal, from diesel exhaust	176	Ru(II), asymmetric transfer hydrogenation, <i>a</i>	44
NH ₃ oxidation, <i>a</i>	94	Ru(L) ₂ Cl ₂ (carbene), L = imidazolin-2-ylidenes	112
NOx storage, S poisoning, regeneration	164	(<i>S,S</i>)- <i>N-p</i> -tosyl-1,2-diphenylethylene-1,2-diamine-Ru, <i>a</i>	44
oxidation, of alcohols, aldehydes	154	Chemical Fluid Deposition, Pd	14, 185
poisoning, in CH ₄ combustion	164	Cinnamaldehyde, hydrogenation	154
Pt nanoparticles/SiO ₂ , cyclohexene dehydrogenation, <i>a</i>	94	Cinnamate Esters, from aryl bromides+butyl acrylate, <i>a</i>	43
Pt-Au, NOx reduction	164	Cisplatin, <i>a</i>	44, 96, 187
Pt-Co/, Pt-Cr/, Pt-Ni/, Pt-Co-Cr/, Pt-Co-Ni/C, <i>a</i>	140	Clusters, colloidal, Ir, Pd, Pt, Rh, Ru	11
Pt-Cr, Pt-Fe, Pt-Mn, at cathode, for PEMFCs	164	Pd, H solubility	166
Pt-CuO/SiO ₂ -doped hydrous Ti oxide, NOx reduction	164	Pd cluster/, Pt cluster/polymer composites, <i>a</i>	41
Pt-Mo/C electrocatalysts, H ₂ electrooxidation, <i>a</i>	95	see also Nanoclusters	
Pt-Re, reforming, of naphthenes, paraffins	164	Coatings, Pt aluminide	124
Pt-Ru, at anode, for PEMFCs	164	see also Deposition and Electrodeposition	
Pt-Ru/C electrocatalysts, H ₂ electrooxidation, <i>a</i>	95	Colloids, clusters, Ir, Pd, Pt, Rh, Ru	11
MeOH oxidation, <i>a</i>	96, 140	Pd, immobilised	154
Pt/Al ₂ O ₃ , CH ₄ oxidation	164	Ru(bpy) ₃ ²⁺ -zeolite Y, Ru(bpy) ₃ ²⁺ -viologen-zeolite Y, <i>a</i>	137
cinchona-modified, ethyl pyruvate hydrogenation, <i>a</i>	94	Combustion, CH₄	164
CO oxidation, <i>a</i>	43	Conferences, 4th Anglo-Dutch Symp. Organomet.	
Pt γ -Al ₂ O ₃ + Cs, K, Li, Rb, NO reduction, by propene, <i>a</i>	138	Chem. Appl. Catal., Utrecht, Oct., 2000	13
Pt/C, C-alkylation of barbituric acids with carbonyls, <i>a</i>	186	7th Grove Fuel Cell Symposium,	
Pt-Ru/C, H ₂ oxidation, H ₂ /CO oxidation, <i>a</i>	140	London, Sept., 2001	91, 146
Pt/C electrocatalysts, H ₂ electrooxidation, <i>a</i>	95	8th Int. Conf. on the Chem. of the PGMs,	
Pt/CeO ₂ , crotonaldehyde hydrogenation, <i>a</i>	94	University of Southampton, July, 2002	111
on monoliths, water gas shift reactors	164	17th NACS Meeting, Toronto, June, 2001	164
Pt/clay, cinnamaldehyde hydrogenation	154	21st Century Emissions Technology,	
Pt/SiO ₂ , + HCO ₂ H, in chemical denitration, <i>a</i>	43	London, Dec., 2000	31
Pt/styrene divinyl benzene copolymer, NH ₃ oxidation, <i>a</i>	94	Catal. in Org. Synth., New Jersey, May, 2001	112
Pt/US-Y zeolites, cycloalkane hydrocracking, <i>a</i>	138	HTM-2001, Donetsk-Mariupol, Ukraine, May, 2001	130
Pt/zeolite, H ₂ adsorption	164	ISPM'2001, Hong Kong SAR, March, 2001	123

	<i>Page</i>	<i>Page</i>
Conferences, (cont.)		
Markets of Glass Fiber Materials, High-Quality Glasses, Monocrystals and Precious-Metal Equipment for Their Production, Veliky Novgorod, Russia, June, 2001	40	
SAE, Detroit, U.S.A., March, 2001	71	
Techniques of Catalyst Manufacture, Loughborough, U.K., Nov., 2000	20	
Copper , sulfide ores, recovery of Os-187	132	
Coupling Reactions , C-C, C-N, C-O coupling	22	
Kumada-Hayashi coupling	22	
PhBr + aminoarenes	13	
sp-sp ² couplings, thermomorphic conditions, <i>a</i>	43	
see also Heck Reactions and Suzuki Couplings		
Crown Ethers , polymer-, + K ₂ PdCl ₄ , + K ₂ PtCl ₄ , <i>a</i>	92	
CRT , for diesel emission control	31, 71, 176	
MacRobert Award	30	
Cycloalkanes , hydrocracking, <i>a</i>	138	
Cyclohexene , reaction with H ₂ , <i>a</i>	94	
1,5-Cyclooctadiene , bisdihydroxylation, <i>a</i>	187	
Cycloolefins , copolymerisation	60	
RCM	60	
ROMP	60, 155	
Dehydrogenation , cyclohexene, <i>a</i>	94	
Dendrimers , immobilisation, of Ru carbenes	155	
Denitration , HNO ₃ nuclear fuel reprocessing waste, <i>a</i>	43	
Dental , alloys	62	
Deposition , chemical fluid, Pd	14, 185	
see also Coatings and Electrodeposition		
Deuterium , absorption, desorption, PdD, <i>a</i>	184	
solubility, in Pd-Rh, <i>a</i>	41	
Diels-Alder Condensation	112, 140, 154	
1,3-Dienes , reaction with phenols, <i>a</i>	95	
Diesel , emission control	30, 31, 50, 71, 176	
NOx removal	71, 176	
particulate filters	71, 176	
particulates, control by CRT	30, 31, 71, 176	
Pt oxidation catalyst, CO removal, HC removal	176	
β-Diketones , Ru(III) complexes, for molecular wires	2	
Pt acetylacetonate, availability and uses	123	
Diodes , emitting, Ru(bpy) ₃ ²⁺ DNA-polyaniline, <i>a</i>	185	
Elastic Properties , Ir, Pt, Rh, Pt-Ir, Pt-Rh, modulus of rigidity, Poisson's ratio, Young's modulus	74	
Electrical Contacts , ohmic contacts, Pd/Ge/Ti/Pt, <i>a</i>	44	
Electrical Resistance , Pd-Rh, <i>a</i>	41	
Electrochemistry , <i>a</i>	92, 137	
Electrodeposition , Pd, brush-plating, <i>a</i>	185	
Pd nanoparticles, synthesis, <i>a</i>	42	
see also Coatings and Deposition		
Electrodeposition and Surface Coatings , <i>a</i>	42, 137, 185	
Electrodes , C paste, with [Ru(NH ₃) ₆] ³⁺ , <i>a</i>	185	
H ₂ storage alloy, Pd ²⁺ /C powder addition, <i>a</i>	92	
micro-, Pt-Ir, modified, isocitrate sensor, <i>a</i>	93	
Rh-C fibre	183	
poly(3,4-ethylenedioxythiophene) RuO _x , <i>a</i>	140	
Pt, on Al ₂ O ₃ , by double-print Pt screen printing, <i>a</i>	187	
with chitin/glucose oxidase film, glucose sensor, <i>a</i>	93	
in exhaust gas O ₂ sensor	176	
HCOOH oxidation, low-intensity ultrasound, <i>a</i>	137	
Pt-Nafion, CH ₄ determination, <i>a</i>	138	
Pt/Nafion [®] , NO ₂ sensor, <i>a</i>	185	
Pt/Ti, nanostructured, HCOOH oxidation, <i>a</i>	137	
Electroless Plating , Ni, on Pd films/quartz resonator, <i>a</i>	42	
Pd, plating baths, <i>a</i>	137	
Electrolytes , [Co ₂ Pd ₂ (CN) ₄ Cl ₂ (CH ₂) _n H _{4n-2} O _{n+1})K ₂], <i>a</i>	92	
Emission Control , legislation	50, 175, 176	
motor vehicles	30, 31, 50, 70, 71, 123, 175, 176	
in China	123, 175	
VOCs	123	
Engines , CAI, CNG	31	
Etching , anisotropic, of RuO ₂ and Ru, for DRAM, <i>a</i>	96	
Ethyl Pyruvate , hydrogenation, <i>a</i>	94	
Exaltolide [®] , synthesis	155	
Faujasite Cages , Rh carbonyls, "ship-in-bottle", <i>a</i>	136	
Films , NiPt, Ni ₃ Pt, NiPt ₃ , magnetic anisotropy, <i>a</i>	96	
Pd, by chemical fluid deposition	14	
on a quartz resonator, for electroless Ni plating, <i>a</i>	42	
Ru, RuO _x , for (Ba,Sr)TiO ₃ dielectric film, <i>a</i>	187	
see also Thin Films		
Fine Chemicals , synthesis, by heterogeneous catalysis	154	
Fluorescence , Ru(II) polypyridyls, pH sensor system, <i>a</i>	42	
Formic acid , oxidation, <i>a</i>	137	
Fracture , brittle intercrystalline, Ir, Ir-3%Re-2%Ru	179	
brittle transcrystalline, Ir, Ir-3%Re-2%Ru	179	
Fuel Cells , <i>a</i>	44, 95-96, 140	
AFC	146	
conferences	91, 123, 146, 164	
defence applications	146	
DMFC	146	
Pt-Sn electrodes, MeOH electrooxidation, <i>a</i>	44	
PtRu anode catalysts, CO stripping, <i>a</i>	96	
electrodes	131	
'Fuel Cell Today' internet portal	152	
Grove Medal	146	
MCFC	146	
PAFC	146	
PEFC, catalysts	123	
Pt, Pt-Mo/, Pt-Ru/C, electrocatalysts, <i>a</i>	95	
PEMFC	146	
catalysts, anode, Pt-Ru, cathode, Pt, Pt-Cr, -Fe, -Mn	164	
portable power	146	
Pt-Ru/C electrocatalysts, MeOH oxidation, <i>a</i>	96, 140	
review, <i>a</i>	95	
Seventh Grove Fuel Cell Symposium	91, 146	
SOFC	146	
SPE-DMFC, Pt-Co/, Pt-Cr/, Pt-Ni/, Pt-Co-Cr/, Pt-Co-Ni/C, O ₂ reduction, <i>a</i>	140	
stationary power generation	146	
transportation	146	
water gas shift reactors, Pt/CeO ₂ , on monoliths	164	
Gas Turbines , Pt aluminide coatings	124	
catalytic combustors, PdO/support	164	
Gauzes , Pt, NH ₃ oxidation, <i>a</i>	94	
Pt-Rh, electrical heating device for	34	
Glass , conference	40	
Glucose , sensors, <i>a</i>	93, 138, 185	
Gold , Au-Pt, nanoparticles, MeOH electrooxidation, <i>a</i>	138	
Au-Pt-Sn phase diagram, AuPt ₂ Sn ₄ formation, <i>a</i>	92	
Grain Boundaries , brittleness, Ir	179	
Grove Fuel Cell Symposium , Seventh	91, 146	
Heck Reactions , <i>a</i>	43, 95, 138	
Mizoroki-, <i>a</i>	43	
Pd ⁰ /Pd ^{II} , Pd ^{II} /Pd ^{IV} , mechanism, <i>a</i>	139	
Pd-pyridylimine/amorphous mesoporous silica	102	
thermomorphic conditions, <i>a</i>	43	
Heterostructures , Ru/p-InP(100), <i>a</i>	140	
High Temperature , mechanical properties, of pgms	74	
High Throughput Screening Techniques , FibreCat TM	112	
multi-channel reactor	13	
Pd catalysts	112	
History , Rhodium Bicentenary Competition	59, 129	
William Hyde Wollaston, discovery of Rh	59	
Hydrazine , sensor	183	
Hydroamination , alkenes, dienes, styrenes	112	
Hydroarylation , asymmetric, norbornene, <i>a</i>	43	
Hydrocarbons , traps, catalysed, in emission control	176	
Hydrocracking , cycloalkanes, <i>a</i>	138	
Hydrodesulfurisation , thiophene, <i>a</i>	186	
Hydroformylation , -2-propenol, -2-propynol, <i>a</i>	95	
ionic liquids, as solvents, <i>a</i>	95	
Hydrogen , absorption, Pd _{0.97} Al _{0.03} , internal oxidation	166	
book review, "Hydrogen in Metal Systems II"	131	
conference	130	
desorption, during Pd brush-plating, <i>a</i>	185	
Pd _{0.97} Al _{0.03} , internal oxidation	166	
economy	130, 131	

	Page	Page
Hydrogen, (cont.)		
electrooxidation, Pt/, Pt-Mo/, Pt-Ru/C, <i>a</i>	95	
generation, from H ₂ O, <i>a</i>	42, 43	
H-bonding, in <i>trans</i> -[Pt(PR ₃) ₂ H(FHF)], <i>a</i>	41	
H-induced phase separation, Pd ₈₀ -Pt ₂₀ , Pd-Rh	166	
interaction, with Pd ₂ Cu ₆ , PdCu ₁₂ , PdCu(111), <i>a</i>	136	
with Pd, Pd alloys, Pt, Pt alloys	131	
interstitial location, in Pd	130	
isotope diffusion, in Pd	130	
with O ₂ , H ₂ O ₂ generation, <i>a</i>	186	
oxidation, <i>a</i>	94, 140	
photoevolution, cytochrome <i>c</i> ₃ -viologen-Ru(II) triad, <i>a</i>	184	
reagent, opposing reagents chemical fluid deposition, <i>a</i>	185	
sensors	42, 93, 174, 185	
solubility, in Pd	114	
in Pd clusters, nanocrystalline Pd	166	
in Pd-Ag, Pd-Ni, Pd-Pt, Pd-Rh, Pd-Si	114	
in Pd-Al, Pd-Mg, after internal oxidation	166	
in Pd/Al ₂ O ₃	166	
in Pd/MO _x composites	166	
storage	131	
storage materials	123	
Hydrogen Peroxide , generation, from H ₂ + O ₂ , <i>a</i>	186	
Hydrogenation , acetylenes	154	
aldehydes	13, 43, 94, 154	
aromatic nitro compounds, <i>a</i>	43	
enamide substrates	13	
ethyl pyruvate, <i>a</i>	94	
ketones	44, 154, 187	
nitrile-butadiene rubber, <i>a</i>	95	
nitro-group	154	
nitrobenzene	164	
sunflower seed oil, <i>a</i>	186	
<i>trans</i> -, internal alkynes, <i>a</i>	140	
Hydrogenolysis , C-N, C-O	112	
Hydrolysis , biomimetic, <i>a</i>	139	
Hydrotalcites , Pd(II)/, + O ₂ , alcohols oxidation, <i>a</i>	139	
Immunosuppressants , Ru complexes	62	
Ionic Liquids , solvent	13, 41, 95	
Iridium , brittle intercrystalline fracture	179	
brittle transcrystalline fracture	179	
Co/Ir/Co, magnetism, transport properties, <i>a</i>	96	
colloidal clusters	11	
elastic, high temperature mechanical properties	74	
IrO ₂ /Pb(Zr,Ti)O ₃ /Ir, capacitors, <i>a</i>	187	
polycrystalline	179	
refining of	179	
single crystals	179	
Iridium Alloys , Ir-0.3%W, doped, with Ce, Th	179	
single crystals	179	
Ir-0.3 W-0.006 Th-0.005 Al, with Al, Cr, Fe, Ni, Si, <i>a</i>	92	
grain boundary segregation, of impurities, <i>a</i>	92	
Ir-3%Re-2%Ru, brittle intercrystalline fracture	179	
brittle transcrystalline fracture	179	
single crystals	179	
microelectrodes, Pt-Ir, isocitrate sensor, <i>a</i>	93	
Pt ₈ /Ir ₂ , superconducting tips, STM, <i>a</i>	138	
Pt-Ir, elastic, high temperature mechanical properties	74	
Iridium Complexes , Ir(III) polypyridines, microwave-assisted synthesis, phosphorescence, <i>a</i>	93	
[(ppy) ₂ Ir(phen-phen)Ir(ppy) ₂] ²⁺ , luminescence, <i>a</i>	93	
Iridium Compounds , IrO ₂ /Pb(Zr,Ti)O ₃ /Ir, capacitors, <i>a</i>	187	
Iron , 1,1'-bis(diphenylphosphino)ferrocene, pgm complexes, in non-chiral catalysis	22	
Isocitrate , sensor, <i>a</i>	93	
Johnson Matthey , Autocatalyst Plant, in China	175	
"Catalysis in Organic Synthesis" symposium	112	
Catalyst Sample Kits, Catalytic Reaction Guide,		
"The Catalyst Technical Handbook"	110	
CRT™, MacRobert Award	30	
European Autocatalyst Plant, Royston, U.K.	70	
"Fuel Cell Today" internet portal	152	
"Platinum 2001"	111	
Johnson Matthey, (cont.)		
ProCat2 Process Catalyst Plant	12	
Rhodium Bicentenary Competition	59, 129	
Ketones , acetophenone, asymmetric reduction	59	
for C-alkylation, of barbituric acids, <i>a</i>	186	
from alcohols, <i>a</i>	139	
hydrogenation	44, 154, 187	
Kumada-Hayashi coupling	22	
Langmuir-Blodgett Films , with Ru(bpy) ₃ ²⁺ , <i>a</i>	185	
Luminescence , [(bpy) ₂ Os(phen-phen)Os(bpy) ₂] ⁴⁺ , <i>a</i>	93	
[(bpy) ₂ Ru(μ-bipy-O-bpy)Os(bpy) ₂] ²⁺ , <i>a</i>	137	
[(bpy) ₂ Ru(μ-bipy-O-bpy)Ru(bpy) ₂] ²⁺ , <i>a</i>	137	
[(bpy) ₂ Ru(phen-phen)Ru(bpy) ₂] ²⁺ , <i>a</i>	93	
1,3-[Cl(Et ₃ P) ₂ PdC≡C] ₂ -5-[(Pr) ₃ SiC≡C]C ₆ H ₅ , <i>a</i>	137	
1,3,5-[Cl(Et ₃ P) ₂ PdC≡C] ₃ C ₆ H ₅ , <i>a</i>	137	
[(Me ₂ bpy) ₂ Os(phen-phen)Os(Me ₂ bpy) ₂] ⁴⁺ , <i>a</i>	93	
[(ppy) ₂ Ir(phen-phen)Ir(ppy) ₂] ²⁺ , <i>a</i>	93	
[Ru(bpy) ₃] ²⁺ , <i>a</i>	137	
[Ru(Ph ₃ phen):DCbpy] ²⁺ /polymer, pH sensor system, <i>a</i>	42	
Magnetism , CeRu ₂ Si ₂ , <i>a</i>	41	
Co/Ir/Co sandwiches, <i>a</i>	96	
NiPt, Ni ₃ Pt, NiPt ₃ , magnetic anisotropy, <i>a</i>	96	
RuSr ₂ GdCu ₂ O ₈ , <i>a</i>	184	
Medical , brain imaging, positron emission tomography	33	
Medical Uses , <i>a</i>	44, 96, 187	
Ru complexes	62	
Membranes , diffusion, Pd alloys	131	
Pd alloys, H ₂ permeation	131	
Pd/α-Al ₂ O ₃ , sunflower seed oil hydrogenation, <i>a</i>	186	
Pd/porous glass, -/stainless steel, <i>a</i>	137	
Memory , DRAM, anisotropic etching of RuO ₂ , Ru, <i>a</i>	96	
ferroelectric, IrO ₂ /Pb(Zr,Ti)O ₃ /Ir, capacitors, <i>a</i>	187	
Metallacycles , Pt(II) bis(sulfonamides), <i>a</i>	136	
Metallisation , Rh, on C fibre microelectrodes	183	
Metallodendrimers , Pd, <i>a</i>	137	
Metathesis , CM, RCM, ROM, ROMP	155	
cycloolefins, RCM, ROMP	60	
olefins	95, 155	
Ru(L) ₂ Cl ₂ (carbene), L = imadazole-2-ylidenes	112	
Methane , combustion, oxidation, reforming	164	
sensors, <i>a</i>	138, 140	
Microscopy , STM, superconducting tips, Pt ₈₀ /Ir ₂₀ , <i>a</i>	138	
Microwaves , -assisted, Sonogashira couplings	163	
for synthesis, of colloidal clusters, Ir, Pd, Pt, Rh, Ru	11	
of Ir(III) polypyridines, <i>a</i>	93	
Modulus of Rigidity , Ir, Pt, Rh, Pt-Ir, Pt-Rh	74	
Molecular Wires , with tris(β-diketonato)Ru(III) units	2	
MOS , Pd-gate, H ₂ sensor, <i>a</i>	93	
Multilayers , Co/Pt/Ni/Pt, X-ray study, <i>a</i>	44	
Nanoclusters , Pd, by brush-plating, <i>a</i>	185	
Nanocrystalline , Pd, H solubility	166	
Nanoparticles , Au-Pt, MeOH electrooxidation, <i>a</i>	138	
Pd, in Pd-polypyrrole composites, <i>a</i>	42	
Pt, on Ti support, nanostructured electrodes, <i>a</i>	137	
sonochemical preparation, Pd, Pt	121	
Nanostructures , Pt/Ti electrodes, <i>a</i>	137	
Naphthenes , reforming	164	
Neotame [®] , synthesis	112	
Nickel , NiPt, Ni ₃ Pt, NiPt ₃ , magnetic anisotropy, <i>a</i>	96	
Pd-Ni, in HSGFET, H ₂ sensor	174	
Ti-TiNi-TiRu, phase diagram	84	
Nitric Acid , manufacture, start-up operation	34	
nuclear fuel reprocessing waste, denitration, <i>a</i>	43	
Nitro Aromatics , hydrogenation, <i>a</i>	43	
Nitrobenzenes , hydrogenation	164	
Nitrogen Oxides , NO ₂ , sensor, <i>a</i>	185	
NO, reduction, by propene, <i>a</i>	138	
scavengers in the body, Ru complexes	62	
NOx , lean, catalysts	164	
selective catalytic reduction, diesel emissions	31, 176	
sensors	176	

	Page		Page
Nitrogen Oxides, NO_x, (cont.)		Palladium Alloys, (cont.)	
traps, in diesel emissions	71, 176	Pd-Er-H, Pd-Mo-H, Pd-Ta-H	130
NMR, ¹H, (π-allyl)Pd + N,N'-bis(phenylethyl)bispidine, a	92	Pd-Ni, in HSGFET, H ₂ sensor	174
Ohmic Contacts, see Electrical Contacts		Pd-Rh, D solubility, resistance, a	41
Oils, sunflower seed, hydrogenation, a	186	H-induced phase separation	166
Olefins, with aryl bromides, Heck reaction, a	138	Pd/Cu(110), surfaces, formation, modelling of, a	41
metathesis	95, 155	Palladium Complexes, (π-allyl)Pd +	
substituted, synthesis, a	43	N,N'-bis(phenylethyl)bispidine, ¹ H NMR, a	92
Optical Fibres, Pd/, Pt/WO₃, H₂ sensor, a	42	bis(acetylacetonato)Pd(II), in Pd cluster/polymer, a	41
Ores, sulfide Cu ores, recovery of Os-187	132	π-2-methylallyl(cyclopentadienyl)Pd(II), for CFD	14, 185
Osmium, Os-187, recovery from sulfide Cu ores	132	1,3-[Cl(Et ₃ P) ₂ PdC≡C] ₂ -5-[¹ (Pr) ₃ SiC≡C]C ₆ H ₅ , a	137
Osmium Complexes, [Cp⁺₂OsCl]₂[OsCl₆], formation, a	92	1,3,5-[Cl(Et ₃ P) ₂ PdC≡C] ₃ C ₆ H ₅ , a	137
[(^η -Cy)OsCl(L)](SbF ₆), L = (S)-BINAP, (S)-BINPO, a	140	[Co ₂ Pd(CN) ₂ Cl ₂ (CH ₂ H _{4n-2} O _{n-1})K _n], electrolyte, a	92
luminescence, a	93, 137	K ₂ PdCl ₄ , + polymer-supported dibenzo-18-crown-6, a	92
[Os(C ₆ H ₄ Br) ₄], + arylboronic acids, Suzuki coupling, a	184	trans-L ₂ PdL ₂ , L = heterocyclic carbene, a	184
Os(IV) homoleptic functionalised aryls, a	184	[Pd ₂ (1,8-dpmn) ₂ (RNC) ₂] ²⁺ , [Pd ₂ (1,8-dpmn)(RNC) ₄] ²⁺ , a	184
[OsO ₂ (SO ₃)(H ₂ O)] ²⁺ , extraction with trialkylamine	132	Pd(2-thpy) ₂ , photophysical properties, a	93
+ NH ₄ OH - (NH ₄) ₂ SO ₄ - H ₂ O, formation and storage	132	Pd(II) hexafluoroacetylacetonate, for CFD, a	185
[[^(RO) ₂ PS ₂] ₃ Os ^{IV} -Os ^{III}] ₂ {S ₂ P(RO) ₂] ₃ } ²⁺ , synthesis, a	136	Pd(II)(en), sequence-selective molecular pinch, a	136
[[^(RO) ₂ PS ₂] ₃ Os ^{III} -Os ^{III}] ₂ {S ₂ P(RO) ₂] ₃ } ²⁺ , synthesis, a	136	Palladium Compounds, PdD, Dabsorption, desorption, a	184
[[^(RO) ₂ PS ₂] ₃ Os ^{IV} -Os ^{IV}] ₂ {S ₂ P(RO) ₂] ₃ } ²⁺ , synthesis, a	136	PdO-modified SnO ₂ -Fe ₂ O ₃ , CO sensor, a	93
Oxidation, aerobic, alcohols	15	Paraffins, reforming	164
alcohols	94, 112, 139, 154	Pastes, Ag-Pd, for MLC devices, a	96
aldehydes	154	Patents	45-48, 97-100, 141-144, 188-190
benzene, a	184	Peptides, α-helical, with Pd(II)(en), a	136
CH ₄	164	pH, sensor system, a	42
CO, TWCs	164	Phase Diagrams, Au-Pt-Sn, a	92
electro-, MeOH, a	44, 96, 138, 140	Ti-TiNi-TiRu	84
HCOOH, a	137	Phenols, amination	154
Oxygen, in exhaust gas, sensor	176	C-allylated, synthesis, a	95
generation, from H ₂ O, a	42	from 2-cyclohexen-1-ol, a	94
with H ₂ , H ₂ O ₂ generation, a	186	telomerisation, a	95
reduction, on Pt alloy catalysts, for SPE-DMFCs, a	140	Phosphorescence, Ir(III) polypyridines, a	93
Palladium, clusters, H solubility	166	Photocatalysis, Pt/TiO₂, benzene oxidation, a	184
colloidal clusters	11	Photoconversion, a	42, 93, 137, 184-185
colloids, immobilised	154	Photoelectrolysis, H₂O, by AlGaAs/Si RuO₂/Pt_{black}, a	42
electroless plating, a	137	Photoproperties, [(COD)Pt(R)]₂, photoreactivity, a	137
films, by CFD	14, 185	Pd(2-thpy) ₂ , Pt(2-thpy) ₂ , low temperature, a	93
H interstitial location	130	Ru(bpy) ₃ ²⁺ , DNA-polyaniline, a	185
H isotope diffusion	130	Ru(bpy) ₃ ²⁺ , LB films, a	185
H solubility	114, 166	Ru(bpy) ₃ ²⁺ -zeolite Y, -viologen-zeolite Y, a	137
interaction with H ₂	131	trans-[Ru(NH ₃) ₄ (NO)nicotinamide] ²⁺ , IR, a	93
lattice defects	114, 166	Photoreactions, H₂ evolution, from Ru(II) complex, a	184
membranes, a	137, 186	Ru bipyridine, artificial photosynthesis	91
nanoclusters, by brush-plating, a	185	Photosynthesis, artificial, with Ru-Mn systems	91
nanocrystalline, H solubility	166	Plating, Pt, on Nafion, electrode, a	185
nanoparticles	121	see also Electrodeposition	
in Pd-polypyrrole composites, a	42	"Platinum 2001"	111
Pd ²⁺ /C powder, H ₂ storage electrodes, a	92	Platinum, Co/Pt/Ni/Pt multilayers, X-ray study, a	44
Pd ₄₀ Cu ₃₀ Ni ₁₀ P ₂₀ , bulk glass, crystallisation of, a	136	colloidal clusters	11
Pd cluster/polymer composites, preparation, a	41	elastic, high temperature mechanical properties	74
Pd films, for studying electroless Ni plating, a	42	electrodes	93, 137, 138, 176, 185, 187
Pd-gate MOS, H ₂ sensor, a	93	interaction with H ₂	131
Pd-polypyrrole composite thin films, a	42	nanoparticles	121, 137
Pd/Al ₂ O ₃ , H solubility	166	Ni-CZ110/CaZr _{0.9} In _{0.1} O _{3-δ} /Pt cell, in CH ₄ sensor, a	140
Pd/Ge/Ti/Pt ohmic contacts, on GaAs, a	44	Pd/Ge/Ti/Pt ohmic contacts, on GaAs, a	44
Pd/MO _x , H solubility	166	Pt cluster/polymer composites, preparation, a	41
Pd/SiO ₂ spheres, synthesis	174	Pt and SiO ₂ doped SnO ₂ , NH ₃ sensor, a	138
Pd/SnO ₂ , H ₂ sensor, a	185	Pt-Ta + RuO ₂ /n ⁺ -polySiSiO ₂ /Si, contact system, a	44
Pd/WO ₃ optical fibres, H ₂ sensor, a	42	Pt/WO ₃ optical fibres, H ₂ sensor, a	42
Palladium Alloys, Ag-Pd pastes, for MLC devices, a	96	Platinum Alloys, Au-Pt, nanoparticles, a	138
H interstitial location	130	Au-Pt-Sn, phase diagram, AuPt ₂ Sn ₄ , Pt ₂ Sn ₃ , a	92
H isotope diffusion	130	interaction with H ₂	131
H solubility	114, 166	microelectrodes, Pt-Ir, isocitrate sensor, a	93
interaction with H ₂	131	NiPt, Ni ₃ Pt, NiPt ₃ , magnetic anisotropy, a	96
lattice defects	114, 166	Pd ₈₀ -Pt ₂₀ , H-induced phase separation	166
membranes	131	Pd-Pt, H solubility	114
Pd _{0.97} Al _{0.3} , oxidised, H absorption, desorption	166	Pt ₈₀ /Ir ₂₀ , superconducting tips, for STM, a	138
Pd ₄ Cu ₆ , PdCu ₁₂ , PdCu(111), interaction with H ₂ , a	136	Pt-Ir, Pt-Rh, elastic, high temperature mechanical properties	74
Pd ₇₇ Ag ₂₃ , H absorption, desorption	130	Pt-Pd, in amperometric glucose sensors, a	138
Pd ₈₀ -Pt ₂₀ , H-induced phase separation	166	Platinum Complexes, cis-(C₂H₄)(1-ethyl-3-methylimidazol-2-ylidene)PtCl₂, crystal structure, a	41
Pd-Ag, Pd-Ni, Pd-Pt, Pd-Rh, Pd-Si, H solubility	114	[(COD)Pt(R)] ₂ , photoreactivity, a	137
Pd-Al, Pd-Mg, internal oxidation, H solubility	166	K ₂ PtCl ₄ , + polymer-supported dibenzo-18-crown-6, a	92

Page	Page
Platinum Complexes, (cont.)	
[Pt ₂ (1,8-dpmn) ₂ (RNC) ₂] ²⁺ , [Pt ₂ (1,8-dpmn)(RNC) ₄] ²⁺ , <i>a</i>	184
Pt(2-thpy) ₂ , photophysical properties, <i>a</i>	93
Pt acetylacetonate, availability and uses	123
Pt azole-bridged complexes, cytotoxicity, <i>a</i>	44
[PtCl(NCN-OH)], SO ₂ switching, <i>a</i>	42
<i>cis</i> -[PtCl(Ph ₂ SNH)(PMe ₂ Ph ₂)] ⁺ [BF ₄] ⁻ , preparation, <i>a</i>	41
[Pt(en)L] ²⁺ , L = bipy, phen, + phen, + phenanthrene, <i>a</i>	136
Pt(II) bis(sulfonamides), <i>a</i>	136
[Pt(Ph ₂ SNH) ₂ Cl ₂], H-bonding, crystal structure, <i>a</i>	41
<i>trans</i> -[Pt(PR ₃) ₂ H(FHF)], H-bonding, <i>a</i>	41
(TIPS-4-MPD)-, (TIPS-6-MPD)Pt(Me)Cl, <i>a</i>	41
[(TIPS-4-MPD)-, [(TIPS-6-MPD)Pt(Me)(olefin)]BF ₄ , <i>a</i>	41
Platinum Compounds , carboplatin, decomposition, <i>a</i>	96
Pt aluminate, coatings	124
Platinum Group Metals , compounds, in medicine	62
high temperature mechanical properties	74
Poisson's Ratio , Ir, Pt, Rh, Pt-Ir, Pt-Rh	74
Pollution Control , see Emission Control	
Polymerisation , acid-catalysed, of furfuryl alcohol	164
catalytic, of cycloolefins	60
<i>co</i> -, alternate, norbornadienes+CO, norbornenes+CO, <i>a</i>	44
of cycloolefins	60
<i>in-situ</i> , of methyl methacrylate	82
ROMP	60, 155
Ziegler-Natta, of cycloolefins	60
Polymers , fibres, as supports for homogeneous catalysts	112
Pd cluster/polymer composites, preparation, <i>a</i>	41
Pd-poly pyrrole composite thin films, <i>a</i>	42
polyketones, by alternate copolymerisation, <i>a</i>	44
poly(MMA), star-shaped, synthesis	82
Pt cluster/polymer composites, preparation, <i>a</i>	41
Ru carbenes/polystyrene-divinylbenzene	155
[Ru(Ph ₂ phen) ₂ DCbpy] ²⁺ /polymer, pH sensor, <i>a</i>	42
support for, dibenzo-18-crown-6, +K ₂ PdCl ₄ , +K ₂ PtCl ₄ , <i>a</i>	92
Propene , for reduction of NO, <i>a</i>	138
Redox , surface processes, RuO ₂ (111)/H ₂ O interface, <i>a</i>	137
Reduction , asymmetric, of acetophenone	59
NO, by propene, <i>a</i>	138
Reforming , CH ₄ , naphthenes, paraffins	164
Resistance Thermometers , RuO ₂ -based, <i>a</i>	185
Resistivity , Rh, with C impurities, <i>a</i>	136
Resistors , RuO ₂ , <i>a</i>	185
Rhodium , colloidal clusters	11
elastic, high temperature mechanical properties	74
metallisation, on C fibre microelectrodes	183
microelectrodes, Rh-C fibre	183
resistivity, with C impurities, <i>a</i>	136
Rh/SiO ₂ , sol-gel preparation, <i>a</i>	186
Rhodium Bicentenary Competition	59, 129
Rhodium Alloys , Pd-Rh, D solubility, resistance, <i>a</i>	41
H-induced phase separation	166
H solubility	114
Pt-Rh, elastic, high temperature mechanical properties	74
Rhodium Complexes , Rh carbonyls, "ship-in-bottle", <i>a</i>	136
Rubber , nitrile-butadiene, hydrogenation, <i>a</i>	96
Ruthenium , anisotropic etching, for DRAM, <i>a</i>	95
colloidal clusters	11
Ru/TiN/p-Si/Si, contact system, <i>a</i>	187
Ru/p-InP(100) heterostructures, <i>a</i>	140
Ruthenium Alloys , Ti-TiNi-TiRu, phase diagram	84
Ruthenium Complexes , in medicine	62
[Cp* ₂ RuCl ₂] ₂ , formation, <i>a</i>	92
Cp* ₂ Ru(COD)Cl, reaction with phenylacetylenes, <i>a</i>	184
cytochrome <i>c</i> ₃ -viologen-Ru(II) triad, <i>a</i>	184
luminescence, <i>a</i>	93, 137
molecular wires, tris(β-diketonato)Ru(III) units	2
photoproperties	91, 93, 137, 184, 185
Ru bipyridine, artificial photosynthesis	91
Ru carbenes	112, 155, 184
Ru terpyridines, with dithiolenes, <i>a</i>	92
Ru(II) ketoammines, antibacterial agents, <i>a</i>	187
Ru(II) phenanthrolines + aryl diazopentanedione, <i>a</i>	44
Ru(II) polypyridyls, pH sensor system, <i>a</i>	42
Ruthenium Complexes, (cont.)	
Ru(II) Schiff bases, antifungal activity, <i>a</i>	96
[Ru(NH ₃) ₆] ³⁺ , for glucose sensor, <i>a</i>	185
[Ru(Ph ₂ phen) ₂ DCbpy] ²⁺ /polymer, pH sensor, <i>a</i>	42
Ru(PPh ₃) ₂ (dcbbpy)Cl ₂ , as TiO ₂ sensitiser, <i>a</i>	42
Ruthenium Compounds , CeRu ₂ Si ₂ , magnetism, <i>a</i>	41
poly(3,4-ethylenedioxythiophene) RuO ₄ electrode, <i>a</i>	140
Pt-Ta + RuO ₂ /n ⁺⁺ -polySiSiO ₂ /Si, contact system, <i>a</i>	44
RuO ₂ (111)/H ₂ O interface, surface redox processes, <i>a</i>	137
RuO ₂ , anisotropic etching, for DRAM, <i>a</i>	96
in resistance thermometers, <i>a</i>	185
RuO ₂ /TiN/p-Si/Si, contact system, <i>a</i>	187
RuSr ₂ GdCu ₂ O ₈ , magnetism, <i>a</i>	184
Sr(Ti _{1-x} Ru _x)O ₃ , by sputtering, <i>a</i>	187
Ta + RuO ₂ /n ⁺⁺ -polySiSiO ₂ /Si, contact system, <i>a</i>	44
Screen Printing , double-print Pt, for electrodes, <i>a</i>	187
Selective Catalytic Reduction , NOx	31, 176
Sensors , CH ₄ , <i>a</i>	138, 140
CO, <i>a</i>	93
glucose, <i>a</i>	93, 138, 185
H ₂	42, 93, 174, 185
hydrazine	183
isocitrate, <i>a</i>	93
NH ₃ , <i>a</i>	138
NO ₂ , <i>a</i>	185
NOx	176
O ₂ , in exhaust gas	176
pH, <i>a</i>	42
"Ship-in-Bottle", Rh carbonyls in faujasites, <i>a</i>	136
Silicon , CeRu ₂ Si ₂ , magnetism, <i>a</i>	41
Pt silicide formation, on Pt nanoparticles/SiO ₂ , <i>a</i>	94
SiO ₂ , amorphous mesoporous, micelle templated	102
in Pt doped SnO ₂ , NH ₃ sensor, <i>a</i>	138
Single Crystals , Ir, Ir-0.3%W, Ir-3%Re-2%Ru	179
Sol-Gel , Rh/SiO ₂ , preparation, <i>a</i>	186
Solar Cells , Ru(PPh ₃) ₂ (dcbbpy)Cl ₂ , as TiO ₂ sensitiser, <i>a</i>	42
Sonochemistry , synthesis, of Pd, Pt nanoparticles	121
Sonogashira Couplings , microwave-assisted	163
Sputtering , Sr(Ti _{1-x} Ru _x)O ₃ , <i>a</i>	187
Stille Couplings , MeI + TICs	33
PdCl ₂ dppf	22
Sulfur Oxides , SO ₂ , reaction with [PtCl(NCN-OH)], <i>a</i>	42
Superconductivity , Pt _{0.8} Ir _{0.2} tips, for STM, <i>a</i>	138
Suzuki Couplings , with ligandless Pd, <i>a</i>	139
[Os(C ₈ H ₈ Br)] ₄ with arylboronic acids, <i>a</i>	184
PdCl ₂ dppf, triflates with arylboronic acids	22
Pd-pyridylimine/amorphous mesoporous silica	102
Pd-pyridylimine/micelle templated silica	102
thermomorphic conditions, <i>a</i>	43
Switches , SO ₂ triggered, [PtCl(NCN-OH)], <i>a</i>	42
Telomerisation , C-allylated phenol synthesis, <i>a</i>	95
Tetraazafulvalenes , amination, <i>a</i>	186
Thiazepinones , synthesis	69
Thin Films , Pd, opposing reagents CFD, <i>a</i>	185
Pd-poly pyrrole composites, electrosynthesis, <i>a</i>	42
Sr(Ti _{1-x} Ru _x)O ₃ , by sputtering, on SrTiO ₃ (100), <i>a</i>	187
see also Films	
Three-Way Catalysts	50, 71, 164, 176
Tin , Au-Pt-Sn, phase diagram, AuPt ₂ Sn ₄ , Pt ₂ Sn ₃ , <i>a</i>	92
Titanium , IMI 834, Pt aluminate coating	124
Ti-TiNi-TiRu, phase diagram	84
Ultrasound , HCOOH oxidation, on Pt electrode, <i>a</i>	137
VOCs , emission control	123
Voltammetry , stripping, CH ₄ , determination, <i>a</i>	138
Wacker Reactions , in <i>sc</i> -CO ₂ , ROH/ <i>sc</i> -CO ₂ , <i>a</i>	43
Water, for H ₂ generation, <i>a</i>	43
for H ₂ and O ₂ generation, <i>a</i>	42
Water Gas Shift Reaction , Pt/CeO ₂ , on monoliths	164
Young's Modulus , Ir, Pt, Rh, Pt-Ir, Pt-Rh	74