

SUBJECT INDEX TO VOLUME 47

| | <i>Page</i> | <i>Page</i> |
|---|----------------------------|-------------|
| <i>a</i> = abstract | | |
| Acetoxylation , oxidative, of alkenes | 20 | |
| Acetylcholine , sensor, <i>a</i> | 185 | |
| Acetylenes , phenyl-, living polymerisation, <i>a</i> | 135 | |
| terminal, Sonogashira couplings, <i>a</i> | 91 | |
| Actuators , shape memory alloys | 58 | |
| Air , photocatalytic purification | 61 | |
| Alcohols , dehydration | 20 | |
| ethyl, electrooxidation, <i>a</i> | 40 | |
| in fuel cells | 28 | |
| methyl, adsorption, desorption, <i>a</i> | 132 | |
| electrooxidation, <i>a</i> | 40, 92, 136, 187 | |
| oxidation | 27, 134, 135 | |
| selective | 20, 185 | |
| Aldehydes , from alcohols, <i>a</i> | 134, 185 | |
| oxidation, <i>a</i> | 135 | |
| Alkanes , dehydrogenation | 13, 39 | |
| oxidation | 20 | |
| Alkenes , acetoxylation, alkoxylation, oxidative | 20 | |
| from alkanes, <i>a</i> | 39 | |
| from alkynes | 44 | |
| hydroformylation | 14, 91, 135 | |
| hydrogenation, <i>a</i> | 90, 134, 135 | |
| oxidation | 20, 135 | |
| Alkoxylation , oxidative, of alkenes | 20 | |
| Alkylation , asymmetric, 1,3-diphenylallylic systems, <i>a</i> | 135 | |
| Alkynes , intramolecular couplings, <i>a</i> | 40 | |
| oxidation, <i>a</i> | 135 | |
| reduction | 44 | |
| Alloys , dental, <i>a</i> | 187 | |
| mechanical properties | 46, 111 | |
| Amination , amino ester + aryl bromides, <i>a</i> | 186 | |
| Amines , carbonylation, oxidative, <i>a</i> | 91 | |
| Amino Acids , aromatic, reduction, <i>a</i> | 134 | |
| Pt clusters, growth | 98 | |
| Ammonia , oxidation | 36, 111 | |
| reaction with NO, <i>a</i> | 39 | |
| Antibacterial Agents , Ag/Pt coated polymers | 131 | |
| Antimicrobial Agents , Ru(II)-arenes, <i>a</i> | 136 | |
| Antisense Drugs , <i>trans</i> -Pt ^{II} -modified PNA oligomers, <i>a</i> | 92 | |
| AquaCat[®] , pgm recovery, from spent catalysts | 163 | |
| Arenes , iodo-, carbonylation, <i>a</i> | 40 | |
| oxidation, <i>a</i> | 135 | |
| Aryl Halides , coupling reactions, <i>a</i> 39, 90, 91, 134, 135, 186 | 90 | |
| Aryl Triflates , Suzuki-Miyaura couplings, <i>a</i> | 90 | |
| Arylation , intramolecular, of pyrimidines, <i>a</i> | 40 | |
| Aryldiazonium Salts , cross-coupling reactions, <i>a</i> | 39 | |
| Autocatalysts | 13, 15, 20, 96, 140, 157 | |
| Benzene , photodegradation | 183 | |
| Biomass , gasification, <i>a</i> | 39 | |
| Biphenyls , by coupling, of substituted halobenzenes, <i>a</i> | 39 | |
| Book Reviews , "Electron Microscopy in Heterogeneous Catalysis" | 110 | |
| 'Polymeric platinum-containing drugs in the treatment of cancer' | 109 | |
| 'Surface Chemistry and Catalysis' | 120 | |
| 'The Geology, Geochemistry, Mineralogy and Mineral Beneficiation of Platinum-Group Elements' | 59 | |
| Cancer , anti-, pgm complexes | 92, 109, 136 | |
| Capacitors , HD memory, RuTiN diffusion barrier, <i>a</i> | 187 | |
| microsuper-, RuO ₂ electrode, W-RuO ₂ electrode, <i>a</i> | 187 | |
| Pd alloy powders | 36 | |
| Carbenes | 37, 39, 73, 88, 184 | |
| Carbon Oxides , CO, adsorption energy, <i>a</i> | 184 | |
| CO/H ₂ mixtures, oxidation, <i>a</i> | 90 | |
| for intramolecular alkyne-alkyne couplings, <i>a</i> | 40 | |
| oxidation | 20 | |
| poisoning, in PEMFC | 107 | |
| sensors, <i>a</i> | 89, 185 | |
| tolerance, in PEMFC, <i>a</i> | 91 | |
| CO ₂ , production, in benzene photodegradation | 183 | |
| solvent, <i>a</i> | 91, 134 | |
| Carbonylation , iodoarenes, <i>a</i> | 40 | |
| oxidative, amines, <i>a</i> | 91 | |
| RuCl ₃ ·3H ₂ O, to Ru carbonyls, <i>a</i> | 37 | |
| 5-vinylloxazolidin-2-ones, <i>a</i> | 90 | |
| Carbonyls , Pd(+1) clusters, as catalysts | 20 | |
| [Rh(CO) ₄] ⁺ , luminescence, <i>a</i> | 89 | |
| Ru, from RuCl ₃ ·3H ₂ O, <i>a</i> | 37 | |
| Carboxylic Acids , aryl, thermolysis of Pd ₂ (CO) ₄ (OAc) ₄ | 20 | |
| from alcohols, <i>a</i> | 185 | |
| hydrogenation, <i>a</i> | 90 | |
| Catalysis , book reviews | 110, 120 | |
| in CO ₂ solvent, <i>a</i> | 91, 134 | |
| conferences | 13, 28 | |
| electron microscopy, use of | 110 | |
| in H ₂ O solvent | 60, 174 | |
| heterogeneous, <i>a</i> | 39, 90, 134, 185-186 | |
| history | 175 | |
| homogeneous, <i>a</i> | 39-40, 90-91, 134-135, 186 | |
| surface chemistry | 120 | |
| Catalysts , agglomeration | 44 | |
| deactivation | 13, 44 | |
| metal loss | 44 | |
| model | 120 | |
| pgm, supported single crystals | 120 | |
| poisoning, chemical, physical | 44 | |
| recycling | 13, 39, 134, 186 | |
| Selectra TM Shift, for reformer | 28 | |
| spent, precious metal recovery | 163 | |
| three-way, see Three-Way Catalysts | | |
| Catalysts, Iridium , Ir, in lean-burn gasoline engine | 157 | |
| Ir/SrTiO ₃ , H ₂ O photocleavage | 2 | |
| Ir/TiO ₂ , H ₂ O photooxidation | 2 | |
| Ir(0) nanoclusters, cyclohexene hydrogenation, <i>a</i> | 135 | |
| Catalysts, Iridium Complexes , cyclooctadienyIr(I) | 186 | |
| hexafluoropentanedionate, D labelling, <i>a</i> | 186 | |
| Ir-HetPHOX, asymmetric hydrogenations, <i>a</i> | 186 | |
| IrCl(CO)(PPh ₃) ₂ , alkyne-alkyne couplings, <i>a</i> | 40 | |
| Vaska's complex, alkyne-alkyne couplings, <i>a</i> | 40 | |
| Catalysts, Osmium , Os/SrTiO ₃ , H ₂ O photocleavage | 2 | |
| Catalysts, Osmium Complexes , OsO ₄ /polymer | 174 | |
| PVI-Os(dpa) ₂ Cl, with diaphorase, <i>a</i> | 92 | |
| Catalysts, Palladium , APK-2/α-Al ₂ O ₃ , NO _x conversion | 20 | |
| electrocatalysts, PtPd/C | 28, 91 | |
| Lindlar's catalyst, reduction of alkynes | 44 | |
| palladised metal(IV) phosphates, hydrogenations, <i>a</i> | 90 | |
| Pd, HC emission oxidation | 157 | |
| nanostructured, in pellistor sensors | 72 | |
| supported, CH ₄ combustion, <i>a</i> | 90 | |
| Pd clusters/Sibunit, hydrocarbon oxidation | 20 | |
| Pd clusters/spherical SiO ₂ particles, CO, HC, oxidation | 20 | |
| Pd nanoparticles, hydrogenation of olefins, <i>a</i> | 134, 186 | |
| phen protected, <i>a</i> | 186 | |
| Pd powder, +KF/Al ₂ O ₃ , solventless Suzuki coupling, <i>a</i> | 134 | |
| Pd-Cu/C, thermal treatments | 110 | |
| Pd-Fe, dehalogenation of trihalomethanes, <i>a</i> | 186 | |
| Pd-zeolite beta spheres, preparation, <i>a</i> | 90 | |
| Pd/Al ₂ O ₃ , CH ₄ combustion, S poisoning | 13 | |
| sintering mechanisms | 110 | |
| Pd/C, + NaCl, for debenzilation, <i>a</i> | 186 | |
| spent, Pd recovery | 163 | |
| + tetrabutylammonium bromide, biphenyl synthesis, <i>a</i> 39 | | |
| Pd/CaCO ₃ + Pb, reduction of alkynes | 44 | |
| Pd/Rh, TWC, high thermal durability | 15 | |
| Pd/SrTiO ₃ , H ₂ O photocleavage | 2 | |
| Pd/Ti silicalite, synthesis of propylene oxide, <i>a</i> | 134 | |
| Pd/TiO ₂ , H ₂ O photoreduction | 2 | |
| H ₂ O purification | 61 | |
| STM studies | 13 | |
| Pd ₂ (CO) ₄ (OCOR) ₄ + bipy/oxide carrier, oxidations | 20 | |
| NO _x reduction, by CH ₄ | 20 | |

| | Page | | Page |
|---|-----------------------|--|-----------------------|
| Catalysts, Palladium, (cont.) | | Catalysts, Platinum, (cont.) | |
| Pd ₄ (CO) ₄ (OCOR) ₄ + phen/ α -Al ₂ O ₃ , NOx conversion | 20 | spent, Pt recovery | 163 |
| Pd ₄ (CO) ₄ (OCOR) ₄ + phen/oxide carrier, oxidations | 20 | Pt/fluorinated C, NO + NH ₃ , <i>a</i> | 39 |
| NOx reduction, by CH ₄ | 20 | Pt/Pd/Rh, TWC, pgm loading | 157 |
| Pt/Pd/Rh, TWC, pgm loading | 157 | Pt/polypyrrole, electrooxidation of MeOH, <i>a</i> | 187 |
| TiO ₂ -Pd(II) chloride | 61 | Pt/Rh, TWC, high thermal durability | 15 |
| Catalysts, Palladium Complexes, (η^3-allyl)Pd, addition | | Pt ^{IV} /RuO ₂ ^{IV} /TiO ₂ , H ₂ O photocleavage | 2 |
| polymerisation of norbornene-type monomers, <i>a</i> | 40 | Pt ^{IV} /RuO ₂ ^{IV} /TiO ₂ doped with Cr, H ₂ O photocleavage | 2 |
| monocarbene-palladium(0), coupling reactions, <i>a</i> | 39 | Pt/SiO ₂ , hydrogenation, of ethene, ethyne, <i>a</i> | 134 |
| Na{Pd ₂ [CpMo(CO) ₃] ₄ }, dehydration of alcohols | 20 | Pt/Sn/Al ₂ O ₃ filaments, <i>a</i> | 39 |
| PAMAM dendrimer-Pd(RCN) ₂ Cl ₂ /SiO ₂ , -Pd(tetra- | | Pt/SrTiO ₃ , H ₂ O photocleavage | 2 |
| methylethylenediamine)Me ₂ /SiO ₂ , <i>a</i> | 40 | Pt/TiO ₂ , air purification | 61 |
| Pd(+1) carbonyl clusters, oxidations | 20 | benzene photodegradation, magnetic field effects | 183 |
| Pd with <i>P,N</i> -ferrocenyl ligands, allylic alkylation, <i>a</i> | 135 | H ₂ O, photocleavage, photoreduction, purification | 2, 61 |
| Pd-dendrimer nanocomposites, olefin hydrogenation, <i>a</i> | 40 | Pt/TiO ₂ /SiO ₂ , H ₂ O photoreduction | 2 |
| Pd-phosphine-PS-PEG resin, reactions in H ₂ O | 60 | Pt/WO ₃ , H ₂ O photooxidation | 2 |
| Pd/C + PPh ₃ , Sonogashira coupling, <i>a</i> | 91 | Ru, Pt/C, oxidation of alcohols, <i>a</i> | 185 |
| Pd ₂ (dba) ₃ /BINAP/NaO ^t Bu, coupling amination, <i>a</i> | 186 | TiO ₂ -Pt(IV) chloride, H ₂ O purification | 61 |
| Pd ₄ (CO) ₄ (OCOR) ₄ /bipy, /phen, olefin oxidation | 20 | Catalysts, Rhodium, autocatalysts, NOx reduction | 13, 157 |
| PdCl ₂ /HP(adamantyl) ₂ , /HP(<i>t</i> -butyl) ₂ , Heck reactions, <i>a</i> | 39 | Pd/Rh, TWC, high thermal durability | 15 |
| PdCl ₂ (dppf), Suzuki coupling, solid phase, <i>a</i> | 135 | Pt-Rh/SiO ₂ , heat treatment; under N ₂ | 110 |
| PdCl ₂ (dppf)-CH ₂ Cl ₂ /C ₂ CO ₃ , S-M. coupling, <i>a</i> | 90 | Pt/Pd/Rh, TWC, pgm loading | 157 |
| PdCl ₂ (PPh ₃) ₂ , preparation of δ -lactam, <i>a</i> | 90 | Pt/Rh, TWC, high thermal durability | 15 |
| Suzuki-Miyaura coupling, <i>a</i> | 135 | PtRh, EtOH electrooxidation, <i>a</i> | 40 |
| PdI ₂ + KI, oxidative carbonylation of amines, <i>a</i> | 91 | Rh, EtOH electrooxidation, <i>a</i> | 40 |
| Pd(OAc) ₂ , in TBAB-H ₂ O, Suzuki coupling, <i>a</i> | 91 | Rh/Al ₂ O ₃ , CH ₄ combustion, S poisoning | 13 |
| Pd(OAc) ₂ + NBu ₃ /P(<i>o</i> -tolyl) ₃ , Heck reaction, <i>a</i> | 91 | reduction of aromatic amino acid derivatives, <i>a</i> | 134 |
| Pd(OAc) ₂ /PPh ₃ , Sonogashira coupling, <i>a</i> | 91 | Rh/C, reduction of aromatic amino acid derivatives, <i>a</i> | 134 |
| Pd(OAc) ₂ /PPh ₃ /NEt ₄ Cl/K ₂ CO ₃ , cyclisations, <i>a</i> | 186 | Rh/CeO ₂ /SiO ₂ , biomass gasification, <i>a</i> | 39 |
| Pd(OAc) ₂ /PPh ₃ /TIOAc, cyclisations, <i>a</i> | 186 | Rh/TiO ₂ , H ₂ O, photooxidation, photoreduction | 2 |
| Pd(OAc) ₂ (PPh ₃) ₂ + base, arylation, intramolecular, <i>a</i> | 40 | STM studies | 13 |
| Pd(PPh ₃) ₄ , Sonogashira coupling, <i>a</i> | 91 | Rh/WO ₃ , H ₂ O photooxidation | 2 |
| removal, by polymer-bound ethylenediamines, <i>a</i> | 135 | TiO ₂ -Rh(III) chloride | 61 |
| Catalysts, Platinum, electrocatalysts, nanoparticles, | | Catalysts, Rhodium Complexes, [(cod)RhL'Cl] | 73 |
| Pt, on C, for DMFC, <i>a</i> | 40 | [(nbd)RhCl] ₂ /Ph ₂ C=C(Ph)Li/Ph ₃ P, polymerisation, <i>a</i> | 135 |
| Pt, on C, Ru deposition, MeOH oxidation, <i>a</i> | 136 | Rh with <i>P,N</i> -ferrocenyl ligands, hydroboration, <i>a</i> | 135 |
| Pt, on polypyrrole nanotubules, for fuel cells <i>a</i> | 187 | Rh POSS dendrimers, oct-1-ene hydroformylation | 14 |
| Pt, Pt-Ru, spheres, on C | 28 | [Rh ₂ (OAc) ₂]/phosphines, hydroformylation in sc-CO ₂ , <i>a</i> | 91 |
| Pt, for fuel cells | 28, 40, 135, 136, 187 | Rh ₂ [(<i>R</i>)-DDBNP] ₄ , Rh ₂ [(<i>S</i>)-DOSP] ₄ , <i>a</i> | 91 |
| Pt/carbon-CH ₂ CH ₂ PO ₃ H ₂ , for PEMFCs, <i>a</i> | 135 | Rh(bpy) ₃ ³⁺ /TiO ₂ , H ₂ O photoreduction | 2 |
| Pt + Cr, Fe, Mn, Mo, Pd, for fuel cells | 28 | [RhCl(cod)] ₂ , alkyne-alkyne couplings, <i>a</i> | 40 |
| Pt/Ni, for DMFCs, <i>a</i> | 187 | [Rh(L-L)NBD]BF ₄ /Nafion, hydroformylation, <i>a</i> | 135 |
| PtPd ₂ /C, for PEMFCs, <i>a</i> | 91 | [Rh(L) ₂ NBD]BF ₄ /Nafion, hydroformylation, <i>a</i> | 135 |
| PtRh, EtOH electrooxidation, <i>a</i> | 40 | Catalysts, Ruthenium, Cu-Ru/C, CO, H₂ treatments | 110 |
| PtRu, for fuel cells | 28, 92, 107, 136, 187 | electrocatalysts, PtRu, for fuel cells | 28, 92, 107, 136, 187 |
| PtRuMo, for PEMFCs, reactivity imaging | 107 | PtRuMo, for PEMFCs, reactivity imaging | 107 |
| Pt-Ru-P/C nanocomposites, anodes, for DMFCs, <i>a</i> | 187 | Ru-Se, for fuel cells | 28 |
| HPS-Pt-THF, direct L-sorbose oxidation, <i>a</i> | 185 | Pt-Ru-Sn/active C, hydrogenation of carboxylic acids, <i>a</i> | 90 |
| platinised metal(IV) phosphates, hydrogenations, <i>a</i> | 90 | Pt ^{IV} /RuO ₂ ^{IV} /TiO ₂ , H ₂ O photocleavage | 2 |
| Pt, addition, Ru-Sn/active C, hydrogenations, <i>a</i> | 90 | Pt ^{IV} /RuO ₂ ^{IV} /TiO ₂ doped with Cr, H ₂ O photocleavage | 2 |
| in autocatalysts, emission control: diesel, gasoline, | | Ru, Pt/C, oxidation of alcohols, <i>a</i> | 185 |
| lean-burn gasoline | 15, 157 | Ru ^{IV} -Co ^{III} oxide, oxidation of alcohols, <i>a</i> | 134 |
| filter, aldehydes, CO, HC conversion, from diesel | 157 | Ru-Sn/active C, hydrogenation of carboxylic acids, <i>a</i> | 90 |
| ceramic foam, PM removal, from diesel emissions | 157 | Ru/Al ₂ O ₃ , oxidation of alcohols | 27 |
| PM, from diesel emissions | 15, 157 | Ru/C cathode, electroreduction of N ₂ , <i>a</i> | 184 |
| HC + NOx | 157 | with Pt, hydrogenation of glucose to sorbitol | 13 |
| oxidation, CO, HC, NO | 157 | Ru/SrTiO ₃ , H ₂ O photocleavage | 2 |
| MeOH, <i>a</i> | 136 | Ru/TiO ₂ , H ₂ O photooxidation | 2 |
| NOx-traps | 15, 157 | oxidation of organic pollutants, in H ₂ O | 13 |
| with Ru/C, hydrogenation of glucose to sorbitol | 13 | Ru/WO ₃ , H ₂ O photooxidation | 2 |
| Pt, Bi/C, N ₂ O decomposition, <i>a</i> | 39 | ¹⁰¹ RuO ₂ ^{IV} /BaTi ₄ O ₉ , H ₂ O photocleavage | 2 |
| Pt, Bi/C, 1-octanol to octanoic acid, <i>a</i> | 185 | ¹⁰¹ RuO ₂ ^{IV} /In _{1-x} Ni _x TaO ₄ , H ₂ O photocleavage | 2 |
| 2-octanol to 2-octanone, <i>a</i> | 185 | RuO ₂ /WO ₃ , H ₂ O photooxidation | 2 |
| Pt-Rh/SiO ₂ , heat treatment; under N ₂ | 110 | RuO ₂ \cdot xH ₂ O/WO ₃ , H ₂ O photooxidation | 2 |
| Pt-Ru-Sn/active C, hydrogenations, <i>a</i> | 90 | Catalysts, Ruthenium Complexes, Grubbs catalysts, <i>a</i> | 186 |
| Pt-Sn-K/, Pt-Sn-K-Fe/Al ₂ O ₃ , dehydrogenations, <i>a</i> | 39 | Ru benzylidenes, ROMP, <i>a</i> | 186 |
| Pt-WO ₃ , MeOH oxidation, <i>a</i> | 136 | Ru bipy, Ru phen, WGS, <i>a</i> | 40 |
| Pt/Al ₂ O ₃ , butane dehydrogenation | 13 | RuO ₄ , oxidations, in dimethyl carbonate-H ₂ O, <i>a</i> | 135 |
| CCl ₄ hydrodechlorination, <i>a</i> | 90 | CCRTTM , for diesel emission control | 15, 157 |
| CH ₄ combustion, S poisoning | 13 | Cerium , addition to, Pt-Pd-Rh, mechanical properties | 111 |
| sintering mechanisms | 110 | Chagas' Disease , Ru complexes | 87 |
| Pt/Al ₂ O ₃ -coated monolith, oxidation of CO/H ₂ , <i>a</i> | 90 | Chemical Vapour Deposition , macroporous films, <i>a</i> | 185 |
| Pt/B/TiO ₂ , H ₂ O photocleavage | 2 | Chemiluminescence , see Luminescence | |
| Pt/Ba + Rh, NOx storage/reduction | 13 | Chlorate , electrolysis, <i>a</i> | 133 |
| Pt/C, N ₂ O decomposition, <i>a</i> | 39 | Choline , sensor, <i>a</i> | 185 |

| | Page | | Page |
|--|-----------------|--|-------------------------|
| Chromatography , Pd, Rh, Ru | 123 | Electrodes , (<i>cont.</i>) | |
| CHTTM , for gasoline emission control | 15, 157 | in fuel cells, see Fuel Cells | |
| Clusters , Pd(+1) carbonyls, as catalysts | 20 | [Os(bpy) ₂ (bpy-(CH ₂) ₁₅ SH)] ²⁺ /Au, with ascorbic acid, <i>a</i> | 88 |
| Pd, nucleation and growth, on biopolymers | 98 | with dopamine, <i>a</i> | 88 |
| [PdBi ₁₀] ⁴⁺ , <i>a</i> | 184 | Pd/C, anode, in electroreduction of N ₂ , <i>a</i> | 184 |
| Pt, nucleation and growth, on biopolymers | 98 | Pt nanoparticles, embedded, in C film, <i>a</i> | 185 |
| in solution | 98 | Ru-based DSA [®] , chlorate electrolysis, <i>a</i> | 133 |
| [Ru ₅ C(CO) ₁₅], gas sensor activity, <i>a</i> | 89 | Ru/C, cathode, in electroreduction of N ₂ , <i>a</i> | 184 |
| Coatings , Ag/Pt, on polymers, antibacterial activity | 131 | RuO ₂ , W-RuO ₂ , in microsupercapacitors, <i>a</i> | 187 |
| Ir-Re, by plasma-based ion implantation, <i>a</i> | 38 | Ti/IrO ₂ -TaO ₅ , microstructure, <i>a</i> | 88 |
| Pd-Ni, for microcantilevers, in H ₂ sensor, <i>a</i> | 89 | Electroless Plating , Pd, on α -Al ₂ O ₃ , <i>a</i> | 134 |
| Pt, for cantilevers, in scanning microscopy probes, <i>a</i> | 38 | on TiN barrier films, for electroless Cu, <i>a</i> | 133 |
| see also Deposition and Electrodeposition | | Electrolysis , chlorate, <i>a</i> | 133 |
| Combinatorial Chemistry , fuel cell catalysts | 107 | Emission Control , motor vehicles | 13, 15, 96, 140, 157 |
| Suzuki couplings, <i>a</i> | 135 | Etching , Pt ultrathin films, <i>a</i> | 89 |
| use of K alkenyltrifluoroborates, <i>a</i> | 90 | Ethers , oxidation, <i>a</i> | 135 |
| Combustion , CH ₄ | 13, 90 | | |
| Conferences , 4th Noble and Rare Metals: NRM-2003, Donetsk, Ukraine, 2003 | 36 | Films , Pd, on Au single crystals, <i>a</i> | 184 |
| 8th Grove Fuel Cell Symposium, London, 2003 | 31 | nanostructured | 72 |
| Catalyst Life Cycle, University of Bath, U.K., 2002 | 13 | Pt, Pt-Pd, macroporous, by CVD, <i>a</i> | 85 |
| Fuel Cells – Science and Technology 2002, Amsterdam, 2002 | 28 | Ru β -diketonato polypyridyls on TiO ₂ , <i>a</i> | 38 |
| Hannover Messe, Hydrogen + Fuel Cells, 2003 | 108 | see also Thin Films | |
| IFSEHT-2003, Sarov, Russia, 2003 | 166 | 'Final Analysis' | 44, 96, 140 |
| SAE, Detroit, U.S.A. | 15, 157 | Foils , Fe/Pt, <i>a</i> | 132 |
| Coupling Reactions | 39, 40, 73, 186 | Fracture , brittle, in Ir, Ir alloys | 36 |
| see also Heck Reactions and Suzuki Couplings | | in Pt-Pd-Rh alloys, Ce addition, Ru addition | 111 |
| Creep , -rupture curves, Pt-Pd-Rh, + Ce, + Ru | 111 | Fuel Cells , <i>a</i> | 40, 91–92, 135–136, 187 |
| CRTTM , for diesel emission control | 15, 96, 157 | bio-, anodes, <i>a</i> | 92 |
| Cyclisation , to pyrazolidines, <i>a</i> | 186 | catalysts, Pt nanoparticles/C, + Ru deposition, <i>a</i> | 136 |
| Cyclometallates , Pd phenylbipyridines, luminescence, <i>a</i> | 38 | Pt/C, PtRu/C, MeOH electrochemical oxidation, <i>a</i> | 136 |
| L-Cysteine , determination of, <i>a</i> | 89 | conferences | 28, 31, 108 |
| L-Cystine , determination of, <i>a</i> | 89 | direct 2-propanol fuel cell | 28 |
| | | DMFC, anodes, Pt-Ru ¹ , Pt-Ru-P/C, nanocomposites, <i>a</i> | 187 |
| | | cathode, Ru-Se | 28 |
| | | electrocatalysts, high throughput screening, <i>a</i> | 91 |
| | | Pt/polypyrrole, <i>a</i> | 187 |
| Debenzylation , in synthesis of quinolinones, <i>a</i> | 186 | Pt nanoparticles/polypyrrole nanotubules, <i>a</i> | 187 |
| Decomposition , N ₂ O, <i>a</i> | 39 | Pt/Ni, <i>a</i> | 187 |
| Dehalogenation , trihalomethanes, <i>a</i> | 186 | Pt-Ru/mesocarbon microbead support, <i>a</i> | 92 |
| Dehydration , alcohols | 20 | electrodes, <i>a</i> | 40 |
| Dehydrogenation , alkanes | 13, 39 | MEAs, <i>a</i> | 91 |
| Dendrimers , as catalysts | 14, 40 | electrodes, Pt, Pt-WO ₃ , MeOH oxidation, <i>a</i> | 136 |
| Dental , alloys, <i>a</i> | 187 | fuel, H ₂ | 28, 108, 119, 166 |
| Deoxymannojirimycin , synthesis, <i>a</i> | 90 | low temperature, electrocatalysts, Pt/C, <i>a</i> | 187 |
| Deposition , Pd, on dielectric surfaces, <i>a</i> | 185 | MCFC, with gas turbines | 28 |
| see also Coatings and Electrodeposition | | membrane electrode assemblies | 28, 91 |
| Deuterium , interaction with Pd, Pd alloys | 166 | nanoparticles | 28, 40, 136, 187 |
| labelling, anilines, benzylamines, N heterocycles, <i>a</i> | 186 | PEMFC, CO poisoning | 107 |
| Diacyls , from thermolysis of Pd ₄ (CO) ₄ (OCOR) ₄ | 20 | CO tolerance, <i>a</i> | 91 |
| Diesel , particulate filters, for emissions control | 15, 96, 157 | electrocatalysts, Pt, Pt alloys | 28, 135 |
| PM, control, by CCRT TM | 15, 157 | Pt nanoparticles/polypyrrole nanotubules, <i>a</i> | 187 |
| by CRT TM | 15, 96, 157 | Pt/carbon-CH ₂ CH ₂ PO ₃ H ₂ , <i>a</i> | 135 |
| by EGR-CRT TM | 157 | PtPd ₄ /C, <i>a</i> | 91 |
| by SCRT TM | 157 | PtRu, PtRuMo, reactivity imaging | 107 |
| S content | 96 | Pt-Ru/C, <i>a</i> | 92 |
| Dihydroxylation , asymmetric, olefins | 174 | electrodes, Pt | 107, 108 |
| Dispersion Hardening , of alloys, for glass production | 36 | MEAs | 28 |
| Displacive Transformations , Pt alloys | 142 | as power sources, for camcorder | 108 |
| DNA , Pt clusters, growth | 98 | for fork-lift truck | 108 |
| | | for public transport | 108 |
| | | for video camera | 108 |
| | | SOFC, with gas turbines | 28 |
| EGR-CRTTM , for diesel emission control | 157 | | |
| Electrical Contacts , ohmic, Pd/Ru/ <i>p</i> -GaN, <i>a</i> | 92 | Gasification , biomass, <i>a</i> | 39 |
| Pt, on <i>p</i> -GaN, <i>a</i> | 136 | Gasoline , S content | 96 |
| Electrochemistry , <i>a</i> | 88, 133, 184 | Gauzes , NH ₃ oxidation | 36, 111 |
| oximes, on Pt(100) surfaces, on Pt(111) surfaces, <i>a</i> | 88 | Geology , book | 59 |
| [SiW ₁₁ O ₃₉ Ru ^{III} (H ₂ O)] ⁵⁻ , <i>a</i> | 88 | Glass , production, using dispersion hardened alloys | 36 |
| [SiW ₁₁ O ₃₉ Ru ^{IV} ORu ^{III} SiW ₁₁ O ₃₉] ¹¹⁻ , <i>a</i> | 88 | Glucose , hydrogenation | 13 |
| Electrodeposition , Pd, codeposition of H, <i>a</i> | 89 | sensors, <i>a</i> | 38, 185 |
| films, nanostructured, on Si | 72 | Gorsky Effect , on H diffusion coefficients, in Pd ₇₇ Ag ₂₃ | 32 |
| on Ni, <i>a</i> | 89 | | |
| Rh, on Ti substrates, <i>a</i> | 38 | Heck Reactions , <i>a</i> | 39, 91 |
| see also Coatings and Deposition | | Heterocycles , synthesis, <i>a</i> | 40 |
| Electrodeposition and Surface Coatings , <i>a</i> 38, 89, 133, 185 | | High Throughput Screening , fuel cell catalysts | 91, 107 |
| Electrodes , C paste, Ir, + Cu, Pd, Ru, | 38 | | |
| in glucose sensor, <i>a</i> | 38 | | |
| FePO ₄ , + RuO ₂ , for Li cells, <i>a</i> | 184 | | |

| | <i>Page</i> | | <i>Page</i> |
|--|-------------------|--|-----------------------|
| History , Enrico Fermi | 167 | Langmuir-Bodgett Films , conducting polymer/Ru ³⁺ , <i>a</i> | 134 |
| Ir isotopes, discoverers | 167 | Lasers , welding, of dental alloys, <i>a</i> | 187 |
| Pd discovery, uses | 175 | LEDs , Os bpy, Ru bpy, Ru phen, <i>a</i> | 38 |
| Rh discovery, uses | 175 | Luminescence , chemi-, Ru(bipy) ₂ ²⁺ , <i>a</i> | 89 |
| Smithson Tennant | 175 | cyclometallated Pd(II) complexes, <i>a</i> | 38 |
| William Hyde Wollaston, Wollaston Medal | 175 | [Ir(pik)(phen)Cl ₂] ⁺ , <i>a</i> | 185 |
| Hydroboration , styrene, with catechol borane, <i>a</i> | 135 | Pt(II) terpyridyl-capped C-rich molecular rods, <i>a</i> | 185 |
| Hydrocarbons , emission control | 15, 96, 157 | [Rh(CO) ₄] ⁺ , [Rh(CO) ₄](1-Et-CB ₁₁ F ₁₁), <i>a</i> | 89 |
| hydrogenation, <i>a</i> | 134 | Ru(II) poly(pyridine)s, <i>a</i> | 133 |
| oxidation | 20 | Magnetism , Co/Pt nanomultilayers, properties, <i>a</i> | 37 |
| reforming | 28, 108 | effects, on benzene photodegradation | 183 |
| Hydrodechlorination , CCl ₄ , <i>a</i> | 90 | D-Mannolactam , synthesis, <i>a</i> | 90 |
| Hydroformylation , alkenes | 14, 91, 135 | Mass Spectrometry , Ru complexes, + PS, + PP, <i>a</i> | 88 |
| Hydrogen , atomic, adsorption energy, <i>a</i> | 184 | MEAs , array, high throughput screening, <i>a</i> | 91 |
| by photocleavage, photoreduction, of H ₂ O | 2 | in fuel cells | 28 |
| CO/H ₂ mixtures, oxidation, <i>a</i> | 90 | Mechanical Properties , CoPt, FePd, NiPt, Pd ₃ Fe, Pt ₃ Co | 46 |
| codeposited, in Pd electrodeposition, <i>a</i> | 89 | Pt-Pd-Rh, + Ce, + Ru | 111 |
| diffusion coefficients, in Pd ₇₇ Ag ₂₃ membranes | 32 | Medical Uses | 87, 92, 109, 136, 187 |
| economy | 166 | Membranes , Pd, H ₂ permeation | 32 |
| electrooxidation, <i>a</i> | 187 | Pd alloys, H ₂ permeation | 32, 166 |
| extraction | 166 | Pd-Cu, Pd-Y, Pd-In-Ru, H extraction | 166 |
| fuel, for fuel cells | 28, 108, 119, 166 | Pd/Ag, reactor, microstructured filament catalyst, <i>a</i> | 39 |
| interaction, with Pd, Pd alloys, Pt, Pt alloys, Rh | 166 | Pd/Ag on α-Al ₂ O ₃ , for H separation, <i>a</i> | 134 |
| with Pd, hydride phases, video studies | 119 | Pd ₇₇ Ag ₂₃ , hydrogen diffusion coefficients | 32 |
| purification | 32 | Pd/Si, Pt/Si, for H separation | 166 |
| safety | 166 | Memory , capacitors, <i>a</i> | 187 |
| sensors | 89, 166 | Metallabenzenes , platinabenzene, synthesis, <i>a</i> | 37 |
| separation, from gases | 134, 166 | Methane , combustion | 13, 90 |
| transport | 166 | in NO _x reduction | 20 |
| Hydrogen Peroxide , electrooxidation, <i>a</i> | 185 | sensor | 72 |
| sensor, <i>a</i> | 185 | Microscopy , electron, in heterogeneous catalysis | 110 |
| Hydrogen Sulfide , sensor, <i>a</i> | 89 | Microwaves , to prepare, aryl isonipecotic acids, <i>a</i> | 186 |
| Hydrogenation , alkenes, <i>a</i> | 90, 134, 135 | Pt nanoparticles/C, <i>a</i> | 40 |
| asymmetric, imines, olefins, <i>a</i> | 186 | in solventless Suzuki couplings, <i>a</i> | 134 |
| carboxylic acids, <i>a</i> | 90 | MOCVD , Ir thin films, <i>a</i> | 133 |
| ethyne, <i>a</i> | 134 | NADH , electrochemical oxidation, <i>a</i> | 92 |
| glucose | 13 | Nanocomposites , Pt-Ru/, Pt-Ru-P/C, electrocatalysts, <i>a</i> | 187 |
| hydrocarbons, <i>a</i> | 134 | Nanomultilayers , Co/Pt, magnetic anisotropy, <i>a</i> | 37 |
| olefins, <i>a</i> | 40, 134, 186 | Nanoparticles , Pd, phen protected, <i>a</i> | 186 |
| Imines , hydrogenation, asymmetric, <i>a</i> | 186 | Pt, embedded, in C film electrode, <i>a</i> | 185 |
| Ion Exchange , Pd ions, Rh ions, Ru ions | 74, 123 | Pt, fuel cell electrocatalysts | 28, 40, 136, 187 |
| Ionic Liquids , solvents, <i>a</i> | 186 | Nanostructures , LB film, conducting polymer + Ru ³⁺ , <i>a</i> | 134 |
| Iridium , brittle fracture | 36 | Pd films | 72 |
| for C paste electrodes, <i>a</i> | 38 | Pd ₃₀ -, Pd ₅₄ -core, nanosized, synthesis, <i>a</i> | 132 |
| Ir(110), N ₂ O dissociation, <i>a</i> | 37 | Nitric Acid , manufacture | 111 |
| isotopes, history of the discoveries | 167 | Nitrogen , adsorption, Rh(II) benzoate pyrazine, <i>a</i> | 88 |
| thin films, by MOCVD, <i>a</i> | 133 | desorption, from Ir(110), Pd(110), Rh(110), <i>a</i> | 37 |
| Iridium Alloys , brittle fracture | 36 | electroreduction, <i>a</i> | 184 |
| Ir-Re coatings, by plasma-based ion implantation, <i>a</i> | 38 | Nitrogen Oxides , NO, reaction with NH ₃ , <i>a</i> | 39 |
| Iridium Complexes , cyclometallation-induced formation | 73 | scavengers, Ru(III) polyaminocarboxylates, <i>a</i> | 136 |
| of M-C bonds to sp ² C of aryl and vinyl groups | 73 | NO_x , catalytic control systems | 15, 157 |
| Ir carbenes | 73, 184 | in PM combustion | 15, 157 |
| Ir(COD)(MeCp), for MOCVD, <i>a</i> | 133 | reduction, by CH ₄ | 20 |
| [Ir(pik)(phen)Cl ₂] ⁺ , luminescence, <i>a</i> | 185 | selective catalytic reduction of diesel emissions | 157 |
| K[Ir(pik)Cl ₄], spectral properties, <i>a</i> | 185 | storage/reduction | 13 |
| phosphorescence | 60, 89 | -traps | 15, 96, 157 |
| Iridium Compounds , electrodes, <i>a</i> | 88 | N ₂ O, decomposition, <i>a</i> | 39 |
| Isocyanides , for alkyne-alkyne couplings, <i>a</i> | 40 | dissociation, on Ir(110), Pd(110), Rh(110), <i>a</i> | 37 |
| Isomerism , coordination, M(II) salicylhydroxamates, <i>a</i> | 184 | Nitrosoarenes , reaction with Pd ₄ (CO) ₄ (OCOR) ₄ | 20 |
| Isotopes , detector, double-sided silicon strip | 167 | Nuclear Waste , HLLWs, recovery, of Pd, Rh, Ru | 74, 123 |
| Ir, discoveries | 167 | Ohmic Contacts , see Electrical Contacts | |
| Jewellery , Pt, Pt alloys | 36 | Oils , engine, additives | 140 |
| Johnson Matthey , AquaCat® | 163 | OLEDs , red, Os(II)(N-N) ₂ L-L in PVK/PBD, <i>a</i> | 38 |
| Catalysts division, ECT, PCT | 121 | Olefins , asymmetric dihydroxylation | 174 |
| emission control, motor vehicles | 15, 96, 157 | coupling reactions, <i>a</i> | 39, 135 |
| FP05 prototype reformer | 28 | hydrogenation, <i>a</i> | 40, 134, 186 |
| ‘Platinum 2003’ | 122 | asymmetric, <i>a</i> | 186 |
| ‘Platinum Today’ website | 121 | oxidation | 20 |
| Johnson, Percival Norton | 175 | Osmium , recovery and separation | 36 |
| Ketones , synthesis, <i>a</i> | 91, 185 | Osmium Complexes , electrodes, <i>a</i> | 88 |
| Labelling , D ₂ , anilines, benzylamines, N heterocycles, <i>a</i> | 186 | Os bpy, in LEDs, <i>a</i> | 38 |
| | | Os(II)(N-N) ₂ L-L, phosphorescence, <i>a</i> | 38 |

| | <i>Page</i> | | <i>Page</i> |
|---|------------------|--|--------------------------------|
| Osmium Compounds , Ba ₃ LiOs ₂ O ₉ , Ba ₃ NaOs ₂ O ₉ , <i>a</i> | 132 | Palladium Compounds , Bi ₄ PdBr ₁₆ , [PdBi ₁₀] ⁴⁺ , <i>a</i> | 184 |
| Oxidation , alcohols | 27, 134, 135 | PdO/SnO ₂ , CO sensitivity, <i>a</i> | 185 |
| aldehydes, <i>a</i> | 135 | Patents | 41–43, 93–95, 137–139, 188–190 |
| alkanes | 20 | searching of | 156 |
| alkenes | 20, 135 | Phase Diagrams , Au-Cu-Pd | 36 |
| alkynes, <i>a</i> | 135 | Pt-Al-Ni, -Al-Ru, -Ti-Ni, -Ti-Ru | 142 |
| arenes, <i>a</i> | 135 | Phosphorescence , btp ₂ Ir(acac) | 60 |
| CO | 20 | electro-, Ir <i>p</i> -substituted 2-phenylpyridines, <i>a</i> | 89 |
| CO/H ₂ mixtures, <i>a</i> | 90 | Ir(ppy) ₃ | 60 |
| electro-, EtOH, <i>a</i> | 40 | Os(II)(N–N) ₂ L–L, <i>a</i> | 38 |
| H ₂ , <i>a</i> | 187 | Pt(II) diimine bis(pyrenylacetylde), <i>a</i> | 133 |
| H ₂ O ₂ , <i>a</i> | 185 | Photocatalysis , benzene degradation | 183 |
| MeOH, <i>a</i> | 40, 92, 136, 187 | by semiconductors | 2, 61 |
| electrochemical, NADH, <i>a</i> | 92 | Photocleavage , semiconductor-sensitised, H ₂ O | 2 |
| ethers, <i>a</i> | 135 | Photoconversion , <i>a</i> | 38, 89, 133, 185 |
| hydrocarbons | 20 | Os bpy, <i>a</i> | 38 |
| NH ₃ | 36, 111 | [Rh(NH ₃) ₅ L] ⁴⁺ , <i>a</i> | 92 |
| olefins | 20 | Ru bpy, Ru phen, <i>a</i> | 38 |
| organic pollutants, in H ₂ O | 13 | [Ru(bpy) ₂ dppz] ²⁺ , light-switch effect | 19 |
| selective, alcohols | 20, 185 | Ru β-diketonato polypyridyls on TiO ₂ , <i>a</i> | 38 |
| L-sorbose, <i>a</i> | 185 | Photoluminescence , see Luminescence | |
| unsaturated compounds | 20 | Photolysis , laser, Rh(III) porphyrins, <i>a</i> | 133 |
| using supercritical H ₂ O, of spent catalysts | 163 | Photomineralisation , organic pollutants, <i>a</i> | 61 |
| Oxygen , by photocleavage, photooxidation, of H ₂ O | 2 | Photooxidation , semiconductor-sensitised, of H ₂ O | 2 |
| sensors, <i>a</i> | 133 | Photoproperties , chloro-pgm-, chloro-Pt(IV)-titania | 61 |
| | | [Ir(pik)(phen)Cl] ₂ ⁺ , K[Ir(pik)Cl ₄], <i>a</i> | 185 |
| | | pgm/TiO ₂ , pgm oxide/TiO ₂ | 2, 61 |
| | | <i>trans</i> -[Ru ^{II} (NH ₃) ₄ (SO ₂)X]Y, isomerisation of SO ₂ , <i>a</i> | 89 |
| Palladium , addition to, Mg-Ni, for H storage | 28 | Photochemical reactions , semiconductor-sensitised | 2 |
| deposition, on dielectric surfaces, <i>a</i> | 185 | Photoreduction , semiconductor-sensitised, of H ₂ O | 2 |
| discovery, history | 175 | Photosensitisation , semiconductors | 2 |
| electrodeposition | 72, 89 | Photovoltaic Cell , Pt/C ₆₀ /In/Al, <i>a</i> | 92 |
| electrodes, <i>a</i> | 38, 184 | Plasma , ion implantation, of Ir-Re coatings, <i>a</i> | 38 |
| in fuel cells, see Fuel Cells | | Plasma Technology , 'PM-plasmoceramic' system | 36 |
| electroless plating, <i>a</i> | 133, 134 | "Platinum 2003" | 122 |
| films, for CH ₄ detection | 72 | Platinum , Ag/Pt coated polymers, antibacterial activity | 131 |
| hydride phases, video studies | 119 | in CeO ₂ O ₂ sensors, <i>a</i> | 133 |
| interaction with D ₂ , interaction with H ₂ | 166 | coatings, for scanning microscopy probes, <i>a</i> | 38 |
| membranes | 32 | electrical contacts, Pt, on <i>p</i> -GaN, <i>a</i> | 136 |
| overlayers, on Au single crystals, <i>a</i> | 184 | electrodes, in fuel cells, see Fuel Cells | |
| palladised, Co oxide, Mn oxide, interaction with H ₂ | 166 | films, macroporous, by CVD, <i>a</i> | 185 |
| Pd/Ru/ <i>p</i> -GaN ohmic contacts, <i>a</i> | 92 | interaction with H ₂ | 166 |
| Pd(110), N ₂ O dissociation, <i>a</i> | 37 | isotopes | 174 |
| Pd(111), MeOH adsorption, MeOH desorption, <i>a</i> | 132 | jewellery | 36 |
| recovery, from nuclear waste | 74, 123 | membranes | 166 |
| from spent catalysts | 163 | nanoparticles | 28, 40, 136, 185, 187 |
| Palladium Alloys , Au-Cu-Pd, phase diagrams | 36 | photovoltaic cell, <i>a</i> | 92 |
| Bi ₂ Pd, intermetallic phase, <i>a</i> | 184 | Pt(100), Pt(111), reactivity of oximes, <i>a</i> | 88 |
| capacitors | 36 | recovery, from spent catalysts | 163 |
| dental, Pd-Ag-Cu-Au, <i>a</i> | 187 | ultrathin films, <i>a</i> | 89 |
| interaction with D ₂ , interaction with H ₂ | 166 | Platinum Alloys , Co/Pt nanomultilayers, magnetism, <i>a</i> | 37 |
| mechanical properties, FePd, Pd ₃ Fe | 46 | Fe/Pt foils, <i>a</i> | 132 |
| Pt-Pd-Rh, + Ce, + Ru | 111 | interaction with H ₂ | 166 |
| membranes | 32, 39, 134, 166 | jewellery | 36 |
| Pd-Ni, coatings, for microcantilevers, in H ₂ sensor, <i>a</i> | 89 | mechanical properties, CoPt, NiPt, Pt ₃ Co | 46 |
| Pd/V, MeOH adsorption, MeOH desorption, <i>a</i> | 132 | Pt-Pd-Rh, + Ce, + Ru | 111 |
| Pt-Pd films, macroporous, by CVD, <i>a</i> | 185 | nanoparticles | 28 |
| shape memory effect, Fe-Pd | 37, 58 | Pt-Al, -Al-Ni, -Al-Ru, -Cr, -Cu, -Fe, -Ga, -Mn, -Ti, -Ti-Ni, -Ti-Ru, -V | 142 |
| Fe-Pd-Pt, <i>a</i> | 37 | Pt-Pd films, macroporous, by CVD, <i>a</i> | 185 |
| TiPdNi, <i>a</i> | 184 | shape memory effect, Fe-Pd-Pt, <i>a</i> | 37 |
| Palladium Complexes , BINAP(O) Pd, synthesis, <i>a</i> | 132 | Pt ₃ Al, PtFe ₃ , PtTi, (Pt, Ni)Ti | 142 |
| clusters, nucleation and growth, on biopolymers | 98 | Platinum Complexes , cationic porphyrin-Pt, cancer, <i>a</i> | 136 |
| [(COD)PdMe(L)] ²⁺ , synthesis, <i>a</i> | 88 | clusters, nucleation, growth, on biopolymers, | |
| [(COD)PdMe(OH)], hydrolysis reactions, <i>a</i> | 88 | in solution | 98 |
| Me-Pd ^{II} <i>N</i> -heterocyclic, germlylenes, silylenes, <i>a</i> | 88 | dimers, trimers, formation | 98 |
| Na ₂ {Pd ₄ [CpMo(CO) ₃] ₄ }, synthesis | 20 | platinabenzene, synthesis, from [Pt(cod)Cl ₂], <i>a</i> | 37 |
| {[μ-OH]{(COD)PdMe ₂ }] ₂ } ²⁺ , hydrolysis reactions, <i>a</i> | 88 | polymeric, anticancer drugs, anticancer prodrugs | 109 |
| Pd carbenes, <i>a</i> | 39, 88, 184 | Pt amine hydroxamates, biological activity, <i>a</i> | 136 |
| [Pd ₄ (CO) ₂ L ₄]X ₄ , L = bipy, phen, synthesis | 20 | <i>trans</i> -Pt ^{II} -modified PNA oligomers, antisense drugs, <i>a</i> | 92 |
| Pd ₄ (CO) ₄ (OAc) ₄ , Pd ₄ (CO) ₄ (OCOR) ₄ , synthesis | 20 | Pt(II) diimine pyrenylacetylde, phosphorescence, <i>a</i> | 133 |
| [Pd ₃₀ (CO) ₂₆ (PEt ₃) ₁₀], [Pd ₅₄ (CO) ₄₀ (PEt ₃) ₁₄], nano core, <i>a</i> | 132 | Pt(II) salicylhydroxamates, coordination isomerism, <i>a</i> | 184 |
| [Pd(C ₆ H ₇)(hfac)], [Pd(hfac) ₂], in CVD, <i>a</i> | 185 | Pt(II) terpyridyl-capped C-rich molecular rods, <i>a</i> | 185 |
| Pd ^{II} (hfac) ₂ , + reduced S-terminated silanes, <i>a</i> | 185 | [Pt(L) ₂ Cl ₂], HL = thiohydrazone derivatives, <i>a</i> | 92 |
| [Pd(HL)Cl ₂], HL = thiohydrazone derivatives, <i>a</i> | 92 | [PtMe ₂ (COD)], precursor for CVD, <i>a</i> | 185 |
| Pd(II), with reducing sugars, <i>a</i> | 184 | | |
| Pd(II) salicylhydroxamates, coordination isomerism, <i>a</i> | 184 | | |
| [Pd(Ln)Cl], Ln = bipy derivatives, luminescence, <i>a</i> | 38 | | |

| | Page | | Page |
|---|--------------|---|------------------|
| Platinum Compounds , K ₂ PtCl ₄ , reduction | 98 | Ruthenium Alloys , (<i>cont.</i>) | |
| Pt ₆ Cl ₁₂ , structure and bonding, <i>a</i> | 132 | RuTa, shape memory effect, <i>a</i> | 132 |
| PtO/SnO ₂ , CO sensitivity, <i>a</i> | 185 | Ruthenium Complexes , luminescence, <i>a</i> | 89, 133 |
| Platinum Group Elements , geology book | 59 | photoconversion | 19, 38 |
| PLEDs , Ir phenylpyridines | 60, 89 | photoproperties, <i>a</i> | 89 |
| Pollution Control , in AquaCat [®] process | 163 | + PP, + PS, in mass spectrometry, <i>a</i> | 88 |
| dehalogenation of trihalomethanes, <i>a</i> | 186 | Ru carbene, chiral, <i>a</i> | 37 |
| off-gas, from metallurgical, petrochemical plants | 20 | Ru carbonyls, by carbonylation of RuCl ₃ ·3H ₂ O, <i>a</i> | 37 |
| organics, oxidative degradation, <i>a</i> | 135 | [RuCl ₂ (<i>p</i> -cymene)] ₂ , reaction with diphosphine, <i>a</i> | 37 |
| semiconductor photocatalysis, of air, H ₂ O | 13, 61 | [Ru ^{II} Cl ₂ (DMSO) ₂ semicarbazone], Chagas' disease | 87 |
| see also Emission Control | | <i>mer</i> -[RuCl ₃ (dppb)(py)], in LB films, <i>a</i> | 134 |
| Polymerisation , living, of phenylacetylenes, <i>a</i> | 135 | RuCp ₂ , for atomic layer deposition, <i>a</i> | 133 |
| ROMP, <i>a</i> | 186 | Ru(II)-arenes, antimicrobial properties, <i>a</i> | 136 |
| vinyl addition, of norbornene-type monomers, <i>a</i> | 40 | Ru(III) polyaminocarboxylates, NO scavengers, <i>a</i> | 136 |
| Polymers , with Ag/Pt coatings, antibacterial activity | 131 | Ruthenium Compounds , electrodes, <i>a</i> | 184, 187 |
| bio-, nucleation sites, for Pd clusters, Pt clusters | 98 | [Ru ₂ C(CO) ₁₅], gas sensor activity, <i>a</i> | 89 |
| -bound ethylenediamines, Pd removal, <i>a</i> | 135 | RuCl ₃ ·3H ₂ O, carbonylation, <i>a</i> | 37 |
| conducting, + <i>mer</i> -[RuCl ₃ (dppb)(py)], LB films, <i>a</i> | 134 | [SiW ₁₁ O ₃₉ Ru ^{III} (H ₂ O)] ⁵⁻ , [SiW ₁₁ O ₃₉ Ru ^{IV} ORu ^{III} SiW ₁₁ O ₃₉] ¹¹⁻ , <i>a</i> | 88 |
| conjugated star polymers, star block copolymers, <i>a</i> | 135 | Schottky Barriers , Pt/C ₆₀ interface, <i>a</i> | 92 |
| from norbornenedicarboxylic acid ester, by ROMP, <i>a</i> | 186 | SCRT TM , for diesel emission control | 157 |
| polypropylene, + (RuC ₅ Me ₅) ₃ H ₅ , MS, <i>a</i> | 88 | Selective Catalytic Reduction , NOx | 157 |
| polypyrrole nanotubes, Pt support, electrocatalysts, <i>a</i> | 87 | Semiconductors , photosensitisation | 2, 61 |
| polystyrene, + [Ru(C ₅ H ₅)(NCCH ₃) ₂][PF ₆], MS, <i>a</i> | 188 | Sensitisers , visible light, chloro-pgm-titania | 2, 61 |
| Pt-containing, as anticancer drugs, prodrugs | 109 | Sensors , acetylcholine, choline, <i>a</i> | 185 |
| Precipitation , Pd, Rh, Ru | 74, 123 | CH ₄ | 72 |
| Probes , with Pt coating, scanning probe microscopy, <i>a</i> | 38 | CO, <i>a</i> | 89, 185 |
| Propylene Oxide , synthesis, <i>a</i> | 134 | glucose, <i>a</i> | 38, 185 |
| Pyrochemistry , Pd, Rh, Ru | 74, 123 | H ₂ | 89, 166 |
| Pyrones , alkenylmethyl-, alkynylmethyl-, synthesis, <i>a</i> | 91 | H ₂ O ₂ , <i>a</i> | 185 |
| | | H ₂ S, <i>a</i> | 89 |
| Quinolinones , synthesis, <i>a</i> | 186 | O ₂ , <i>a</i> | 133 |
| Reactors , fixed bed catalyst, Pd-zeolite beta spheres, <i>a</i> | 90 | pellistor | 72 |
| fluidised bed continuous feeding, <i>a</i> | 39 | SO ₂ , <i>a</i> | 89 |
| membrane, microstructured by filamentous catalyst, <i>a</i> | 39 | taste: HCl, NaCl, quinine, sucrose, <i>a</i> | 134 |
| Recovery , Os | 36 | Shape Memory Effect , Fe-Pd | 37, 58 |
| Pd, Pt, Rh, from spent catalysts | 163 | Fe-Pd-Pt, <i>a</i> | 37 |
| Pd, Rh, Ru, from nuclear waste | 74, 123 | Pt ₃ Al, PtFe ₃ , PtTi, (Pt, Ni)Ti | 142 |
| Reduction , alkynes | 44 | RuTa, <i>a</i> | 132 |
| aromatic amino acid derivatives, <i>a</i> | 134 | TiPdNi, <i>a</i> | 184 |
| chemical, Pd(II), Rh(III), Ru(IV) | 74 | Single Crystals , Ba ₃ LiOs ₂ O ₉ , Ba ₃ NaOs ₂ O ₉ , <i>a</i> | 132 |
| electrochemical, Pd(II) | 74, 123 | Solvent Extraction , Pd, Rh, Ru | 74, 123 |
| electro-, N ₂ , <i>a</i> | 184 | Sonogashira Couplings , <i>a</i> | 91 |
| NOx | 20 | Sorbitol , from glucose | 13 |
| Refining , Rh | 36 | L-Sorbose , oxidation, <i>a</i> | 185 |
| Reforming , H ₂ generation, for fuel cells | 28, 108 | Sputtering , Ir-Re coatings, <i>a</i> | 38 |
| Rhodium , discovery, history | 175 | Pt ultrathin films, <i>a</i> | 89 |
| electrodeposition, on Ti substrates, <i>a</i> | 38 | Sugars , Pd(II) complexes, <i>a</i> | 184 |
| interaction with H ₂ | 166 | Sulfur , in diesel, gasoline | 96 |
| recovery, from nuclear waste | 74, 123 | Sulfur Oxides , SO ₂ , sensor, <i>a</i> | 89 |
| from spent catalysts | 163 | Superelastic Properties , TiPdNi, <i>a</i> | 184 |
| refining | 36 | Suzuki Couplings , <i>a</i> | 39, 91, 134, 135 |
| Rh(110), N ₂ O dissociation, <i>a</i> | 37 | Suzuki-Miyaura Couplings , <i>a</i> | 90, 135 |
| Rhodium Bicentenary Competition winner, research | 73 | Thermolysis , Pd ₄ (CO) ₄ (OCOR) ₄ | 20 |
| Rhodium Alloys , Pt-Pd-Rh, + Ce, + Ru | 111 | Thin Films , Ir, by MOCVD, <i>a</i> | 133 |
| Rhodium Complexes , luminescence, <i>a</i> | 89 | Ru, by atomic layer deposition, <i>a</i> | 133 |
| Rh carbenes | 73, 184 | ultra-, Pt, on porous GaN, electroless etching, <i>a</i> | 89 |
| Rh(II), Rh(III), with bis(oxazoline) pincer ligands, <i>a</i> | 132 | see also Films | |
| [Rh ₂ (O ₂ CPh) ₄ (pyz)] ₂ , N ₂ adsorption, <i>a</i> | 88 | Three-Way Catalysts | 13, 15, 96, 157 |
| Rh(II) trifluoroacetamidate, with 4,4'-bipy, 1,4-diaza- | | Titanium , substrates, for electrodeposition of Rh, <i>a</i> | 38 |
| bicyclo[2.2.2]octane, pyrazine, as polymers, <i>a</i> | 37 | TiO ₂ , deposition, of pgms, pgm oxides | 2, 61 |
| [Rh(NH ₃) ₅ L] ⁴⁺ , photocytotoxic agent, <i>a</i> | 92 | Trihalomethanes , dehalogenation, <i>a</i> | 186 |
| (X ⁻)(PPh ₃)Rh ^{III} -OEP, -TPP, laser photolysis, <i>a</i> | 133 | Ureas , from amines, <i>a</i> | 91 |
| ROMP , norbornenedicarboxylic acid ester, <i>a</i> | 186 | 5-Vinyloxazolidin-2-ones , carbonylation, <i>a</i> | 90 |
| Ruthenium , addition to, Mg-Ni, for H storage | 28 | VOCs , destruction, by semiconductor photocatalysis | 61 |
| Pt-Pd-Rh, mechanical properties | 111 | Water , oxidation, photocleavage, photoreduction | 2 |
| electrodes, <i>a</i> | 38, 133, 184 | photocatalytic purification | 61 |
| in fuel cells, see Fuel Cells | | as solvent, for catalytic reactions | 60, 174 |
| Pd/Ru/ <i>p</i> -GaN ohmic contacts, <i>a</i> | 92 | supercritical, oxidation, of spent catalysts | 163 |
| recovery, from nuclear waste | 74, 123 | Water Gas Shift Reaction | 28, 40 |
| RuTiN, as diffusion barrier, in memory capacitors, <i>a</i> | 187 | Welding , laser, of dental alloys, <i>a</i> | 187 |
| thin films, by atomic layer deposition, <i>a</i> | 133 | | |
| Ruthenium Alloys , membranes | 166 | | |
| nanoparticles | 28 | | |
| Pt-Al-Ru, Pt-Ti-Ru | 142 | | |