

# SUBJECT INDEX TO VOLUME 9

<i>a</i> = abstract	Page	Catalysts ( <i>contd.</i> )	Page
<b>Anodic Protection</b> , of stainless steel, <i>a</i>	66	<b>Platinum-Boron</b> , aromatisation power, <i>a</i>	146
of stainless steel tank car	99	<b>Platinum-Iron</b> , conversion of methylcyclo-	
<b>Aromatics Production</b> , at I.C.I., Billingham	46	octane, <i>a</i>	145
		<b>Platinum Metal Sulphides</b> , for	
<b>Calorimeters</b> , Pd black coating of, <i>a</i>	104	hydrogenation, <i>a</i>	143
<b>Cast Iron</b> , quality	17	<b>Platinum Metals</b> , deuteration of	
<b>Catalysis</b> , discovery by Döbereiner	136	C <sub>2</sub> H <sub>5</sub> N, azines, <i>a</i>	30
molecular model study of	38	<b>Pt/Al<sub>2</sub>O<sub>3</sub></b> , continuous use in reforming, <i>a</i>	105
<b>Catalysts</b> , selection and use	74	dehydrocyclisation of <i>n</i> -heptane,	
Adams', in fuel cells, <i>a</i>	66	<i>n</i> -octane, <i>a</i>	65
Iridium, complexes, properties, <i>a</i>	106	dehydrogenation of cyclohexane, <i>a</i>	144
Ir/Al <sub>2</sub> O <sub>3</sub> , hydrogenation of olefins, <i>a</i>	29	deuteration of <i>p</i> -xylene, <i>a</i>	144
Ir/C, dehydrocyclisation of diethyl ether, <i>a</i>	30	halogen-promoted, in naphtha	
Osmium, hydrogenation of but-2-yne, <i>a</i>	143	reforming, <i>a</i>	105
Os/Al <sub>2</sub> O <sub>3</sub> , hydrogenation of olefins, <i>a</i>	143	hydrogenation of C <sub>2</sub> H <sub>2</sub> , <i>a</i>	144
Os/C, dehydrocyclisation of diethyl ether, <i>a</i>	30	hydrogenation of cycloalkenes, <i>a</i>	29
<b>Palladium</b> , black, hydrogenation of		hydrogenation of olefins, <i>a</i>	29
<i>n</i> -pentynes, <i>a</i>	65	hydrogenolysis of methylcyclopentane, <i>a</i>	29
complexes, isomerisation of olefins, <i>a</i>	146	isomerisation of <i>n</i> -pentane, <i>a</i>	65
complexes, reduction of inorganic		promoted by B,F, isomerisation of	
compounds, <i>a</i>	145	pentane, hexane, <i>a</i>	29
complexes, synthesis of $\beta$ - $\gamma$ -unsaturated		release of H atoms from	6
esters, <i>a</i>	145	synthesis of HCN, <i>a</i>	144
D <sub>2</sub> -butadiene reaction, <i>a</i>	30	texture of, <i>a</i>	105
for N <sub>2</sub> H <sub>4</sub> reductions, <i>a</i>	106	<b>Pt/Al<sub>2</sub>O<sub>3</sub>-F</b> , hydrocracking, <i>a</i>	105
in fuel cells, <i>a</i>	66	<b>Pt/C</b> , conversion of methylcyclooctane, <i>a</i>	145
poisoning of supports, <i>a</i>	146	dehydrocyclisation of diethyl ether, <i>a</i>	30
powder, cyclohexane dis-		hydrogenation of acetone-iso-	
proportionation, <i>a</i>	30	propylamine mixture, <i>a</i>	29
Raney-type, hydrogenation of		hydrogenation of $\beta$ -furylpropionic	
$\beta$ -furylpropionic acid, <i>a</i>	65	acid, <i>a</i>	65
<b>Palladium-Boron</b> , aromatisation power, <i>a</i>	146	<b>Pt/SiO<sub>2</sub></b> , dehydrocyclisation of aromatic	
<b>PdCl<sub>2</sub></b> , carbonylation of allylic compounds, <i>a</i>	65	hydrocarbons, <i>a</i>	144
complex, carbonylation, <i>a</i>	65	deuteration of <i>p</i> -xylene, <i>a</i>	144
complexes, homogeneous isomerisation		Pt dispersion on, <i>a</i>	105
by, <i>a</i>	105	preparation and chemisorption of H <sub>2</sub> , <i>a</i>	145
olefin complexes with CO, <i>a</i>	65	<b>Pt/SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub></b> , hydrocracking, <i>a</i>	105, 143
oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	30	in naphtha reforming, <i>a</i>	105
<b>PdCl<sub>2</sub>/CuCl<sub>2</sub></b> , oxidation of C <sub>2</sub> H <sub>4</sub> , <i>a</i>	30	<b>Pt/Ag</b> , in fuel cells, <i>a</i>	66
<b>Palladium-Copper</b> , oxidation of H <sub>2</sub> -CO		<b>Pt/zeolite</b> , dispersion of Pt on, <i>a</i>	29
mixtures, <i>a</i>	146	<b>PtO<sub>2</sub></b> , hydrogenation of alkoxyanilines, <i>a</i>	146
<b>Palladium-Gold</b> , foils, effect of $\gamma$ -radiation, <i>a</i>	145	hydrogenation of cycloalkenes, <i>a</i>	105
<b>Pd-Au/SiO<sub>2</sub></b> , dehydrogenation of		<b>Platinum-Rhodium</b> , gauze, NH <sub>3</sub> , oxidation, <i>a</i>	144
cyclohexane, <i>a</i>	65	<b>Pt-Rh-Pb/Al<sub>2</sub>O<sub>3</sub></b> , H <sub>2</sub> -O <sub>2</sub> reaction, <i>a</i>	144
<b>Pd/activated zeolite</b> , for hydrocracking, <i>a</i>	144	<b>Platinum-Ruthenium Oxides</b> , activity, <i>a</i>	64
<b>Pd/Al<sub>2</sub>O<sub>3</sub></b> , dehydrogenation of cyclohexane, <i>a</i>	144	<b>Platinum-Tin Chloride</b> , isomerisation of	
hydrogenation of cyclohexane		pent-1-ene, <i>a</i>	64
derivatives, <i>a</i>	105	<b>Rhodium</b> , black, hydrogenation of	
<b>Pd/Al<sub>2</sub>O<sub>3</sub>-B<sub>2</sub>O<sub>3</sub></b> , isomerisation and		<i>n</i> -pentynes, <i>a</i>	65
hydrogenation of <i>n</i> -paraffins, <i>a</i>	30	complexes, hydrogenation of	
<b>Pd/CaCO<sub>3</sub></b> , for N <sub>2</sub> H <sub>4</sub> reductions, <i>a</i>	106	acetylenes, <i>a</i>	106
<b>Pd/C</b> , conversion of tetrahydrofuran		complexes, hydrogenation of	
homologues, <i>a</i>	105	acetylenes and olefins, <i>a</i>	106
dehydrocyclisation of diethyl ether, <i>a</i>	30	complexes, hydrogenation of olefins, <i>a</i>	106
for N <sub>2</sub> H <sub>4</sub> reductions, <i>a</i>	106	complexes, reduction of inorganic	
hydrogenation of alkoxyanilines, <i>a</i>	146	compounds, <i>a</i>	145
hydrogenation of cyclohexane		films, H <sub>2</sub> -O <sub>2</sub> reaction on, <i>a</i>	106
derivatives, <i>a</i>	105	<b>Rh/Al<sub>2</sub>O<sub>3</sub></b> , dehydrogenation of cyclohexane, <i>a</i>	144
hydrogenation of $\beta$ -furylpropionic acid, <i>a</i>	65	hydrogenation of alkoxyanilines, <i>a</i>	146
<b>Pd/SrCO<sub>3</sub></b> , for N <sub>2</sub> H <sub>4</sub> reductions, <i>a</i>	106	<b>Rh/C</b> , dehydrocyclisation of diethyl ether, <i>a</i>	30
<b>Palladium-Silver</b> , alloys, parahydrogen		hydrogenation of alkoxyanilines, <i>a</i>	146
conversion, <i>a</i>	145	hydrogenation of $\beta$ -furylpropionic acid, <i>a</i>	65
<b>Platinum</b> , black, active surface, <i>a</i>	145	<b>Rh/SiO<sub>2</sub>-MgO</b> , for hydrocracking, <i>a</i>	144
black, decomposition of butanes, <i>a</i>	145	<b>Rhodium-Platinum</b> , gauze, NH <sub>3</sub> oxidation, <i>a</i>	144
black, hydrogenation of <i>n</i> -pentynes, <i>a</i>	65	<b>Ruthenium</b> , hydrogenation of but-2-yne, <i>a</i>	143
complexes, hydrosilation of olefins, <i>a</i>	106	<b>Ru/Al<sub>2</sub>O<sub>3</sub></b> , dehydrogenation of cyclohexane, <i>a</i>	144
complexes, reduction of inorganic		hydrogenation of olefins, <i>a</i>	143
compounds, <i>a</i>	145	oxidation of NH <sub>3</sub> , <i>a</i>	106
D <sub>2</sub> -butadiene reaction, <i>a</i>	30	<b>Ru/Ca</b> , for N <sub>2</sub> H <sub>4</sub> reductions, <i>a</i>	106
for N <sub>2</sub> H <sub>4</sub> reductions, <i>a</i>	106	<b>Ru/C</b> , for N <sub>2</sub> H <sub>4</sub> reductions, <i>a</i>	106
gauze, synthesis of HCN, <i>a</i>	144	<b>Ru-Pt oxide</b> , activity	12, 64
isomerisation of petroleum distillate		Transition Metals, $\pi$ -bonding at, <i>a</i>	64
fractions, <i>a</i>	144	<b>Cathodic Protection</b> , platinised Ti electrodes, <i>a</i>	30
platinised, oxidation of CH <sub>3</sub> OH,		platinised Ti electrodes, for jetties, <i>a</i>	146
HCHO, <i>a</i>	29	<b>Chemical Plating</b> , Platinum Metals, methods and	
reforming, reactions of <i>n</i> -heptane, <i>a</i>	65	applications, <i>a</i>	28

	<i>Page</i>		<i>Page</i>
<b>Coatings, Palladium, black, a</b>	104	<b>Hydrogen Diffusion, in fuel cell, a</b>	66
Palladium-Gold, on glass and ceramics, a	104	in Pd and Ag-Pd, a	140
<b>Corrosion, Pd-Ti, a</b>	107	Pd films, large-scale process	50
<b>Crucibles, Ir, for crystal pulling, a</b>	29	electrolytically through Pd, a	63
Pt-lined, for melting of radioactive glass	89	<b>Hydrogen Purification, electrolytic technique</b>	58
<b>Crystal Growing, Ir strip heater for, a</b>	64	laboratory unit	7
<b>Crystal Pulling, laser single crystals, a</b>	29	<b>Hydrogenation, molecular model study of</b>	38
		<b>Hydrogenation of, acetone-isopropylamine</b>	29
<b>Deuteration of, pyridine, azines, a</b>	30	mixture, a	106, 144
<b>Deuterium, exchange reactions, a</b>	143, 144	acetylenes, a	146
reaction with butadiene, a	30	alkoxyanilines, a	143
<b>Diffusion Cell, for H<sub>2</sub> purification</b>	7	aryl disulphides, a	143
<b>Diffusion Tubes, Pd, for H<sub>2</sub> recovery</b>	50	but-2-yne, a	29, 105
<b>Döbereiner, Johann Wolfgang, discovery of catalysis</b>	136	cycloalkenes, a	105
		cyclohexane derivatives, a	65
<b>Electrical Contacts, low current types, a</b>	107	β-furylpropionic acid, a	146
<b>Electrodeposition of, Metals, on plastics, PdCl<sub>2</sub> activation, a</b>	64	methyl oleate ozonolysis products, a	29, 106, 143
Palladium, pore-free	80	olefins, a	30
soldering of components	90	<i>n</i> -paraffins, a	65
Platinum Metals, electrolytes for, a	28	<i>n</i> -pentyne, a	29
resistors in microcircuits, a	64	<b>Iridium, crucible for crystal pulling, a</b>	29
<b>Electrodes, Palladium, electrolytic H<sub>2</sub> transmission, a</b>	63	heater for crystal growing, a	64
in fuel cells, a	66, 106	oxidation	51
Palladium-Gold, H <sub>2</sub> -absorption, a	26	phase relations with sesquioxides, a	141
Palladium-Silver, H <sub>2</sub> -absorption, a	28	properties at high temperature	18
Platinised Ti, anodes, as ground beds, a	30	with transition and lanthanide elements, a	141
anodes, in cathodic protection, a	146	<b>Iridium Alloys, Iridium-Boron, solidus temperature, a</b>	141
in repeated submarine cables, a	30	<b>Iridium-Manganese, magnetic properties, a</b>	102
Platinum, adsorption of ions and molecules, a	143	<b>Iridium-Niobium, constitution, a</b>	62
anodes, protection of stainless steel, a	66	<b>Iridium-Phosphorus, solidus temperature, a</b>	141
black, in fuel cells, a	106	<b>Iridium-Platinum, electronic specific heat, a</b>	26
in fuel cells, a	66, 106	magnetic susceptibility, a	26
oxidation of C <sub>2</sub> H <sub>2</sub> and C <sub>2</sub> H <sub>4</sub> , a	104	<b>Iridium-Silicon, solidus temperature, a</b>	141
platinised, oxidation of CH <sub>3</sub> OH, a	104	<b>Iridium-Titanium, crystal structure, a</b>	27
platinised, surface area, a	64	<b>Iridium Chloride, structure, a</b>	28, 142
reduction of O <sub>2</sub> , a	104	<b>Iridium Complexes, biguanide derivatives, a</b>	28
Platinum-Chromium, anodic properties, a	143	with phthalocyanine, a	63
Platinum-Gold, H <sub>2</sub> adsorption, a	104	with SnCl <sub>2</sub> , a	63
O <sub>2</sub> layer on, a	142	<b>Iridium Compounds, CaIrO<sub>6</sub>, a</b>	103
surface composition, a	103	<b>Iridium Fluoride, a</b>	142
Platinum Metals, alloys, in electrocatalysis	122	<b>Iridium Oxide, phase relations with sesquioxides, a</b>	141
blacks, in fuel cells, a	146		
Pt/C, anodes, activity, a	104	<b>Magnets, Co-Pt, as rotors</b>	114
in cell for H <sub>2</sub> purification	58	<b>Molecular Models, in study of hydrogenations</b>	38
Pt/Ag, in fuel cells, a	66		
Platinum-Ruthenium, precipitate, oxidation of CH <sub>3</sub> OH, a	104	<b>Osmium, oxidation</b>	51
Rhodium, passivation in HCl, a	64	<b>Osmium Alloys, Osmium-Chromium, phase diagram, a</b>	27
Ruthenium, oxidation of CH <sub>3</sub> OH, a	104	<b>Osmium Carbide, synthesis, a</b>	28
Ruthenium-Platinum, precipitate, oxidation of CH <sub>3</sub> OH, a	104	<b>Osmium Oxides, thermodynamic properties, a</b>	63
		<b>Oxidation of, NH<sub>3</sub></b>	106, 144
<b>Fibres, production, a</b>	107	C <sub>2</sub> H <sub>6</sub> and C <sub>2</sub> H <sub>4</sub> , a	104
<b>Field Ion microscopy, of Pt metals</b>	84	C <sub>2</sub> H <sub>4</sub> , a	30
<b>Fuel Cells, H<sub>2</sub>-O<sub>2</sub>, a</b>	66	H <sub>2</sub> -CO mixtures, a	146
Pt black electrodes, a	106	CH <sub>3</sub> OH, a	104
Pt metal black electrodes, a	146	CH <sub>3</sub> OH, HCHO, a	29
Pt metals in	14, 119	Pd	126
Pt, Pd, and Ag electrodes, a	106	<b>Palladium, black, coating, a</b>	104
C <sub>2</sub> H <sub>2</sub> -air, a	66	condensation on, a	104
C <sub>2</sub> H <sub>4</sub> -air, a	66	diffusion of H <sub>2</sub> in, a	140
technique for H <sub>2</sub> purification	58	films	2
<b>Furnace, Pt-wound, for testing refractories, a</b>	143	films, in H <sub>2</sub> recovery	50
vacuum, Pt alloy-wound	43	Hall coefficient, a	102
		in H <sub>2</sub> detector, a	104
<b>Glass, Au-Pd film on, a</b>	104	magnetic properties, effect of Co, Fe, a	102
Pt nuclei in	9	oxidation	126
storage of radioactive residues	89	total emissivity, a	27
wetting of Pt	92	vapour pressure, a	26, 101, 140
wetting of Pt alloys	130	wettability, a	141
		whisker growth, a	101
<b>Hydrogen, chemisorption detector for, a</b>	104	<b>Palladium Alloys, Palladium-Chromium, magnetic properties, a</b>	26
<b>Hydrogen Cyanide, synthesis, a</b>	144	Palladium-Cobalt, magnetic properties, a	26
		Palladium-Gadolinium, magnetic properties, a	62, 140

<b>Palladium Alloys (contd.)</b>	<i>Page</i>	<b>Platinum Alloys (contd.)</b>	<i>Page</i>
<b>Palladium-Gold</b> , film on glass, <i>a</i>	104	<b>Platinum-Antimony</b> , semiconducting properties, <i>a</i>	140
H <sub>2</sub> absorption, <i>a</i>	26	<b>Platinum-Boron</b> , constitution, <i>a</i>	101
lattice parameters, <i>a</i>	61	<b>Platinum-Chromium</b> , magnetic properties, <i>a</i>	101
thermal expansion, <i>a</i>	61	specific heat, <i>a</i>	101
<b>Palladium-Hydrogen</b> , heat capacity, <i>a</i>	101	<b>Platinum-Cobalt</b> , coercivity, <i>a</i>	140
H <sub>2</sub> absorption and diffusion, <i>a</i>	101	crystal structure, <i>a</i>	100
solubility of H <sub>2</sub> , <i>a</i>	140	magnetic properties, <i>a</i>	61, 100, 101, 140
structure, <i>a</i>	101, 102	rotors	114
<b>Palladium-Iron</b> , Hall coefficient, <i>a</i>	102	<b>Platinum-Gadolinium</b> , magnetic properties, <i>a</i>	101
magnetic properties, <i>a</i>	26, 102, 140	<b>Platinum-Gold</b> , electronic specific heat, <i>a</i>	26
<b>Palladium-Lanthanum</b> , superconductivity in, <i>a</i>	62	film resistors	82
<b>Palladium-Manganese</b> , magnetic properties, <i>a</i>	26, 27	magnetic susceptibility, <i>a</i>	26
<b>Palladium-Mercury</b> , constitution, <i>a</i>	102	precipitation in spinnerets, <i>a</i>	100, 129, 107
<b>Palladium-Molybdenum</b> , constitution and properties, <i>a</i>	62	<b>Platinum-Gold-Rhodium</b> , spinnerets, <i>a</i>	107
<b>Palladium-Nickel</b> , lattice parameters, <i>a</i>	61	<b>Platinum-Iridium</b> , electronic specific heat, <i>a</i>	26
magnetic properties, <i>a</i>	26, 140	magnetic susceptibility, <i>a</i>	26
thermodynamic properties, <i>a</i>	61	<b>Platinum-Iron</b> , magnetic properties, <i>a</i>	100, 101, 140
<b>Palladium-Rhodium</b> , magnetic properties, effect of Co, Fe, <i>a</i>	102	solid solution strengthening of, <i>a</i>	100
thermoelectric power, <i>a</i>	61	specific heat, <i>a</i>	101
<b>Palladium-Silver</b> , crystal structure, <i>a</i>	26	<b>Platinum-Manganese</b> , crystal structure, <i>a</i>	26
diffusion of H <sub>2</sub> in, <i>a</i>	140	magnetic properties, <i>a</i>	101, 140
diffusion of H <sub>2</sub> in fuel cell, <i>a</i>	66	specific heat, <i>a</i>	101
diffusion tube	7	<b>Platinum-Nickel</b> , magnetic properties, <i>a</i>	101
effect of annealing, <i>a</i>	26	specific heat, <i>a</i>	101
electrical properties, <i>a</i>	26	<b>Platinum-Rhodium</b> , in thermal conductivity apparatus, <i>a</i>	143
H <sub>2</sub> -absorption, <i>a</i>	28, 102	spinnerets, <i>a</i>	107
magnetic properties, effect of Co, Fe, <i>a</i>	102	<b>Platinum-Rhodium-Gold</b> , spinnerets, <i>a</i>	107
thermodynamic properties, <i>a</i>	61	wetting by glass	130
thermoelectric power, <i>a</i>	61	<b>Platinum-Silicon</b> , crystal structure, <i>a</i>	26
yield strength, <i>a</i>	61	<b>Platinum-Titanium</b> , electrical conductivity, <i>a</i>	101
<b>Palladium-Tantalum</b> , constitution, <i>a</i>	26	<b>Platinum-Tungsten</b> , thermal conductivity, <i>a</i>	140
<b>Palladium-Tellurium</b> , constitution and properties, <i>a</i>	102	<b>Platinum-Zirconium</b> , electrical conductivity, <i>a</i>	101
<b>Palladium-Titanium</b> , corrosion resistance, <i>a</i>	107	<b>Platinum Chloride</b> , crystal structure, <i>a</i>	28, 141
<b>Palladium Chloride</b> , activator for metallising plastics, <i>a</i>	64	<b>Platinum Complexes</b> , <i>a</i>	142
<b>Palladium Complexes</b> , <i>a</i>	63, 103, 142	carbonyl formation, <i>a</i>	103
<b>Palladium Fluorides</b> , <i>a</i>	63	substitution reactions, <i>a</i>	103
<b>Palladium Oxide</b> , partial pressure, <i>a</i>	140	with SnCl <sub>2</sub> , <i>a</i>	63
<b>Palladium-Rhodium Oxide</b> , <i>a</i>	103	<b>Platinum Iodides</b> , thermal dissociation, <i>a</i>	63
<b>Petroleum Refining</b> , catalysts in continuous use, <i>a</i>	105	<b>Platinum Metals</b> , field ion microscopy	84
high pressure hydrocracking, <i>a</i>	105	galvanic couples	56
hydrocracking catalysts, <i>a</i>	143	in electrical contacts, <i>a</i>	107
hydrocracking processes, <i>a</i>	144	in electrocatalysis	122
isomerisation of distillate fractions, <i>a</i>	144	in fuel cells	14, 119
naphtha reforming, <i>a</i>	105	magnetic properties	16
<b>Petroleum Reforming</b> , aromatics production at I.C.I., Billingham	46	phosphine complexes	47
<b>Platfining</b> , at I.C.I., Billingham	46	pyrite and marcasite compounds, electrical properties, <i>a</i>	103
<b>Platforming</b> , at I.C.I., Billingham	46	with Nb, superconductivity, <i>a</i>	103
<b>Platinum</b> , crucible lining, melting of radioactive glass	89	with rare earths and Th, superconductivity, <i>a</i>	102
electronic specific heat, <i>a</i>	26	<b>Potassium Chloroplatinate</b> , hydrolysis, <i>a</i>	142
experiments by Wood	20	<b>Potassium Chloroplatinite</b> , hydrolysis, <i>a</i>	141
films, adsorption of Kr, <i>a</i>	140	<b>Radioactive Residues</b> , disposal as glass	89
hardening of laminated sheet, <i>a</i>	27	<b>Rayon</b> , production, <i>a</i>	107
magnetic susceptibility, <i>a</i>	26	<b>Refractories</b> , corrosion resistance of, <i>a</i>	143
metal films	2	<b>Resistance Thermometers</b> , Pt, at low temperatures, <i>a</i>	31
nuclei in glass	9	Pt, computations, <i>a</i>	107
oxidation, <i>a</i>	141	Pt, surface contamination of	59
production increased	45	Pt, thin film, <i>a</i>	146
quenched, deformation of, <i>a</i>	100	<b>Resistors</b> , noble metal film	82
resistivity, effect of contamination on tank, <i>a</i>	59	<b>Rhodium</b> , condensation on, <i>a</i>	104
thermal conductivity	60, 100	electronic specific heat, <i>a</i>	62
thermal diffusion, <i>a</i>	100	magnetic susceptibility, <i>a</i>	62
thermodynamic data	122	oxidation	51
thermoelectric size effect, <i>a</i>	100	total emissivity, <i>a</i>	27
wettability, <i>a</i>	141	wettability, <i>a</i>	141
wetting by glass	92	<b>Rhodium Alloys</b> , with transition and lanthanide elements, <i>a</i>	141
work-hardening	19	<b>Rhodium-Gold-Platinum</b> , spinnerets, <i>a</i>	107
<b>Platinum Alloys</b> , with transition and lanthanide elements, <i>a</i>	141	<b>Rhodium-Lithium</b> , crystal structure, <i>a</i>	141
with transition metals, electrical conductivity, <i>a</i>	101	<b>Rhodium-Manganese</b> , magnetic properties, <i>a</i>	102
furnace elements	43	<b>Rhodium-Nickel</b> , constitution and properties, <i>a</i>	141

	<i>Page</i>		<i>Page</i>
<b>Rhodium Alloys, (contd.)</b>			
<b>Rhodium-Niobium</b> , constitution, <i>a</i>	62	<b>Ruthenium Compounds, BaRuO<sub>3</sub></b> , <i>a</i>	103
<b>Rhodium-Palladium</b> , magnetic properties, effect of Co, Fe, <i>a</i>	102	<b>Ruthenium Fluoride</b> , enthalpy of formation, <i>a</i>	142
thermoelectric power, <i>a</i>	61	<b>Ruthenium Oxides</b> , dioxide, O <sub>2</sub> chemisorption, <i>a</i>	103
<b>Rhodium-Platinum</b> , in thermal conductivity apparatus, <i>a</i>	143	tetroxide, heat of sublimation, <i>a</i>	63
spinnerets, <i>a</i>	107	thermodynamic properties, <i>a</i>	63
<b>Rhodium-Platinum-Gold</b> , spinnerets, <i>a</i>	107		
wetting by glass, <i>a</i>	130	<b>Spinnerets</b>	107
<b>Rhodium Complexes</b> , <i>a</i>	142		
with halides, <i>a</i>	28	<b>Thermal Conductivity</b> , apparatus, <i>a</i>	143
with C <sub>2</sub> H <sub>4</sub> N <sub>2</sub> , <i>a</i>	63	<b>Thermocouples</b> , care and maintenance	57
with SnCl <sub>2</sub> , <i>a</i>	63	Gee	91
<b>Rhodium Compounds</b> , spinels, <i>a</i>	28	Iridium:Iridium-Rhodium, review of, <i>a</i>	31
sulphospinels, <i>a</i>	27	Pallador II	83
<b>Rhodium Fluorides</b> , structure, <i>a</i>	142	Platinum:Gold, lattice parameter/temperature measurements, <i>a</i>	147
<b>Rhodium-Palladium Oxide</b> , <i>a</i>	103	Platinum Metals, stability	118, 147
<b>Rocketry</b> , exhaust gas energy, <i>a</i>	104	Platinum:Rhenium, review of, <i>a</i>	31
<b>Rustenburg Platinum Mines</b> , production increased	45	Platinum:Rhodium-Platinum, carbon equivalent determination	17
<b>Ruthenium</b> , compressibility, <i>a</i>	27	for furnace control, <i>a</i>	143
oxidation	51	in blast furnace control	91
<b>Ruthenium Alloys, Ruthenium Chromium</b> , phase diagram, <i>a</i>	62	in thermal conductivity apparatus, <i>a</i>	143
<b>Ruthenium-Iron</b> , transformations, <i>a</i>	62	pressure dependence, <i>a</i>	107
<b>Ruthenium-Nickel</b> , constitution and properties, <i>a</i>	27	review of, <i>a</i>	31
<b>Ruthenium-Niobium</b> , constitution, <i>a</i>	27	<b>Rhodium-Platinum:Rhodium-Platinum</b> , "five-twenty" reference table	9
<b>Ruthenium-Silicon</b> , structure, <i>a</i>	141	review of, <i>a</i>	31
<b>Ruthenium Carbide</b> , synthesis, <i>a</i>	28	<b>Rhodium:Rhenium-Platinum</b> , review of, <i>a</i>	31
<b>Ruthenium Chloride</b> , preparation and properties, <i>a</i>	142	<b>Rhodium:Rhodium-Platinum</b> , review of, <i>a</i>	31
structure, <i>a</i>	142	<b>Tritiation of</b> , pyridine, azines, <i>a</i>	30
<b>Ruthenium Complexes</b> , hydrido-carbonyl complexes, <i>a</i>	28		
with phthalocyanine, <i>a</i>	63	<b>Wood, Charles</b> , experiments on Pt by	20
with SnCl <sub>2</sub> , <i>a</i>	63		